

### Appendix 6.3. References

- Abdurahiman, K. P., T. H. Nayak, P. U. Zacharia, and K. S. Mohamed. 2010. Trophic organisation and predator-prey interactions among commercially exploited demersal finfishes in the coastal waters of the southeastern Arabian Sea. *Estuarine Coastal and Shelf Science* **87**:601-610.
- Abdurahiman, K. P., P. U. Zacharia, T. H. Nayak, and K. S. Mohamed. 2006 Diet and trophic ecology of silver pomfret, *Pampus argenteus* (Euphrasen, 1788) exploited from the Southeast Arabian Sea. *Journal of the Marine Biological Association of India* **48** 206 - 212.
- Aikins, S. and E. Kikuchi. 2002. Grazing pressure by amphipods on microalgae in Gamo Lagoon, Japan. *MARINE ECOLOGY PROGRESS SERIES* **245**:171–179.
- Al-Abdul-Elah, K. M., S. Almatar, T. Abu-Rezq, and C. M. James. 2001. Development of hatchery technology for the silver pomfret *Pampus argenteus* (Euphrasen): effect of microalgal species on larval survival. *Aquaculture Research* **32** 849-860.
- Al-Maslamani, I., L. Le Vay, H. Kennedy, and D. A. Jones. 2007. Feeding ecology of the grooved tiger shrimp *Penaeus semisulcatus* De Haan (Decapoda: Penaeidae) in inshore waters of Qatar, Arabian Gulf. *Marine Biology* **150**:627-637.
- Al-Yamani, F. and I. Prusova. 2003. Common copepods of the Northwestern Arabian Gulf: Identification Guide. Kuwait Institute for Scientific Research, Kuwait City.
- AL-Yamani, F. Y., V. Skryabin, A. Gubanova, S. Khvorov, and I. PRUSOVA. 2011 (a). Marine zooplankton practical guide for the Northwestern Arabian Gulf. First edition. Kuwait Institute for Scientific Research, Kuwait City, Kuwait.

- Al-Yamani, F. Y., V. Skryabin, A. Gubanova, S. Khvorov, and I. Prusova. 2011 (b). Marine zooplankton practical guide for the Northwestern Arabian Gulf. First edition. Kuwait Institute for Scientific Research, Kuwait City, Kuwait.
- Alavriño, A. 1980. The relation between the distribution of zooplankton predators and anchovy larvae CalCOFI Rep. **XXI**:150-160.
- Ali, M., F. Al-Yamani, and T. A. Khalaf. 2009. Observation of *Acartia (Acartiella) faoensis* (Copepods, Calanoida, Acartiidae) near Bubiyan Island in the north of Kuwait. *Crustaceana* **82** 1073-1077.
- Ali, M., F. Al-Yamani, and I. PRUSOVA. 2007. *Bestiolina arabica* sp. nov. (Copepoda, Calanoida, Paracalanidae), a new species from the northwestern Arabian Gulf. *Crustaceana* **80**:195-205.
- Ali, T. S., A. R. M. Mohamed, and N. A. Hussain. 1993. Trophic interrelationships of the demersal fish assemblage in the Northwest Arabian Gulf, Iraq *Asian Fisheries Sciences* **6**:255-264.
- Almatar, S., K. A. Elah, and T. Abu-Rezq. 2000. Larval developmental stages of laboratory-reared silver pomfret, *Pampus argenteus*. *Ichthyological Research* **47**:137-141.
- Alver, M. O., W. Storoy, T. Bardal, I. Overrein, M. K. Onsoyen, T. Tennoy, and G. Oie. 2011. Automatic measurement of *Acartia tonsa* nauplii density, and estimation of stage distribution. *Aquaculture* **313**:100-106.
- Ambler, J. W. and B. W. Frost. 1974. The feeding behavior of a predatory planktonic copepod, *Tortanus discaudatus* *Limnology and Oceanography* **19**:446-451.
- Andres, M., G. Rotllant, M. Sastre, and A. Estevez. 2011. Replacement of live prey by formulated diets in larval rearing of spider crab *Maja brachydactyla*. *Aquaculture* **313** 50-56.

- Arcodiv.org. 2015. *Clione limacina* size.
- Arula, T., J. Kotta, A. Lankov, M. Simm, and S. Polme. 2012. Diet composition and feeding activity of larval spring-spawning herring: Importance of environmental variability. *Journal of Sea Research* **68**:33-40.
- Banse, K. 1954. Über Morphologic und Larvalentwicklung von *Nereis (Neanthes) succinea* (Leuckart)1847 (*Polychoeta errantia*). *Zool. Jahrb.* **74**:160-171.
- Barry, K. P., R. E. Condrey, W. B. Driggers, and C. M. Jones. 2008. Feeding ecology and growth of neonate and juvenile blacktip sharks *Carcharhinus limbatus* in the Timbalier–Terrebone Bay complex, LA, U.S.A. *Journal of Fish Biology* **73**:650-662.
- Bass, N. R. and A. E. Brafield. 1972. The life-cycle of the polychaete *Nerds virens*. *Journal of the Marine Biological Association of UK* **52** 701-726.
- Bayhan, B., T. M. Sever, and E. Taskavak. 2008. Age, Length-Weight Relationships and Diet Composition of Scaldfish *Arnoglossus laterna* (Walbaum, 1792) (Pisces: Bothidae) in Izmir Bay (Aegean Sea). *Journal of Animal and Veterinary Advances* **7**:924-929.
- Calbet, A., F. Carlotti, and R. Gaudy. 2007. The feeding ecology of the copepod *Centropages typicus* (Kroyer). *Progress in Oceanography* **72**:137-150.
- Camus, T., C. Zeng, and A. D. McKinnon. 2009. Egg production, egg hatching success and population increase of the tropical paracalanid copepod, *Bestiolina similis* (Calanoida: Paracalanidae) fed different microalgal diets. *Aquaculture* **297** 169-175.
- Cazaux, C. 1969. Etude morphologique du developpement larvaire d'Annelides Polychetes. II. Phyllodocidae, Syllidae, Nereidae. *Arch. Zool. Exp. Gen.* **110** 145-202.

- Conley, W. J. and T. L. Hopkins. 2004. Feeding ecology of lanternfish (Pisces : Myctophidae) larvae: Prey preferences as a reflection of morphology. BULLETIN OF MARINE SCIENCE **75**:361-379.
- Conway, D. V. P. 2006. Identification of the copepodite developmental stages of twenty-six North Atlantic copepods. Marine Biological Association of the United Kingdom Occasional Publication **21**:1-27.
- Costa, R. C., A. Fransozo, G. A. S. Melo, and F. A. M. Freire. 2003. An illustrated key for dendrobranchiata shrimps from the northern coast of São Paulo State, Brazil. . Biota Neotropica **3**:1-12.
- Cross, J. N., C. A. Zetlin, P. L. Berrien, D. L. Johnson, and C. McBride. 1999. Essential fish habitat source document: Butterfish, *Peprilus triacanthus*, life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-145, U. S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Region and Northeast Fisheries Science Center, Woods Hole, Massachusetts.
- Cunha, M. E., H. Quental, A. Barradas, P. Pousao-Ferreira, E. Cabrita, and S. Engrola. 2009. Rearing larvae of dusky grouper, *Epinephelus marginatus* (Lowe, 1834), (Pisces: Serranidae) in a semi-extensive mesocosm. Scientia Marina **73**:201-212.
- Da Costa, R. M. and F. Fernandez. 2002. Feeding and survival rates of the copepods *Euterpina acutifrons* Dana and *Acartia grani* Sars on the dinoflagellates *Alexandrium minutum* Balech and *Gyrodinium corsicum* Paulmier and the Cryptophyta *Rhodomonas baltica* Karsten. Journal of Experimental Marine Biology and Ecology **273** 131- 142.

- Dadzie, S., F. Abou-Seedo, and E. A I -Qattan. 2000. The food and feeding habits of the silver pomfret, *Pampus argenteus* (Euphrasen), in Kuwait waters. Journal of Applied Ichthyology **16**:61-67.
- Dales, R. P. 1950. The reproduction and larval development of *Nereis diversicolor* O. F. Muller. Journal of the Marine Biological Association of UK **29**:321-360.
- Doi, M., J. D. Toledo, M. S. N. Golez, M. de los Santos, and A. Ohno. 1997. Preliminary investigation of feeding performance of larvae of early red-spotted grouper, *Epinephelus coioides*, reared with mixed zooplankton. Hydrobiologia **358**:259-263.
- Durchon, M. 1956. Mode de reproduction et developpement de *Nereis (Ceratonereis) costae*, Grube;(Annelida, Polychete) a Alger. Arch. Zool. Exp. Gén., **93** 57-69.
- Edwards, R. R. C., J. H. S. Blaxter, U. K. Gopalan, C. V. Mathew, and D. M. Finlayson. 1971. Feeding metabolism and growth of tropical flatfish. Journal of Experimental Marine Biology and Ecology **6**:279-300.
- Epifanio, C. E., M. A. Lobanoff, V. P. Connaughton, and W. J. M. 1994. Growth and development of Atlantic mud crab larvae fed natural zooplankton prey. Journal of Experimental Marine Biology and Ecology **180**:165-174.
- Esposito, V., P. Battaglia, L. Castriota, M. G. Finoia, G. Scotti, and F. Andaloro. 2009. Diet of Atlantic lizardfish, *Synodus saurus* (Linnaeus, 1758) (Pisces: Synodontidae) in the central Mediterranean Sea. Scientia Marina **73**:369-376.
- Estcourt, I. N. 1966. The life history and breeding biology of *Nicon aestuariensis* Knox (Annelida, Polychaeta). Transaction Royal Society of New Zealand **7**:179-194.
- Farfante, P. I. and B. Kensley. 1997. Penaeoid and Sergestoid shrimps and prawns of the world. Keys and diagnoses for the

families and genera.

FishBase. 2015. FishBase. World Wide Web electronic publication. *in* R. Froese and D. Pauly, editors. FishBase.

Fujita, S. 2004. Ecological Study on Larvae and Juveniles of the two Sea Basses and the three Sparines Occurring in the Shimanto Estuary, Japan. Bulletin of Marine Science and Fisheries of Kochi University, Japan **23**:1— 57.

Full, R. J., R. L. Caldwell, and S. W. Chow. 1989. SMASHING ENERGETICS - PREY SELECTION AND FEEDING EFFICIENCY OF THE STOMATOPOD, GONODACTYLUS-BREDINI. Ethology **81**:134-147.

Gadomski, D. M. and G. W. Boehlert. 1984. Feeding ecology of pelagic larvae of English sole *Pamphrys vetulus* and butter sole *Isopsetta isolepis* off the Oregon coast. MARINE ECOLOGY PROGRESS SERIES **20**:1-12.

Gilly, W. F., C. A. Elliger, C. A. Salinas, S. Camarilla-Coop, G. Bazzino, and M. Beman. 2006. Spawning by jumbo squid *Dosidicus gigas* in San Pedro Mártir Basin, Gulf of California, Mexico. MARINE ECOLOGY PROGRESS SERIES **313**:125-133.

Gilpin-Brown, J. B. 1959. The reproduction and larval development of *Nereis fucata* (Savigny). Journal of the Marine Biological Association of UK **38**:65-80.

Grover, J. and J. M. Shenker. 1992. Trophodynamics and early juveniles of Nassau grouper, *Epinephelus striatus*, during recruitment into bank habitat in the Bahamas. Pages 413-417 *in* 45th Gulf and Caribbean Meeting. Gulf and Caribbean Fisheries Institute, Corpus Christi, Texas.

Hajisamae, S. 2009. Trophic ecology of bottom fishes assemblage along coastal areas of Thailand. Estuarine Coastal and Shelf Science **82**:503-514.

- Hajisamae, S., L. M. Chou, and S. Ibrahim. 2003. Feeding habits and trophic organization of the fish community in shallow waters of an impacted tropical habitat. *Estuarine Coastal and Shelf Science* **58**:89-98.
- Hajisamae, S., L. M. Chou, and S. Ibrahim. 2004. Feeding habits and trophic relationships of fishes utilizing an impacted coastal habitat, Singapore. *Hydrobiologia* **520**:61-71.
- Hajisamae, S. and S. Ibrahim. 2008. Seasonal and spatial variations of fish trophic guilds in a shallow, semi-enclosed tropical estuarine bay. *Environmental Biology of Fishes* **82**:251-264.
- Hajisamae, S. and P. Yeesin. 2010. PATTERNS IN COMMUNITY STRUCTURE OF TRAWL CATCHES ALONG COASTAL AREA OF THE SOUTH CHINA SEA. *Raffles Bulletin of Zoology* **58**:357-368.
- Hajisamae, S., P. Yeesin, and S. Chaimongkol. 2006a. Habitat utilization by fishes in a shallow, semi-enclosed estuarine bay in southern Gulf of Thailand. *Estuarine Coastal and Shelf Science* **68**:647-655.
- Hajisamae, S., P. Yeesin, and S. Ibrahim. 2006b. Feeding ecology of two sillaginid fishes and trophic interrelations with other co-existing species in the southern part of South China Sea. *Environmental Biology of Fishes* **76**:167-176.
- Hansen, B. 1993. ASPECTS OF FEEDING, GROWTH AND STAGE DEVELOPMENT BY TROCHOPHORA LARVAE OF THE BOREAL POLYCHAETE *MEDIOMASTUS-FRAGILE* (RASMUSSEN) (CAPITELLIDAE). *Journal of Experimental Marine Biology and Ecology* **166**:273-288.
- Harbison, G. R. and R. W. Gilmer. 1976. The feeding rates of the pelagic tunicate *Pegea confederata* and two other salps. *Limnology and Oceanography* **21**:517-528.

- Harvey, B. J. 1993. Successful use of cryopreserved oyster trocophores as a live first feed larval marine fish and invertebrates. Pages 166-169 in The Seminar-Workshop on Breeding and Seed Production of Cultured Finfishes in the Philippine, 4-5 May 1993. Proceedings of the Seminar-Workshop on Breeding and Seed Production of Cultured Finfishes in the Philippine, Iloilo, Philippines: SEAFDEC Aquaculture Department, Tigbauan, Iloilo, Philippines.
- Hashemi, S. A. and S. A. Taghavimotlagh. 2013. Diet composition of bartail flathead (*Platycephalus indicus*) in northwest of Persian Gulf. World Journal of Fish and Marine Sciences **5**:35-41.
- Hauenschild, C. 1951. Nachweis der sogenannten atoken Geschlechtsform des Polychaeten *Platynereis dumerilii* Aud. et M-Edw. als eigene Art auf Grund von Zuchtversuchen. Zool. Jahrb. **63** 107-128.
- Herpin, R. 1925. Recherches biologiques sur la reproduction et la development de quelques Annelides Polychaetes. Bulletin Social Science Nature Ouest **5**:1-250.
- Houde, E. D., S. Almatar, J. C. Leak, and D. C.E. 1986. Ichthyoplankton abundance and diversity in the Western Arabian Gulf. Kuwait Bulletin of Marine Science **8**:107-393.
- Ibrahim, S., M. Muhammad, M. A. Ambak, M. Z. Zakaria, A. S. Mamat, M. M. Isa, and S. Hajisamae. 2003. Stomach contents of six commercially important demersal fishes in the South China Sea. Turkish Journal of Fisheries and Aquatic Sciences **3**:11-16.
- Ikewaki, Y. and M. Tanaka. 1993. Feeding habits of Japanese Flounder (*Paralichthys olivaceus*) larvae in the Western part of Wakasa Bay, the Japan Sea. Nippon Suisan Gakkaishi **59**:951-956.

- Imoto, H. and S. Matsui. 2000. Development of eggs, larvae and juveniles of laboratory-reared blue whiting, *Sillago parvisquamis* (Percoidei : Sillaginidae). *Ichthyological Research* **47**:59-67.
- Jaafar, Z., S. Hajisamae, L. M. Chou, and Y. Yatiman. 2004. Community structure of coastal fishes in relation to heavily impacted human modified habitats. *Hydrobiologia* **511**:113-123.
- Jagadis, I. 2011. Spawning, larval development and spat settlement in the Venus clam *Gafrarium tumidum* (Roding, 1798) from south-east coast of India. *Indian Journal of Fisheries* **58**:1-5.
- Jones, D. A. 1986. *A Field Guide to the Sea Shores of Kuwait and the Arabian Gulf*. Kuwait University, Kuwait City.
- Kamiyama, T. 2011. Planktonic ciliates as a food source for the scyphozoan *Aurelia aurita* (s.i) Feeding activity and assimilation of the polyp stage. *Journal of Experimental Marine Biology and Ecology* **407**:207-215.
- Kanou, K., H. Kohno, P. Tongnunui, and H. Kurokura. 2002. Larvae and juveniles of two engraulid species, *Thryssa setirostris* and *Thryssa hamiltonii*, occurring in the surf zone at Trang, southern Thailand. *Ichthyological Research* **49**:401-405.
- Kanou, K., M. Sano, and H. Kohno. 2005. Ontogenetic diet shift, feeding rhythm, and daily ration of juvenile yellowfin goby *Acanthogobius flavimanus* on a tidal mudflat in the Tama River estuary, central Japan. *Ichthyological Research* **52**:319-324.
- Katechakis, A. and H. Stibor. 2004. Feeding selectivities of the marine cladocerans *Penilia avirostris*, *Podon intermedius* and *Evadne nordmanni*. *Marine Biology* **145**:529–539.

- Kerschner, B. A., M. S. Peterson, and R. G. J. Gilmore. 1985. Ecotopic and ontogenetic trophic variation in Mojarras (Pisces: Gerreidae). *Estuaries* **8**:311-322
- Khalaf, T. A. 1991. A new calanoid copepod of the genus *Acartia* from Khor Abdulla and Khor Al-Zubair waters, Iraq. *Marina Mesopotamica* **6**:80-91.
- Khalaf, T. A. 2007. Post-naupliar stages of *Acartia (Acartiella) faoensis*, Khalaf (Copepoda : Calanoida), from Khor Al-Zubair south of Iraq. *International Journal of Oceans and Oceanography* **2**:179-186.
- Kiorboe, T. and P. Munk. 1986. Feeding and growth of larval herring, *Clupea harengus*, in relation to density of copepod nauplii. *Environmental Biology of Fishes* **17**:133-139.
- Kitajima, C., M. Takaya, Y. Tsukashima, and T. Arakawa. 1991. Development of eggs, larvae and juveniles of the grouper, *Epinephelus-septemfasciatus*, reared in the laboratory. *Japanese Journal of Ichthyology* **38**:47-55.
- Kuronuma, K. and Y. Abe. 1986. *Fishes of the Arabian Gulf*. Kuwait Institute for Scientific Research, Kuwait City.
- Kuthalingam, M. D. K. 1963. Observations on the fishery and biology of the silver pomfret, *Pampus argenteus* (Euphrasen) from the Bay of Bengal. *Indian Journal of Fisheries* **10**:59-74.
- Lipej, L., P. Mozetič, V. Turk, and A. Malej. 1997. The trophic role of the marine cladoceran *Penilia avirostris* in the Gulf of Trieste. *Hydrobiologia*.
- Lucifora, L. O., V. B. Garcia, R. C. Menni, A. H. Escalante, and N. M. Hozbor. 2009. Effects of body size, age and maturity stage on diet in a large shark: ecological and applied implications. *Ecological Research* **24**:109-118.

- Manning, R. B., editor. 1966. Notes on some Australian and New Zealand stomatopod Crustacea, with an account of the species collected by the Fisheries Investigation Ship Endeavour. Australian Museum Scientific Publications, Sydney, Australia.
- Marnane, M. J. and D. R. Bellwood. 2002. Diet and nocturnal foraging in cardinalfishes (Apogonidae) at One Tree Reef, Great Barrier Reef, Australia. MARINE ECOLOGY PROGRESS SERIES **231**:261–268.
- Matich, P., M. R. Heithaus, and C. A. Layman. 2010. Size-based variation in intertissue comparisons of stable carbon and nitrogen isotopic signatures of bull sharks (*Carcharhinus leucas*) and tiger sharks (*Galeocerdo cuvier*). Canadian Journal of Fisheries and Aquatic Sciences **67**:877-885.
- Mazurkiewicz, M. 1975. Larval developments and habits of *Laeonereis culveri* (Webster) (Polychaeta: Nereidae). Biological Bulletin **149**:186-204.
- McKinnon, A. D., S. Duggan, P. D. Nichols, M. A. Rimmer, G. Semmens, and B. Robino. 2003. The potential of tropical paracalanid copepods as live feeds in aquaculture. Aquaculture **223**:89-106.
- Mohammadi, G. H., M. Khodadadi, H. Emadi, and S. M. B. Nabavi. 2007. The food habit of *Epinephelus coioides* (Hamilton, 1822) in Khuzestan coastal waters (Persian Gulf). Pakistan Journal of Biological Sciences **10**:4029-4035.
- Molares, J., F. Tilves, and C. Pascual. 1994. Larval development of the pedunculate barnacle *Pollicipes cornucopia* (Cirripedia: Scalpellomorpha) reared in the laboratory. Marine Biology **120**:261-264.
- Möllmann, C., G. Kornilovs, M. Fetter, and F. W. Köster. 2004. Feeding ecology of central Baltic Sea herring and sprat. Journal of Fish Biology **65** 1563-1581.

- Morote, E., M. P. Olivar, F. Villate, and I. Uriarte. 2008. Diet of round sardinella, *Sardinella aurita*, larvae in relation to plankton availability in the NW Mediterranean. *Journal of Plankton Research* **30**:807-816.
- Muthu, M. S., N. N. Pillai, and K. V. George. 1979. Larval development - *Parapenaeopsis stylifera* (H. Milne Edwards). *CMFRI Bulletin* **28**:65-75.
- Muxagata, E., J. A. Williams, and M. Shearer. 2004. Composition and temporal distribution of cirripede larvae in Southampton Water, England, with particular reference to the secondary production of *Elminius modestus*. *ICES Journal of Marine Science* **61**:585-595.
- Nair, K. V. S. 1979. Food and feeding habits of *Otolithes ruber* (Schneider) at Calicut. *Indian Journal of Fisheries* **26**:133-139.
- Narejo, N. T., S. M. Laghari, and S. I. H. Jafri. 2005. Food and feeding habit of Palla, *Tenualosa ilisha* (Hamilton) from Ring Dam (up-stream) River Indus. *Pakistan Journal of Zoology* **37**:265-267.
- Nip, T. H. M., W. Y. Ho, and C. K. Wong. 2003. Feeding ecology of larval and juvenile black seabream (*Acanthopagrus schlegeli*) and Japanese seaperch (*Lateolabrax japonicus*) in Tolo Harbour, Hong Kong. *Environmental Biology of Fishes* **66**:197-209.
- O'Neil, M. J. 1998. The colonial cyanobacterium *Trichodesmium* as a physical and nutritional substrate for the harpacticoid copepod *Macrosetella gracilis*. *Journal of Plankton Research* **20**:43-59.
- Ohtsuka, S. and T. Onbe. 1989. Evidence of selective feeding on Larvaceans by the pelagic copepod *Candancia bipinnata* (Calanoida: Candanciidae). *Journal of Plankton Research* **11**:869-872.

- Ostergaard, P., P. Munk, and V. Janekarn. 2005. Contrasting feeding patterns among species of fish larvae from the tropical Andaman Sea. *Marine Biology* **146**:595-606.
- Paulo-Martins, C., C. Vinagre, A. Silva, and H. Cabral. 2011. Variation of diet and food consumption of the scaldfish *Arnoglossus laterna* (Walbaum, 1792). *Journal of Applied Ichthyology* **27**:977-983.
- Pauly, D. and M. L. Palomares. 1987. Shrimp consumption by fish in Kuwait waters: Preliminary results and their implications for management and research. *Kuwait Bulletin of Marine Science* **9**:101-125.
- Peters, K. M. and R. H. J. McMichael. 1987. Early Life History of the Red Drum *Sciaenops ocellatus* (Pisces: Scianidae) in Tampa Bay, Florida Estuaries **10**:92-107
- Peterson, T. M. and G. H. Dam. 1996. Pigment ingestion and egg production rates of the calanoid copepod *Temora longicornis*: implications for gut pigment loss and omnivorous feeding. *Journal of Plankton Research* **18**:855-861.
- Peterson, W. T. and S. J. Ausubel. 1984. Diets and selective feeding by larvae of Atlantic mackerel *Scomber scombrus* on zooplankton. *MARINE ECOLOGY PROGRESS SERIES* **17**:65-75.
- Phillips, N. E. 2011. Where are larvae of the vermetid gastropod *Dendropoma maximum* on the continuum of larval nutritional strategies? *Marine Biology* **158**:2335-2342.
- Pillai, P. K. M. 1983. Biometry food and feeding and spawning habits of *Otolithes-ruber* from Porto-Novo, India. *Indian Journal of Fisheries* **30**:69-73.
- Poojary, N., L. R. Tiwari, and A. K. Jaiswar. 2010. Food and feeding habits of the Indian scad, *Decapterus russelli* (Ruppell, 1830) from Mumbai waters, north-west coast of India. *Indian Journal of Fisheries* **57**:93-98.

- Rajaguru, A. 1992. Biology of 2 cooccurring tonguefishes, *Cynoglossus arel* and *C. LIDA* (Pleuronectiformes, Cynoglossidae), from Indian waters. FISHERY BULLETIN **90**:328-367.
- Rao, K. S. 1964. Food and feeding habits of fishes from trawl catches in Bay of Bengal with observations on diurnal variation in nature of feed. Indian Journal of Fisheries-Section A **11**:277-314.
- Rao, S. K. and K. V. S. J. Rao. 1979. Food and feeding habits of *Johnius-acillaris* off Waltair India coast. Indian Journal of Marine Sciences **8**:103-106.
- Reish, D. J. 1954. The life history and ecology of the polychaetous annelid *Nereis grubei* (Kinberg). Occ. Pap. Allan Hancock Found. **14**:1-46.
- Reish, K. 1957. The life history of the polychaetous annelid *Neanthes caudata* (delle Chiaje), including a summary of development in the family Nereidae. Pacific Science **11**:216-228.
- Richards, W. J. 2008. The early life history stages of fishes from the waters of Kuwait in the Arabian Gulf, Indian Ocean. Kuwait Institute for Scientific Research, Kuwait City.
- Rissik, D. and I. M. Suthers. 1996. Feeding in a larval fish assemblage: the nutritional significance of an estuarine plume front. Marine Biology **125**:233-240.
- Rissik, D. and I. M. Suthers. 2000. Enhanced feeding by pelagic juvenile myctophid fishes within a region of island-induced flow disturbance in the Coral Sea. Marine Ecology-Progress Series **203**:263-273.
- Ronquillo, J. D., T. Saisho, and R. S. McKinley. 2006. Early developmental stages of the green tiger prawn, *Penaeus semisulcatus* de Haan (Crustacea, Decapoda, Penaeidae). Hydrobiologia **560**:175-196.

- Rotramel, G. 1975. Filter-feeding by the marine boring isopod, *Sphaeroma quoyanum* H. Milne Edwards, 1840 (Isopoda, Sphaeromatidae). *Crustaceana* **28**:7-10.
- Salini, J. P., S. J. M. Blaber, and D. T. Brewer. 1990. Diets of piscivorous fishes in a tropical Australian estuary, with special reference to predation on penaeid prawns. *Marine Biology* **105**:363-374.
- Sampey, A., A. D. McKinnon, M. G. Meekan, and M. I. MCCORMICK. 2007. Glimpse into guts: overview of the feeding of larvae of tropical shorefishes. *MARINE ECOLOGY PROGRESS SERIES* **339**:243-257.
- Sanchez-Velasco, L. 1998. Diet composition and feeding habits of fish larvae of two co-occurring species (Pisces: Callionymidae and Bothidae) in the North-western Mediterranean. *ICES Journal of Marine Science* **55**:299-308.
- SAVANT, V. V. 1963. A study on a sciaenid, *Johnius dussumieri* (Cuv. & Val.). University of Bombay, Bombay, India.
- Science.jrank. 2011. Size of ostracods: <http://science.jrank.org/pages/47936/ostracods.html>.
- Sealifebase. 2011. Length of some siphonophores and chaetognaths: <http://www.sealifebase.org/>.
- Shaber, K. and S. Sulkin. 2007. Feeding on dinoflagellates by intermediate and late stage crab zoeae raised in the laboratory and collected from the field. *Journal of Experimental Marine Biology and Ecology* **340**:149-159.
- Shchetinnikov, A. S. 1992. Feeding spectrum of squid *Stthenoteuthis oualaniensis* (Oegopsida) in the eastern pacific. *Journal of the Marine Biological Association of UK* **72**:849-860.

- Shelbourne, J. E. 1962. A Predator-Prey Size Relationship For Plaice Larvae Feeding on *Oikopleura*
- Journal of the Marine Biological Association of UK **42**:243-252.
- Silver, M. W. 1971. The habitat of *Salpa fusiformis* in the California Current as defined by stomach content studies and the effect of salp swarms on the food supply. University of, San Diego, California.
- Skryabin, V. and F. Al-Yamani. 2006a. New Species of Genera *Tintinnopsis*, *Metacylis* and *Eutintinnus* (Ciliophora, Spirotrichea, Tintinnida) from the Kuwaiti Waters of the Arabian Gulf. Russian Journal of Marine Biology **32** 302-307.
- Skryabin, V. A. and F. Y. Al-Yamani. 2006b. New species of the genera *Tintinnopsis*, *Metacylis* and *Eutintinnus* (Ciliophora : Spirotrichea : Tintinnida) from waters off Kuwait (Arabian Gulf). Biologiya Morya (Vladivostok) **32**:358-362.
- Skryabin, V. A. and F. Y. Al-Yamani. 2007. New species of genera *Leprotintinnus* and *Luminella* (ciliophora, spirotrichea, tintinnida) from Kuwait's waters of the Arabian gulf. Kuwait Journal of Science & Engineering **34**:79-89.
- Sogard, S. M. 1984. Utilization of meiofauna as a food source by a grassbed fish, the spotted dragonet *Callionymus pauciradiatus*. MARINE ECOLOGY PROGRESS SERIES **17**:183-191.
- Speed, C. W., M. G. Meekan, I. C. Field, C. R. McMahon, K. Abrantes, and C. J. A. Bradshaw. 2012. Trophic ecology of reef sharks determined using stable isotopes and telemetry. Coral Reefs **31**:357-367.
- Stergiou, K. I. and V. S. Karpouzi. 2002. Feeding habits and trophic levels of Mediterranean fish. Reviews in Fish Biology and Fisheries **11**:217-254.

- Suseelan, C. and K. V. S. Nair. 1969. Food and feeding habits of the demersal fishes off Bombay. *Indian Journal of Fisheries* **16**:56-74.
- Talley, T. S., J. A. Crooks, and L. A. Levin. 2001. Habitat utilization and alteration by the invasive burrowing isopod, *Sphaeroma quoyanum*, in California salt marshes. *Marine Biology* **138** 561-573.
- Tharwat, A. A. and A. R. Al-Gaber. 2006. Fishery Traps (Gargours) in Saudi Territorial Waters of the Arabian Gulf. *JKAU: Marine Science* **17**:13-31.
- Thomas, M. M., M. Kathirvel, and N. N. Pillai. 1974. Spawning and rearing of the penaeid prawn, *Metapenaeus affinis* (H. Milne Edwards) In the laboratory. *Indian Journal of Fisheries* **21**:543-556.
- Toledo, J. D., M. S. Golez, M. Doi, and A. Ohno. 1999. Use of copepod nauplii during early feeding stage of grouper *Epinephelus coioides*. *Fisheries Science* **65**:390-397.
- Tripod. 2011. Size of *Artemia* nauplii: <http://ppga.tripod.com/brineshrimp.html>.
- Uye, S.-I. and Y. Kayano. 1994. Predatory feeding of the planktonic copepod *Tortanus forcipatus* on three different prey. *Bulletin of Plankton Society of Japan* **40**:173-176.
- VanderLugt, K. and P. H. Lenz. 2008. Management of nauplius production in the paracalanid, *Bestiolina similis* (Crustacea: Copepoda): Effects of stocking densities and culture dilution. *Aquaculture* **276** 69–77.
- Viitasalo, M., J. Flinkman, and M. Viherluoto. 2001. Zooplanktivory in the Baltic Sea: a comparison of prey selectivity by *Clupea harengus* and *Mysis mixta*, with reference to prey escape reactions. *MARINE ECOLOGY PROGRESS SERIES* **216**:191—200.

- Vilas, C., P. Drake, and N. Fockedey. 2008. Feeding preferences of estuarine mysids *Neomysis integer* and *Rhopalophthalmus tartessicus* in a temperate estuary (Guadalquivir Estuary, SW Spain). *Estuarine Coastal and Shelf Science* **77**:345-356.
- Wijeyaratne, M. J. S. and H. H. Costa. 1987. The food, feeding and reproduction of the Borneo mullet, *Liza macrolepis* (Smith), in a coastal estuary in Sri Lanka. *Indian Journal of Fisheries* **34**:283-291.
- Wilson, D. P. 1932. The development of *Nereis pelagica* Linnaeus. *Journal of the Marine Biological Association of UK* **18**:203-217.
- Yagi, Y., I. Kinoshita, S. Fujita, H. Ueda, and D. Aoyoma. 2009. Comparison of the early life histories of two *Cynoglossus species* in the inner estuary of Ariake Bay, Japan. *Ichtheological Research* **56** 363-371.