

**THE UNIVERSITY OF SHEFFIELD  
DEPARTMENT OF ARCHAEOLOGY**

**DIMITRIOS VLACHOS**

**CERAMICS FROM MAKRIYALOS II, NORTHERN  
GREECE**

**Vol. 2**

**Submitted for the degree: Doctor of Philosophy**

**OCTOBER 2009**

**Tables  
and  
Figures**

Category	Frequency	Percent	
Black Polished	1996	3.9	
Brown Polished	622	1.2	
Polished with Clouds	472	.9	
Red Polished	22	.1	
Polished with Red Plaster	474	.9	7.1%
Black Burnished	1534	3.0	
Brown Burnished	10340	20.4	
Burnished with Clouds	2578	5.1	
Red Burnished	13	.1	
Burnished with Red Plaster	37	.1	28.6%
Burnished Whitish	9	.1	
Black Rough	355	.7	
Brown Rough	2055	4.1	
Rough with Clouds	588	1.2	
Red Rough	7	.1	5.9%
Classical Dimini - Black on Red	1664	3.3	
Classical Dimini - Brown on Cream	239	.5	
Classical Dimini - Polychrome	37	.1	
Classical Dimini - Brown on Brown	246	.5	
Incised Classical Dimini	40	.1	
Incised broad coloured bands	42	.1	
Incised other	249	.5	
Impressed	128	.3	
Plastic decoration	114	.2	
Channelled	20	.1	
Red-topped	4	.1	
Black-topped	581	1.2	
Bl. pol. with yellowish decor.	51	.1	
Pattern burnished	10	.1	
Barbotin	13	.1	
Other painted sherds	155	.3	
Post Neolithic	141	.3	
Undiagnostic	25846	51.0	
Red plast. on reducing surface	33	.1	
Red pol. with yellowish decor.	8	.1	
<b>Total</b>	<b>50723</b>	<b>100.0</b>	

Table 7.1. Distribution of recorded sherds on the basis of surface treatment

Category	Frequency	Percent
Black polished	563	6.9
Brown polished	88	1.1
Polished with clouds	102	1.3
Red polished	1	.0
Polished with red plaster	88	1.1
Black burnished	135	1.7
Brown burnished	1116	13.7
Burnished with clouds	368	4.5
Red burnished	3	.0
Burnished with red plaster	6	.1
Burnished whitish	5	.1
Black rough	25	.3
Brown rough	147	1.8
Rough with clouds	79	1.0
Red rough	1	.0
Classical Dimini-Black on red	1035	12.7
Cl. Dimini-Brown on cream	190	2.3
Classical Dimini-Polychrome	36	.4
Cl. Dimini-Brown on brown	142	1.7
Incised Classical Dimini	39	.5
Incised broad coloured bands	21	.3
Incised other	195	2.4
Impressed	114	1.4
Plastic decoration	136	1.7
Channelled	15	.2
Red-topped	3	.0
Black-topped	170	2.1
Bl. pol. with yellowish decor.	50	.6
Pattern burnished	8	.1
Barbotin	9	.1
Other painted sherds	65	.8
Post Neolithic	1	.0
Undiagnostic	3144	38.7
Red plast. on reducing surface	15	.2
Red pol. with yellowish decor.	8	.1
<b>Total</b>	<b>8123</b>	<b>100.0</b>

Table 7.2. Distribution of characteristic sherds on the basis of surface treatment.



Category	No. of units	Percent
Big-sized sherds	19	4.0
Medium-sized sherds	287	60.7
Small-sized sherds	167	35.3
<b>Total</b>	<b>473</b>	<b>100.0</b>




Table 7.3. Sherd dimensions among sampled units.

Category	Cases	Percent
2 by 2	153	1.9
5 by 5	4996	61.5
10 by 10	2702	33.3
>10 by 10	272	3.3
<b>Total</b>	<b>8123</b>	<b>100.0</b>




Table 7.4. Dimensions of characteristic sherds.



Category	Sherd Dimension				Total
	2 by 2	5 by 5	10 by 10	>10 by 10	
Unknown storage vessels	1	83	366	60	510
Miniature vessels	0	22	2	0	24
Unknown cooking vessels	1	8	36	5	50
Cups	2	47	23	1	73
Footed cups	0	1	5	1	7
Bowls	22	323	86	11	442
Carinated bowls	2	38	32	6	78
Carinated-like bowls	19	155	44	4	222
Hemispheric bowls	0	5	7	2	14
Fruitstands	0	10	26	3	39
Trapezes	0	17	27	1	45
Dish-like platters	0	62	51	8	121
Cooking vessels	0	20	105	32	157
Big storage vessels	0	0	16	6	22
Open shape storage vessels	0	0	12	4	16
Classical Dimini bowls	21	854	239	33	1147
Jugs	0	29	27	2	58
Hole-mouth jars	0	3	2	0	5
Classical Dimini jugs	0	16	23	3	42
Closed shape storage vessels	0	0	10	2	12
Pithos vessels	0	1	6	16	23
Jars	1	73	64	8	146
<b>Total</b>	<b>69</b>	<b>1767</b>	<b>1209</b>	<b>208</b>	<b>3253</b>

Table 7.5. Sherd dimensions on the basis of shape.



Degree of Abrasion	Units	Percent
10%	3	.6
20%	6	1.3
30%	22	4.7
40%	34	7.2
50%	32	6.8
60%	47	9.9
70%	53	11.2
80%	91	19.2
90%	95	20.1
100%	90	19.0
<b>Total</b>	<b>473</b>	<b>100.0</b>




Table 7.6. Degree of abrasion among sampled units.

Category	Degree of Abrasion on Exterior Surfaces			Total
	High	Medium	Low	
Coarse sherds	1373 (70.0%)	560 (28.6%)	27 (1.4%)	1960
Medium sherds	1911 (66.3%)	872 (30.2%)	101 (3.5%)	2884
Fine sherds	1682 (51.3%)	1336 (40.7%)	261 (8.0%)	3279
<b>Total</b>	<b>4966</b>	<b>2768</b>	<b>389</b>	<b>8123</b>

Category	Degree of Abrasion on Interior Surfaces			Total
	High	Medium	Low	
Coarse sherds	1222 (74.0%)	401 (24.3%)	28 (1.7%)	1651
Medium sherds	1759 (70.6%)	648 (26.0%)	86 (3.4%)	2493
Fine sherds	1662 (52.3%)	1274 (40.1%)	243 (7.6%)	3179
<b>Total</b>	<b>4643</b>	<b>2323</b>	<b>357</b>	<b>7323</b>

Table 7.7. Degree of abrasion among wares.



Units	Abrasion degree				Total
	10%	20%	30%	40%	
H0104027	0	0	1	0	1
H0104029	0	0	1	0	1
H0104030	0	0	0	1	1
H0292025	0	0	0	1	1
H0292027	0	0	0	1	1
H0292028	0	0	1	0	1
H0421009	0	0	0	1	1
H0421010	0	0	0	1	1
H0421011	0	0	1	0	1
H0421013	0	0	1	0	1
H0421014	0	0	0	1	1
H0421015	0	0	1	0	1
H0421016	0	0	0	1	1
H0421018	0	0	0	1	1
H0423018	0	0	0	1	1
H0423021	0	0	0	1	1
H0423022	0	0	0	1	1
H0423023	0	0	1	0	1
H0423025	0	0	0	1	1
H0433006	0	0	1	0	1
H0433007	0	0	1	0	1
H0433008	0	0	1	0	1
H0433010	0	0	1	0	1
H0433012	0	0	1	0	1
H0433013	0	0	1	0	1
H0433021	0	0	0	1	1
H0433022	0	0	0	1	1
H0433023	0	0	1	0	1
H0433024	0	0	0	1	1
H0433025	0	0	0	1	1
H0433026	0	0	0	1	1
H0433028	0	0	1	0	1
H0441043	0	0	0	1	1
H0441056	0	0	0	1	1
H0441057	0	0	0	1	1
H0441069	0	0	0	1	1
H0531007	0	0	0	1	1
T0024003	0	0	0	1	1
T0024005	0	0	1	0	1
T0062009	0	1	0	0	1
T0062010	0	0	1	0	1
T0062011	0	0	0	1	1
T0062012	0	0	1	0	1
T0062013	0	1	0	0	1
T0062014	0	0	0	1	1
T0062015	0	0	0	1	1



T0062016	0	0	1	0	1
T0062017	0	0	1	0	1
T0062018	0	1	0	0	1
T0062019	0	0	0	1	1
T0062020	1	1	0	0	2
T0062021	0	1	0	0	1
T0062022	0	1	0	0	1
T0062023	0	0	0	0	0
T0062024	1	0	0	0	1
T0062025	1	0	0	0	1
T0073005	0	0	0	1	1
T0073008	0	0	0	1	1
T0073013	0	0	0	1	1
T0073015	0	0	0	1	1
T0174020	0	0	0	1	1
T0174021	0	0	0	1	1
T0174022	0	0	1	0	1
T0174023	0	0	1	0	1
T0263018	0	0	0	1	1
<b>Total</b>	3	6	22	34	65

Table 7.8. Low levels of abrasion.



Fabric	Cases	Percent
F1	2813	34.6
F2	1703	20.9
F3	504	6.2
F4	731	9.0
F5	586	7.2
F6	159	2.0
F7	1549	19.1
F8	78	1.0
<b>Total</b>	<b>8123</b>	<b>100.0</b>




Table 7.9. Distribution of fabrics.

	Fabric	Cases	Percent
Medium Wart	F1		
	F2		
	F3		
	F4		
	F5		
	F6		
	F7		
	F8		
	Total		
Fine Wart	F1		
	F2		
	F3		
	F4		
	F5		
	F6		
	F7		
	F8		
	Total		

Table 7.10. Distribution of fabrics on the basis of wart



	Fabric	Cases	Percent	
<b>Coarse Ware</b>	F1	1	.1	
	F2	1116	56.9	
	F3	14	.7	
	F4	420	21.4	
	F5	80	4.1	
	F6	91	4.6	
	F7	182	9.3	
	F8	56	2.9	
	<b>Total</b>	1960	100.0	
<b>Medium Ware</b>	F1	12	.4	
	F2	549	19.0	
	F3	349	12.1	
	F4	306	10.6	
	F5	476	16.5	
	F6	66	2.3	
	F7	1105	38.4	
	F8	21	.7	
	<b>Total</b>	2884	100.0	
<b>Fine Ware</b>	F1	2800	85.3	
	F2	38	1.2	
	F3	141	4.3	
	F4	5	.2	
	F5	30	.9	
	F6	2	.1	
	F7	262	7.9	
	F8	1	.1	
	<b>Total</b>	3279	100.0	







Table 7.10. Distribution of fabrics on the basis of ware.



Burnish	Frequency	Percent
INT-EXT	3214	61.6
EXT	1645	31.5
INT	361	6.9
<b>Total</b>	5220	99.2



Ware	Rough				Total
	No Data	Int-Ext	Ext	Int	
Coarse	1681	50	147	82	1960
Medium	2680	26	38	140	2884
Fine	3084	11	7	177	3279
<b>Total</b>	7445	87	192	399	8123

Ware	Burnish				Total
	No Data	Int-Ext	Ext	Int	
Coarse	1103	245	431	181	1960
Medium	1412	608	752	112	2884
Fine	388	2361	462	68	3279
<b>Total</b>	2903	3214	1645	361	8123

Rough	Burnish				Total
	No Data	Int-Ext	Ext	Int	
No Data	2679	3214	1333	221	7447
Int-Ext	87	0	0	0	87
Ext	51	0	0	140	191
Int	86	0	312	0	398
<b>Total</b>	2903	3214	1645	361	8123

Table 7.11. Distribution of surface treatment.



	<b>Rough</b>	<b>Burnish</b>				<b>Total</b>
		No Data	Int-Ext	Ext	Int	
<b>Coarse Ware</b>	No Data	996	245	374	66	1681
	Int-Ext	50	0	0	0	50
	Ext	32	0	0	115	147
	Int	25	0	57	0	82
	<b>Total</b>	1103	245	431	181	1960
<b>Medium Ware</b>	<b>Rough</b>	<b>Burnish</b>				<b>Total</b>
		No Data	Int-Ext	Ext	Int	
	No Data	1326	608	656	91	2681
	Int-Ext	26	0	0	0	26
	Ext	16	0	0	21	37
	Int	44	0	96	0	140
<b>Total</b>	1412	608	752	112	2884	
<b>Fine Ware</b>	<b>Rough</b>	<b>Burnish</b>				<b>Total</b>
		No Data	Int-Ext	Ext	Int	
	No Data	357	2361	303	64	3085
	Int-Ext	11	0	0	0	11
	Ext	3	0	0	4	7
	Int	17	0	159	0	176
<b>Total</b>	388	2361	462	68	3279	

Table 7.11. Distribution of surface treatment.

Degree of Burnishing (Int.)	Frequency	Percent
No data	4548	56.0
High	1546	19.0
Medium	1332	16.4
Low	205	2.5
Unknown	492	6.1
<b>Total</b>	<b>8123</b>	<b>100.0</b>

Degree of Burnishing (Ext.)	Frequency	Percent
No data	3264	40.2
High	2548	31.4
Medium	1214	14.9
Low	284	3.5
Unknown	813	10.0
<b>Total</b>	<b>8123</b>	<b>100.0</b>

Degree of Burnishing (Ext.) - High	Burnish				Total
	Ware	Int-Ext	Ext	Int	
Coarse		3	5	0	8
Medium		116	91	0	207
Fine		2023	310	0	2333
<b>Total</b>		<b>2142</b>	<b>406</b>	<b>0</b>	<b>2548</b>
Degree of Burnishing (Ext.) - Medium	Burnish				Total
	Ware	Int-Ext	Ext	Int	
Coarse		132	205	1	338
Medium		308	379	0	687
Fine		129	60	0	189
<b>Total</b>		<b>569</b>	<b>644</b>	<b>1</b>	<b>1214</b>
Degree of Burnishing (Ext.) - Low	Burnish				Total
	Ware	Int-Ext	Ext	Int	
Coarse		70	93	0	163
Medium		67	44	0	111
Fine		6	4	0	10
<b>Total</b>		<b>143</b>	<b>141</b>	<b>0</b>	<b>284</b>
Degree of Burnishing (Ext.) - Unknown	Burnish				Total
	Ware	Int-Ext	Ext	Int	
Coarse		40	128	0	168
Medium		117	237	0	354
Fine		203	88	0	291
<b>Total</b>		<b>360</b>	<b>453</b>	<b>0</b>	<b>813</b>

Table 7.12. Degree of burnishing.

Degree of Burnishing (Int.) - High	Burnish				Total
	Ware	Int-Ext	Ext	Int	
Coarse	2	0	0	2	
Medium	59	0	2	61	
Fine	1473	0	10	1483	
<b>Total</b>	1534	0	12	1546	
Degree of Burnishing (Int.) - Medium	Burnish				Total
	Ware	Int-Ext	Ext	Int	
Coarse	155	0	101	256	
Medium	390	1	67	458	
Fine	576	0	42	618	
<b>Total</b>	1121	1	210	1332	
Degree of Burnishing (Int.) - Low	Burnish				Total
	Ware	Int-Ext	Ext	Int	
Coarse	54	0	28	82	
Medium	75	0	17	92	
Fine	25	0	6	31	
<b>Total</b>	154	0	51	205	
Degree of Burnishing (Int.) - Unknown	Burnish				Total
	Ware	Int-Ext	Ext	Int	
Coarse	34	0	52	86	
Medium	84	0	26	110	
Fine	286	0	10	296	
<b>Total</b>	404	0	88	492	

Table 7.12. Degree of burnishing.

Fabric	Degree of Burnishing (Ext.)				Total
	High	Medium	Low	Unknown	
F1	2143	136	8	217	2504
F2	44	407	140	165	756
F3	63	84	8	62	217
F4	12	129	51	91	283
F5	26	95	15	53	189
F6	5	28	13	16	62
F7	253	304	41	197	795
F8	0	18	2	6	26
<b>Total</b>	2546	1201	278	807	4832

Fabric	Degree of Burnishing (Int.)				Total
	High	Medium	Low	Unknown	
F1	1417	500	19	226	2162
F2	18	299	78	80	475
F3	20	60	11	32	123
F4	3	97	31	32	163
F5	6	50	18	13	87
F6	0	22	8	10	40
F7	82	286	39	98	505
F8	0	7	0	1	8
<b>Total</b>	1546	1321	204	492	3563

Table 7.13. Degree of burnishing on the basis of fabric type.

	External Degree Of Burnishing					Total
	Fabric	High	Medium	Low	Unknown	
<b>Coarse</b>	F1	0	1	0	0	1
	F2	7	220	103	95	425
	F3	0	3	0	0	3
	F4	1	56	31	43	131
	F5		6	5	5	16
	F6		15	9	8	32
	F7	0	23	12	11	46
	F8	0	9	2	4	15
	<b>Total</b>	8	333	162	166	669
	External Degree Of Burnishing					
	Fabric	High	Medium	Low	Unknown	Total
<b>Medium</b>	F1	1	1	0	1	3
	F2	28	177	37	63	305
	F3	14	63	8	41	126
	F4	10	73	20	47	150
	F5	21	87	9	48	165
	F6	5	13	4	8	30
	F7	126	256	28	141	551
	F8	0	9	0	2	11
	<b>Total</b>	205	679	106	351	1341
	External Degree Of Burnishing					
	Fabric	High	Medium	Low	Unknown	Total
<b>Fine</b>	F1	2142	134	8	216	2500
	F2	9	10	0	7	26
	F3	49	18	0	21	88
	F4	1	0	0	1	2
	F5	5	2	1	0	8
	F6	0	0	0	0	0
	F7	127	25	1	45	198
	F8	0	0	0	0	0
	<b>Total</b>	2333	189	10	290	2822

Table 7.14. Degree of burnishing on the basis of fabric type and ware.

	Fabric	Degree Of Burnishing (Int.)				Total
		High	Medium	Low	Unknown	
<b>Coarse</b>	F1	0	0	0	0	0
	F2	2	155	52	54	263
	F3	0	0	0	0	0
	F4	0	59	17	21	97
	F5	0	4	3	0	7
	F6	0	7	6	5	18
	F7	0	24	4	5	33
	F8	0	3	0	1	4
	<b>Total</b>		2	252	82	86
	Fabric	Degree Of Burnishing (Int.)				Total
		High	Medium	Low	Unknown	
<b>Medium</b>	F1	0	0	0	0	0
	F2	13	132	25	25	195
	F3	4	33	9	9	55
	F4	3	36	13	11	63
	F5	5	43	12	11	71
	F6	0	15	2	5	22
	F7	36	188	30	49	303
	F8	0	4	0	0	4
	<b>Total</b>		61	451	91	110
	Fabric	Degree Of Burnishing (Int.)				Total
		High	Medium	Low	Unknown	
<b>Fine</b>	F1	1417	500	19	226	2162
	F2	3	12	1	1	17
	F3	16	27	2	23	68
	F4	0	2	1	0	3
	F5	1	3	3	2	9
	F6	0	0	0	0	0
	F7	46	74	5	44	169
	F8	0	0	0	0	0
	<b>Total</b>		1483	618	31	296

Table 7.14. Degree of burnishing on the basis of fabric type and ware.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	505	45.3
Vertical-Internal	4	.4
Sidelong-Internal	3	.3
Horizontal-External	207	18.5
Vertical-External	120	10.8
Sidelong-External	13	1.2
Horizontal-Int. and Horizontal-Ext.	212	19.0
Horizontal-Int. and Vertical-Ext.	37	3.3
Horizontal-Int. and Sidelong-Ext.	6	.5
Vertical-Int. and Vertical-Ext.	5	.4
Vertical-Int. and Sidelong-Ext.	1	.1
Sidelong-Int. and Vertical-Ext.	1	.1
Diagonal-Int. and Diagonal-Ext.	1	.1
Various Traces	1	.1
<b>Total</b>	<b>1116</b>	<b>100.0</b>


Table 7.15. Distribution of burnishing/polishing traces.




Firing	Frequency	Percent
Oxidising	6436	79.2
Reducing	1410	17.4
Mixed	261	3.2
Unknown	16	.2
<b>Total</b>	<b>8123</b>	<b>100.0</b>



Core	Frequency	Percent
Oxidised	2943	36.2
Oxid. Sharp	14	.2
Reduced	2938	36.2
Red. Sharp	973	12.0
Mixed	973	12.0
Split	282	3.5
<b>Total</b>	<b>8123</b>	<b>100.0</b>



Core Type	Frequency	Percent
Uniform	4081	50.2
Oxid. Double	224	2.8
Red. Double	195	2.4
Half	3277	40.3
Three Colours	272	3.3
Multiple Colours	74	.9
<b>Total</b>	<b>8123</b>	<b>100.0</b>



Firing	Core						Total
	Oxidised	Reduced	Mixed	Red. Sharp	Oxid. Sharp	Split	
Oxidising	2814	1827	748	932	10	105	6436
Reducing	113	1003	91	32	4	167	1410
Mixed	15	100	128	8	0	10	261
Unknown	1	8	6	1	0	0	16
<b>Total</b>	<b>2943</b>	<b>2938</b>	<b>973</b>	<b>973</b>	<b>14</b>	<b>282</b>	<b>8123</b>

Table 7.16. Firing conditions and types of cores.




	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	2515	210	0	77	11	1	2814
	Ox. Shar.	0	7	0	3	0	0	10
	Reduced	713	0	44	1030	38	2	1827
	Red. Sh.	2	0	4	907	19	0	932
	Mixed	24	0	0	574	102	48	748
	Split	0	1	0	103	0	1	105
	<b>Total</b>	<b>3254</b>	<b>218</b>	<b>48</b>	<b>2694</b>	<b>170</b>	<b>52</b>	<b>6436</b>
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	82	3	0	21	6	1	113
	Ox. Shar.	0	0	0	4	0	0	4
	Reduced	670	0	126	163	42	2	1003
	Red. Sh.	0	0	7	23	2	0	32
	Mixed	4	0	0	68	16	3	91
Split	1	0	3	156	7	0	167	
<b>Total</b>	<b>757</b>	<b>3</b>	<b>136</b>	<b>435</b>	<b>73</b>	<b>6</b>	<b>1410</b>	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	4	3	0	8	0	0	15
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	54	0	9	31	6	0	100
	Red. Sh.	0	0	0	6	2	0	8
	Mixed	9	0	0	83	20	16	128
Split	0	0	0	10	0	0	10	
<b>Total</b>	<b>67</b>	<b>3</b>	<b>9</b>	<b>138</b>	<b>28</b>	<b>16</b>	<b>261</b>	
<b>Unknown Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	1	0	0	0	0	0	1
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	2	4	0	0	8
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	5	1	0	6
Split	0	0	0	0	0	0	0	
<b>Total</b>	<b>3</b>	<b>0</b>	<b>2</b>	<b>10</b>	<b>1</b>	<b>0</b>	<b>16</b>	

Table 7.16. Firing conditions and types of cores.




Wares	Frequency	Percent
Coarse	1218	34.4
Medium	1750	49.4
Fine	578	16.2
<b>Total</b>	<b>3546</b>	<b>100.0</b>

	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	1	.1
	F2	736	60.4
	F3	7	.6
	F4	234	19.2
	F5	47	3.8
	F6	42	3.4
	F7	120	10.0
	F8	31	2.5
	<b>Total</b>	<b>1218</b>	<b>100.0</b>



	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	4	.2
	F2	308	17.6
	F3	221	12.5
	F4	214	12.1
	F5	275	15.9
	F6	38	2.1
	F7	678	38.8
	F8	12	.7
	<b>Total</b>	<b>1750</b>	<b>100.0</b>



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	410	70.9
	F2	20	3.5
	F3	59	10.1
	F4	4	.7
	F5	5	.9
	F6	1	.2
	F7	79	13.7
	F8	0	0
	<b>Total</b>	<b>578</b>	<b>100.0</b>






Table 8.1. Specimens of unknown shape.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	65	38.5
	F3	3	1.8
	F4	42	24.9
	F5	15	8.3
	F6	15	8.9
	F7	24	13.6
	F8	7	4.1
<b>Total</b>	171	100.0	



Medium Ware	Fabric	Cases	Percent
	F1	1	.3
	F2	40	12.8
	F3	43	14.4
	F4	25	7.7
	F5	85	28.5
	F6	9	2.7
	F7	95	31.9
	F8	5	1.7
<b>Total</b>	303	100.0	



Fine Ware	Fabric	Cases	Percent
	F1	17	47.2
	F2	4	11.1
	F3	3	8.3
	F4	0	0
	F5	0	0
	F6	0	0
	F7	11	30.6
	F8	1	2.8
<b>Total</b>	36	100.0	



Wares	Frequency	Percent
Coarse	171	33.5
Medium	303	59.4
Fine	36	7.1
<b>Total</b>	510	100.0

Table 8.2. Storage vessels of unknown shape.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	254	26	0	10	0	0	290
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	45	0	4	32	4	0	85
	Red. Sh.	0	0	0	8	0	0	8
	Mixed	0	0	0	49	11	7	67
	Split	0	0	0	7	0	0	7
	<b>Total</b>	299	26	4	106	15	7	457
	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Reducing Firing</b>	Oxidised	5	0	0	1	1	0	7
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	11	0	3	2	1	0	17
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	4	1	1	6
	Split	0	0	0	6	2	0	8
	<b>Total</b>	16	0	3	14	5	1	39
	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Mixed Firing</b>	Oxidised	0	0	0	3	0	0	3
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	0	0	0	0	2
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	2	0	0	5	1	1	9
	Split	0	0	0	0	0	0	0
	<b>Total</b>	4	0	0	8	1	1	14

Table 8.2. Storage vessels of unknown shape.

<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	2	8.7
EXT	3	13.0
INT	18	78.3
<b>Total</b>	23	100.0

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	66	28.6
EXT	154	66.7
INT	11	4.8
<b>Total</b>	231	100.0

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	7	9.0
Medium	35	45.5
Low	19	24.7
Unknown	16	20.8
<b>Total</b>	77	100.0

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	38	17.3
Medium	94	42.7
Low	22	10.0
Unknown	66	30.0
<b>Total</b>	220	100.0

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	43	55.1
Low	19	24.4
Unknown	16	20.5
<b>Total</b>	78	100.0

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	10	4.6
Medium	119	54.3
Low	24	11.0
Unknown	66	30.1
<b>Total</b>	219	100.0

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	432	85.5
Medium	63	12.5
Low	10	2.0
<b>Total</b>	505	100.0

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	384	75.3
Medium	115	22.5
Low	11	2.2
<b>Total</b>	510	100.0

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	1	.2
5 by 5	83	16.3
10 by 10	366	71.8
>10 by 10	60	11.8
<b>Total</b>	510	100.0

Table 8.2. Storage vessels of unknown shape.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	29	36.7
Vertical-Internal	1	1.3
Sidelong-Internal	1	1.3
Horizontal-External	24	30.4
Vertical-External	7	8.9
Sidelong-External	2	2.5
Horizontal-Int. and Horizontal-Ext.	13	16.5
Horizontal-Int. and Vertical-Ext.	2	2.5
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>79</b>	<b>100.0</b>


Table 8.2. Storage vessels of unknown shape.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	11	42.3
	F3	0	0
	F4	9	34.6
	F5	0	0
	F6	1	3.8
	F7	4	15.4
	F8	1	3.8
<b>Total</b>	26	100.0	



Medium Ware	Fabric	Cases	Percent
	F1	0	0
	F2	10	52.6
	F3	1	5.3
	F4	5	26.3
	F5	1	5.3
	F6	0	0
	F7	2	10.5
	F8	0	0
<b>Total</b>	19	100.0	



Fine Ware	Fabric	Cases	Percent
	F1	3	75.0
	F2	0	0
	F3	1	25.0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	4	100.0	



Wares	Frequency	Percent
Coarse	26	53.1
Medium	19	38.8
Fine	4	8.1
<b>Total</b>	49	100.0

Table 8.3. Cooking vessels of unknown shape.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	8	2	0	1	0	0	11
	Ox. Shar.	0	1	0	0	0	0	1
	Reduced	7	0	0	5	0	0	12
	Red. Sh.	0	0	0	4	0	0	4
	Mixed	0	0	0	2	4	3	9
	Split	0	0	0	2	0	0	2
	<b>Total</b>	15	3	0	14	4	3	39
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	1	0	0	0	0	0	1
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	1	0	0	0	0	0	1
	Red. Sh.	0	0	0	0	1	0	1
	Mixed	0	0	0	2	0	0	2
Split	0	0	0	0	0	0	0	
<b>Total</b>	2	0	0	2	1	0	5	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	1	0	0	0	0	0	1
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	2	1	0	3
Split	0	0	0	0	0	0	0	
<b>Total</b>	1	0	0	3	1	0	5	

Table 8.3. Cooking vessels of unknown shape.

<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	1	14.3
EXT	0	0
INT	6	85.7
<b>Total</b>	<b>7</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	8	24.2
EXT	22	66.7
INT	3	9.1
<b>Total</b>	<b>33</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	18.2
Medium	4	36.4
Low	3	27.3
Unknown	2	18.2
<b>Total</b>	<b>11</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	5	16.7
Medium	8	26.7
Low	10	33.3
Unknown	7	23.3
<b>Total</b>	<b>30</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	18.2
Medium	4	36.4
Low	3	27.3
Unknown	2	18.2
<b>Total</b>	<b>11</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	4	13.3
Medium	9	30.0
Low	10	33.3
Unknown	7	23.3
<b>Total</b>	<b>30</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	34	68.0
Medium	16	32.0
Low	0	0
<b>Total</b>	<b>50</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	27	54.0
Medium	22	44.0
Low	1	2.0
<b>Total</b>	<b>50</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	1	2.0
5 by 5	8	16.0
10 by 10	36	72.0
>10 by 10	5	10.0
<b>Total</b>	<b>50</b>	<b>100.0</b>


Table 8.3. Cooking vessels of unknown shape.

<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	4	33.3
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	2	16.7
Vertical-External	3	25.0
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	2	16.7
Horizontal-Int. and Vertical-Ext.	1	8.3
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>12</b>	<b>100.0</b>


Table 8.3. Cooking vessels of unknown shape.




	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	2	66.7
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	1	33.3
	F8	0	0
<b>Total</b>		3	100.0



	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	1	7.1
	F3	2	14.3
	F4	2	14.3
	F5	3	21.4
	F6	0	0
	F7	7	42.9
	F8	0	0
<b>Total</b>		15	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	5	83.3
	F2	0	0
	F3	1	16.7
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>		6	100.0



Wares	Frequency	Percent
Coarse	3	12.5
Medium	15	62.5
Fine	6	25.0
<b>Total</b>	24	100.0

Table 8.4. Miniature pots.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	8	0	0	0	0	0	8
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	4	0	0	4
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	4	0	0	4
	Split	0	0	0	1	0	0	1
	<b>Total</b>	8	0	0	10	0	0	18
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	0	0	0	0	2
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
Split	0	0	0	0	0	0	0	
<b>Total</b>	2	0	0	0	0	0	2	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	0	0	0	0	2
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	1	0	0	1
Split	0	0	0	0	0	0	0	
<b>Total</b>	2	0	0	1	0	0	3	

Table 8.4. Miniature pots.



Degree of Abrasion (Int.)	Frequency	Percent
High	16	72.7
Medium	5	22.7
Low	1	4.5
<b>Total</b>	<b>22</b>	<b>100.0</b>


Degree of Abrasion (Ext.)	Frequency	Percent
High	19	79.2
Medium	4	16.7
Low	1	4.2
<b>Total</b>	<b>24</b>	<b>100.0</b>

Sherd Dim.	Frequency	Percent
2 by 2	0	0
5 by 5	22	91.7
10 by 10	2	8.3
>10 by 10	0	0
<b>Total</b>	<b>24</b>	<b>100.0</b>


Table 8.4. Miniature pots.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	98	68.1
	F3	0	0
	F4	27	18.2
	F5	4	2.8
	F6	3	2.1
	F7	11	7.1
	F8	1	.7
<b>Total</b>	144	100.0	



Medium Ware	Fabric	Cases	Percent
	F1	0	0
	F2	101	30.2
	F3	24	7.2
	F4	22	6.6
	F5	34	10.2
	F6	7	2.0
	F7	145	43.1
	F8	2	.7
<b>Total</b>	335	100.0	



Fine Ware	Fabric	Cases	Percent
	F1	450	78.7
	F2	8	1.4
	F3	27	4.7
	F4	0	0
	F5	0	0
	F6	1	.2
	F7	86	15.0
	F8	0	0
<b>Total</b>	572	100.0	




Wares	Frequency	Percent
Coarse	144	13.5
Medium	335	31.6
Fine	572	85.7
<b>Total</b>	1051	100.0


Table 8.5. Unrecognised open shape vessels.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	22	51.2
	F3	1	2.3
	F4	7	16.3
	F5	1	2.3
	F6	6	14.0
	F7	5	11.6
	F8	1	2.3
<b>Total</b>	<b>43</b>	<b>100.0</b>	



Medium Ware	Fabric	Cases	Percent
	F1	4	4.9
	F2	16	19.5
	F3	10	12.2
	F4	8	9.8
	F5	13	15.9
	F6	4	4.9
	F7	27	32.9
	F8	0	0
<b>Total</b>	<b>82</b>	<b>100.0</b>	



Fine Ware	Fabric	Cases	Percent
	F1	93	83.8
	F2	1	.9
	F3	5	4.5
	F4	0	0
	F5	0	0
	F6	0	0
	F7	12	10.8
	F8	0	0
<b>Total</b>	<b>111</b>	<b>100.0</b>	




Wares	Frequency	Percent
Coarse	43	18.3
Medium	82	34.7
Fine	111	47.0
<b>Total</b>	<b>236</b>	<b>100.0</b>


Table 8.6. Closed vessels of unknown shape.




	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	3	37.5
	F3	0	0
	F4	2	25.0
	F5	2	25.0
	F6	0	0
	F7	0	0
	F8	1	12.5
	<b>Total</b>	8	100.0



	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	8	18.2
	F3	5	11.4
	F4	5	11.4
	F5	6	13.6
	F6	1	2.3
	F7	19	43.2
	F8	0	0
	<b>Total</b>	44	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	10	50.0
	F2	0	0
	F3	3	15.0
	F4	0	0
	F5	1	5.0
	F6	0	0
	F7	6	30.0
	F8	0	0
	<b>Total</b>	20	100.0



Wares	Frequency	Percent
Coarse	8	11.1
Medium	44	61.1
Fine	20	27.8
<b>Total</b>	72	100.0

Table 8.7. Cups.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	18	1	0	1	0	0	20
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	8	0	0	9	1	1	19
	Red. Sh.	0	0	0	2	0	0	2
	Mixed	0	0	0	6	2	3	11
	Split	0	0	0	1	0	0	1
	<b>Total</b>	26	1	0	19	3	4	53
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	1	0	0	0	0	0	1
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	7	0	0	4	0	0	11
	Red. Sh.	0	0	0	2	0	0	2
	Mixed	0	0	0	1	0	0	1
	Split	0	0	0	0	0	0	0
<b>Total</b>	8	0	0	7	0	0	15	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	0	3	0	0	5
	Red. Sh.	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	2	0	0	3	0	0	5	

Table 8.7. Cups.

UNIVERSITY  
OF SHEFFIELD  
LIBRARY



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	12	41.4
EXT	0	0
INT	17	58.6
<b>Total</b>	<b>29</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	15	38.5
EXT	19	48.7
INT	5	12.8
<b>Total</b>	<b>39</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	7	35.0
Medium	9	45.0
Low	2	10.0
Unknown	2	10.0
<b>Total</b>	<b>20</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	11	32.4
Medium	16	47.1
Low	2	5.9
Unknown	5	14.7
<b>Total</b>	<b>34</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	3	15.0
Medium	13	65.0
Low	2	10.0
Unknown	2	10.0
<b>Total</b>	<b>20</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	5	14.7
Medium	22	64.7
Low	2	5.9
Unknown	5	14.7
<b>Total</b>	<b>34</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	29	40.3
Medium	37	51.4
Low	6	8.3
<b>Total</b>	<b>72</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	35	49.3
Medium	31	42.5
Low	6	8.2
<b>Total</b>	<b>72</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	2	2.7
5 by 5	46	64.4
10 by 10	23	31.5
>10 by 10	1	1.4
<b>Total</b>	<b>72</b>	<b>100.0</b>

Table 8.7. Cups.



<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	3	20.0
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	3	20.0
Vertical-External	7	46.7
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	0	0
Horizontal-Int. and Vertical-Ext.	2	13.3
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>15</b>	<b>100.0</b>

Table 8.7. Cups.



Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	1	50.0
	F3	0	0
	F4	1	50.0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	<b>2</b>	<b>100.0</b>	

Medium Ware	Fabric	Cases	Percent
	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	2	100.0
	F8	0	0
<b>Total</b>	<b>2</b>	<b>100.0</b>	

Fine Ware	Fabric	Cases	Percent
	F1	0	0
	F2	0	0
	F3	2	66.7
	F4	0	0
	F5	1	33.3
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	<b>3</b>	<b>100.0</b>	

Sherd Dim.	Frequency	Percent
2 by 2	0	0
5 by 5	1	14.3
10 by 10	5	71.4
>10 by 10	1	14.3
<b>Total</b>	<b>7</b>	<b>100.0</b>


Degree of Abrasion (Int.)	Frequency	Percent
High	2	28.6
Medium	4	57.1
Low	1	14.3
<b>Total</b>	<b>7</b>	<b>100.0</b>

Degree of Abrasion (Ext.)	Frequency	Percent
High	2	28.6
Medium	4	57.1
Low	1	14.3
<b>Total</b>	<b>7</b>	<b>100.0</b>


Table 8.8. Footed cups.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	12	60.0
	F3	0	0
	F4	4	20.0
	F5	3	15.0
	F6	1	5.0
	F7	0	0
	F8	0	0
<b>Total</b>	20	100.0	



Medium Ware	Fabric	Cases	Percent
	F1	0	0
	F2	15	26.8
	F3	6	10.7
	F4	3	5.4
	F5	8	14.3
	F6	2	3.6
	F7	21	37.5
	F8	1	1.8
<b>Total</b>	56	100.0	



Fine Ware	Fabric	Cases	Percent
	F1	309	84.9
	F2	3	.8
	F3	13	3.6
	F4	0	0
	F5	3	.8
	F6	0	0
	F7	36	9.9
	F8	0	0
<b>Total</b>	364	100.0	



Wares	Frequency	Percent
Coarse	20	4.5
Medium	56	12.7
Fine	364	82.7
<b>Total</b>	440	100.0

Table 8.9. Bowls.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	40	8	0	2	0	0	50
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	23	0	2	24	2	0	51
	Red. Sh.	0	0	0	21	1	0	22
	Mixed	2	0	0	18	2	1	23
	Split	0	0	0	2	0	0	2
	<b>Total</b>	65	8	2	67	5	1	148
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	14	0	0	4	1	0	19
	Ox. Shar.	0	0	0	1	0	0	1
	Reduced	158	0	31	32	4	0	225
	Red. Sh.	0	0	4	1	0	0	5
	Mixed	0	0	0	5	1	0	6
Split	0	0	0	29	2	0	31	
<b>Total</b>	172	0	35	72	8	0	287	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	1	0	0	0	0	1
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	4	0	1	0	0	0	5
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	1	0	0	1
Split	0	0	0	0	0	0	0	
<b>Total</b>	4	1	1	1	0	0	7	

Table 8.9. Bowls.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	2	50.0
EXT	0	0
INT	2	50.0
<b>Total</b>	<b>4</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	404	93.5
EXT	18	4.2
INT	10	2.3
<b>Total</b>	<b>432</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	270	65.2
Medium	83	20.0
Low	5	1.3
Unknown	56	13.5
<b>Total</b>	<b>414</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	356	84.4
Medium	29	6.9
Low	11	2.6
Unknown	26	6.2
<b>Total</b>	<b>422</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	190	45.9
Medium	163	39.4
Low	5	1.2
Unknown	56	13.5
<b>Total</b>	<b>414</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	348	82.5
Medium	37	8.8
Low	11	2.6
Unknown	26	6.2
<b>Total</b>	<b>422</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	105	23.6
Medium	264	59.5
Low	75	16.9
<b>Total</b>	<b>444</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	83	18.7
Medium	278	62.6
Low	83	18.7
<b>Total</b>	<b>444</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	22	5.0
5 by 5	323	72.7
10 by 10	88	19.8
>10 by 10	11	2.5
<b>Total</b>	<b>444</b>	<b>100.0</b>

Table 8.9. Bowls.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	57	66.3
Vertical-Internal	0	0
Sidelong-Internal	1	1.2
Horizontal-External	5	5.8
Vertical-External	2	2.3
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	16	18.6
Horizontal-Int. and Vertical-Ext.	3	3.5
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	1	1.2
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	1	1.2
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>86</b>	<b>100.0</b>

Table 8.9. Bowls.




	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
	<b>Total</b>	0	0

	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	0	0
	F3	4	44.4
	F4	0	0
	F5	2	22.2
	F6	0	0
	F7	3	33.2
	F8	0	0
	<b>Total</b>	9	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	55	79.7
	F2	1	1.4
	F3	2	2.9
	F4	0	0
	F5	1	1.4
	F6	0	0
	F7	10	14.5
	F8	0	0
	<b>Total</b>	69	100.0



Wares	Frequency	Percent
Coarse	0	0
Medium	9	11.5
Fine	69	88.5
<b>Total</b>	78	100.0

Table 8.10. Carinated bowls.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	6	1	0	0	0	0	7
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	9	0	1	5	0	0	15
	Red. Sh.	0	0	0	2	0	0	2
	Mixed	0	0	0	6	1	0	7
	Split	0	0	0	5	0	0	5
	<b>Total</b>	15	1	1	18	1	0	36
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	1	0	0	1
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	19	0	6	4	2	0	31
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	1	0	0	0	0	0	1
Split	0	0	0	7	0	0	7	
<b>Total</b>	20	0	6	12	2	0	40	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	1	0	0	1
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
Split	0	0	0	1	0	0	1	
<b>Total</b>	0	0	0	2	0	0	2	

Table 8.10. Carinated bowls.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	1	100.0
<b>Total</b>	<b>1</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	67	94.4
EXT	4	5.6
INT	0	0
<b>Total</b>	<b>71</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	32	47.8
Medium	19	28.4
Low	0	0
Unknown	16	23.8
<b>Total</b>	<b>67</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	57	80.3
Medium	4	5.6
Low	0	0
Unknown	10	14.1
<b>Total</b>	<b>71</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	22	32.8
Medium	29	43.3
Low	0	0
Unknown	16	23.9
<b>Total</b>	<b>67</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	57	80.3
Medium	4	5.6
Low	0	0
Unknown	10	14.1
<b>Total</b>	<b>71</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	32	41.0
Medium	37	47.4
Low	9	11.5
<b>Total</b>	<b>78</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	23	29.5
Medium	45	57.7
Low	10	12.8
<b>Total</b>	<b>78</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	2	2.6
5 by 5	38	48.7
10 by 10	32	41.0
>10 by 10	6	7.7
<b>Total</b>	<b>78</b>	<b>100.0</b>

Table 8.10. Carinated bowls.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	14	58.3
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	3	12.5
Vertical-External	0	0
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	7	29.2
Horizontal-Int. and Vertical-Ext.	0	0
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	24	100.0

Table 8.10. Carinated bowls.




	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>		0	0

	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	0	0
	F3	1	16.7
	F4	2	33.3
	F5	0	0
	F6	0	0
	F7	3	50.0
	F8	0	0
<b>Total</b>		6	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	203	94.0
	F2	0	0
	F3	6	2.8
	F4	0	0
	F5	1	.4
	F6	0	0
	F7	6	2.8
	F8	0	0
<b>Total</b>		216	100.0



Wares	Frequency	Percent
Coarse	0	0
Medium	6	2.7
Fine	222	97.3
<b>Total</b>	228	100.0

Table 8.11. Carinated-like bowls.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	4	0	0	0	0	0	4
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	11	0	1	3	0	0	15
	Red. Sh.	0	0	0	0	1	0	1
	Mixed	0	0	0	4	1	1	6
	Split	0	0	0	4	0	0	4
	<b>Total</b>	15	0	1	11	2	1	30
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	1	0	0	0	0	0	1
	Ox. Shar.	0	0	0	1	0	0	1
	Reduced	105	0	21	27	12	0	165
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	2	0	0	2
	Split	0	0	1	14	0	0	15
<b>Total</b>	106	0	22	44	12	0	184	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	3	0	1	1	0	0	5
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	1	0	0	1
Split	0	0	0	0	0	0	0	
<b>Total</b>	3	0	1	2	0	0	6	

Table 8.11. Carinated-like bowls.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	0	0
<b>Total</b>	<b>0</b>	<b>0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	204	94.0
EXT	12	5.5
INT	1	.5
<b>Total</b>	<b>217</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	120	58.5
Medium	37	18.0
Low	0	0
Unknown	48	23.5
<b>Total</b>	<b>205</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	183	84.7
Medium	5	2.3
Low	0	0
Unknown	28	13.0
<b>Total</b>	<b>216</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	58	28.3
Medium	99	48.3
Low	0	0
Unknown	48	23.4
<b>Total</b>	<b>205</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	183	84.7
Medium	5	2.3
Low	0	0
Unknown	28	13.0
<b>Total</b>	<b>216</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	70	31.5
Medium	118	53.2
Low	34	15.3
<b>Total</b>	<b>222</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	68	30.6
Medium	123	55.4
Low	31	14.0
<b>Total</b>	<b>222</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	19	8.6
5 by 5	155	69.8
10 by 10	44	19.8
>10 by 10	4	1.8
<b>Total</b>	<b>222</b>	<b>100.0</b>

Table 8.11. Carinated-like bowls.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	24	72.7
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	0	0
Vertical-External	0	0
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	7	21.2
Horizontal-Int. and Vertical-Ext.	1	3.0
Horizontal-Int. and Sidelong-Ext.	1	3.0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	33	100.0

Table 8.11. Carinated-like bowls.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>		0	0

Medium Ware	Fabric	Cases	Percent
	F1	0	0
	F2	1	14.3
	F3	1	14.3
	F4	2	28.6
	F5	1	14.3
	F6	0	0
	F7	1	14.3
	F8	1	14.3
<b>Total</b>		7	100.0



Fine Ware	Fabric	Cases	Percent
	F1	6	85.7
	F2	0	0
	F3	1	14.3
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>		7	100.0



Wares	Frequency	Percent
Coarse	0	0
Medium	7	50.0
Fine	7	50.0
<b>Total</b>	14	100.0

Table 8.12. Hemispheric bowls.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	6	1	0	0	0	0	7
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	2	1	0	3
	Red. Sh.	0	0	0	2	1	0	3
	Mixed	0	0	0	0	1	0	1
	Split	0	0	0	1	0	0	1
	<b>Total</b>	6	1	0	5	3	0	15
	<b>Core Type</b>							
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	Total
<b>Reducing Firing</b>	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
	<b>Total</b>	0	0	0	0	0	0	0
	<b>Core Type</b>							
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	Total
<b>Mixed Firing</b>	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
	<b>Total</b>	0	0	0	0	0	0	0

Table 8.12. Hemispheric bowls.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	0	0
<b>Total</b>	<b>0</b>	<b>0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	10	83.3
EXT	2	16.7
INT	0	0
<b>Total</b>	<b>12</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	3	30.0
Medium	6	60.0
Low	0	0
Unknown	1	30.0
<b>Total</b>	<b>10</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	5	41.7
Medium	3	25.0
Low	1	8.3
Unknown	3	25.0
<b>Total</b>	<b>12</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	20.0
Medium	7	70.0
Low	0	0
Unknown	1	10.0
<b>Total</b>	<b>10</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	5	41.7
Medium	3	25.0
Low	1	8.3
Unknown	3	25.0
<b>Total</b>	<b>12</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	6	42.9
Medium	7	50.0
Low	1	7.1
<b>Total</b>	<b>14</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	5	35.7
Medium	8	57.1
Low	1	7.1
<b>Total</b>	<b>14</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	5	35.7
10 by 10	7	50.0
>10 by 10	2	14.3
<b>Total</b>	<b>14</b>	<b>100.0</b>

Table 8.12. Hemispheric bowls.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	2	40.0
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	0	0
Vertical-External	0	0
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	0	0
Horizontal-Int. and Vertical-Ext.	3	60.0
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>5</b>	<b>100.0</b>

Table 8.12. Hemispheric bowls.




	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>		0	0

	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	5	27.8
	F6	0	0
	F7	13	72.2
	F8	0	0
<b>Total</b>		18	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	1110	98.3
	F2	0	0
	F3	12	1.1
	F4	0	0
	F5	0	0
	F6	0	0
	F7	7	.6
	F8	0	0
<b>Total</b>		1129	100.0



Wares	Frequency	Percent
Coarse	0	0
Medium	18	1.6
Fine	1129	98.4
<b>Total</b>	1147	100.0

Table 8.13. 'Classical Dimini' Bowls.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	299	7	0	0	0	0	306
	Ox. Shar.	0	4	0	1	0	0	5
	Reduced	45	0	1	274	0	0	320
	Red. Sh.	0	0	0	511	1	0	512
	Mixed	0	0	0	4	0	0	4
	Split	0	0	0	0	0	0	0
	<b>Total</b>	344	11	1	790	1	0	1147
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	0	0	0	0	0	0	0	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
Split	0	0	0	0	0	0	0	
<b>Total</b>	0	0	0	0	0	0	0	

Table 8.13. 'Classical Dimini' Bowls.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	7	100.0
<b>Total</b>	<b>7</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	1114	97.6
EXT	27	2.4
INT	0	0
<b>Total</b>	<b>1141</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1067	95.8
Medium	17	1.5
Low	1	.1
Unknown	29	2.6
<b>Total</b>	<b>1114</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1106	96.9
Medium	8	.7
Low	0	0
Unknown	27	2.4
<b>Total</b>	<b>1141</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1064	95.5
Medium	20	1.8
Low	1	.1
Unknown	29	2.6
<b>Total</b>	<b>1114</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1106	96.9
Medium	8	.7
Low	0	0
Unknown	27	2.4
<b>Total</b>	<b>1141</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	778	68.0
Medium	320	28.0
Low	46	4.0
<b>Total</b>	<b>1144</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	782	68.2
Medium	318	27.7
Low	47	4.1
<b>Total</b>	<b>1147</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	21	1.8
5 by 5	854	74.5
10 by 10	239	20.8
>10 by 10	33	2.9
<b>Total</b>	<b>1147</b>	<b>100.0</b>

Table 8.13. 'Classical Dimini' Bowls.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	5	45.5
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	1	9.1
Vertical-External	0	0
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	4	36.4
Horizontal-Int. and Vertical-Ext.	1	9.1
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	11	100.0


Table 8.13. 'Classical Dimini' Bowls.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	2	28.6
	F3	0	0
	F4	1	14.3
	F5	2	28.6
	F6	1	14.3
	F7	0	0
	F8	1	14.3
<b>Total</b>		7	100.0



Medium Ware	Fabric	Cases	Percent
	F1	0	0
	F2	0	0
	F3	1	12.5
	F4	0	0
	F5	3	37.5
	F6	0	0
	F7	4	50.0
	F8	0	0
<b>Total</b>		8	100.0



Fine Ware	Fabric	Cases	Percent
	F1	309	84.9
	F2	3	.8
	F3	13	3.6
	F4	0	0
	F5	3	.8
	F6	0	0
	F7	36	9.9
	F8	0	0
<b>Total</b>		364	100.0



Wares	Frequency	Percent
Coarse	7	18.0
Medium	8	20.5
Fine	24	61.5
<b>Total</b>	39	100.0

Table 8.14. Fruitstands.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	6	1	0	0	0	0	7
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	1	0	1	14	0	0	16
	Red. Sh.	1	0	0	10	0	0	11
	Mixed	0	0	0	5	0	0	5
	Split	0	0	0	0	0	0	0
	<b>Total</b>	8	1	1	29	0	0	39
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	0	0	0	0	0	0	0	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
Split	0	0	0	0	0	0	0	
<b>Total</b>	0	0	0	0	0	0	0	

Table 8.14. Fruitstands.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	3	100.0
INT	0	0
<b>Total</b>	<b>3</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	17	54.8
EXT	14	45.2
INT	0	0
<b>Total</b>	<b>31</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	15	88.2
Medium	0	0
Low	0	0
Unknown	2	11.8
<b>Total</b>	<b>17</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	20	64.5
Medium	7	22.6
Low	2	6.5
Unknown	2	6.5
<b>Total</b>	<b>31</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	15	88.2
Medium	0	0
Low	0	0
Unknown	2	11.8
<b>Total</b>	<b>17</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	20	64.5
Medium	8	25.8
Low	1	3.2
Unknown	2	6.5
<b>Total</b>	<b>31</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	12	48.0
Medium	9	36.0
Low	4	16.0
<b>Total</b>	<b>25</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	17	43.6
Medium	17	43.6
Low	5	12.8
<b>Total</b>	<b>39</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	10	25.6
10 by 10	26	66.7
>10 by 10	3	7.7
<b>Total</b>	<b>39</b>	<b>100.0</b>

Table 8.14. Fruitstands.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	0	0
Vertical-Internal	7	87.5
Sidelong-Internal	0	0
Horizontal-External	0	0
Vertical-External	0	0
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	0	0
Horizontal-Int. and Vertical-Ext.	1	12.5
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>8</b>	<b>100.0</b>


Table 8.14. Fruitstands.




	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	1	11.1
	F3	0	0
	F4	1	11.1
	F5	2	22.2
	F6	0	0
	F7	4	44.4
	F8	1	11.1
	<b>Total</b>	9	100.0



	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	0	0
	F3	0	0
	F4	1	3.7
	F5	7	25.9
	F6	1	3.7
	F7	18	66.7
	F8	0	0
	<b>Total</b>	27	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	6	75.0
	F2	0	0
	F3	1	12.5
	F4	0	0
	F5	0	0
	F6	0	0
	F7	1	12.5
	F8	0	0
	<b>Total</b>	8	100.0



Wares	Frequency	Percent
Coarse	9	20.5
Medium	27	61.4
Fine	8	18.2
<b>Total</b>	44	100.0

Table 8.15. Trapezes.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	16	1	0	3	0	0	20
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	3	0	0	5	0	0	8
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	2	1	0	3
	Split	0	0	0	0	0	0	0
	<b>Total</b>	19	1	0	10	1	0	31
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	1	1	1	0	5
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	2	0	1	1	1	0	5	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	1	0	0	1
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	1	0	0	1
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	5	2	0	7
Split	0	0	0	0	0	0	0	
<b>Total</b>	0	0	0	7	2	0	9	

Table 8.15. Trapezes.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	0	0
<b>Total</b>	0	0

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	1	5.3
EXT	18	94.7
INT	0	0
<b>Total</b>	19	100.0

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	0	0
Low	1	100.0
Unknown	0	0
<b>Total</b>	1	100.0

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	7	36.8
Medium	11	57.9
Low	1	5.3
Unknown	0	0
<b>Total</b>	19	100.0

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	0	0
Low	1	100.0
Unknown	0	0
<b>Total</b>	1	100.0

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	6	31.5
Medium	12	63.2
Low	1	5.3
Unknown	0	0
<b>Total</b>	19	100.0

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	18	75.0
Medium	6	25.0
Low	0	0
<b>Total</b>	24	100.0

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	27	61.4
Medium	17	38.6
Low	0	0
<b>Total</b>	44	100.0

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	17	38.6
10 by 10	26	59.1
>10 by 10	1	2.3
<b>Total</b>	44	100.0

Table 8.15. Trapezes.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	0	0
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	1	12.5
Vertical-External	7	87.5
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	0	0
Horizontal-Int. and Vertical-Ext.	0	0
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>8</b>	<b>100.0</b>


Table 8.15. Trapezes.



Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	57	50.0
	F3	0	0
	F4	38	33.3
	F5	1	.9
	F6	5	4.4
	F7	9	7.9
	F8	4	3.5
<b>Total</b>	114	100.0	



Medium Ware	Fabric	Cases	Percent
	F1	0	0
	F2	3	60.0
	F3	0	0
	F4	1	20.0
	F5	0	0
	F6	0	0
	F7	1	20.0
	F8	0	0
<b>Total</b>	5	100.0	



Fine Ware	Fabric	Cases	Percent
	F1	0	0
	F2	0	0
	F3	0	0
	F4	1	100.0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	1	100.0	

Wares	Frequency	Percent
Coarse	114	95.0
Medium	5	4.2
Fine	1	.8
<b>Total</b>	120	100.0

Table 8.16. Dish-like vessels ('platter' style).



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	44	5	3	0	0	0	52
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	4	0	16	0	2	0	22
	Red. Sh.	0	0	7	0	0	0	7
	Mixed	0	0	13	0	2	0	15
	Split	0	0	1	0	0	0	1
	<b>Total</b>	<b>48</b>	<b>5</b>	<b>40</b>	<b>0</b>	<b>4</b>	<b>0</b>	<b>97</b>
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	2	0	1	0	0	0	3
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	4	0	0	0	6
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	1	0	0	0	1
Split	0	0	2	0	0	0	2	
<b>Total</b>	<b>4</b>	<b>0</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>12</b>	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	4	0	1	0	4	0	9
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	3	0	0	0	3
Split	0	0	0	0	0	0	0	
<b>Total</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>0</b>	<b>12</b>	

Table 8.16. Dish-like vessels ('platter' style).



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	3	2.6
EXT	112	96.6
INT	1	.9
<b>Total</b>	<b>116</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	108	100.0
<b>Total</b>	<b>108</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	11	10.2
Medium	51	47.2
Low	7	6.5
Unknown	39	36.1
<b>Total</b>	<b>108</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	1	100.0
Low	0	0
Unknown	0	0
<b>Total</b>	<b>1</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	59	54.6
Low	10	9.3
Unknown	39	36.1
<b>Total</b>	<b>108</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	1	100.0
Low	0	0
Unknown	0	0
<b>Total</b>	<b>1</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	58	48.3
Medium	57	47.5
Low	5	4.2
<b>Total</b>	<b>120</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	54	45.0
Medium	62	51.7
Low	4	3.3
<b>Total</b>	<b>120</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	61	50.8
10 by 10	51	42.5
>10 by 10	8	6.7
<b>Total</b>	<b>120</b>	<b>100.0</b>

Table 8.16. Dish-like vessels ('platter' style).




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	35	97.2
Vertical-Internal	1	2.8
Sidelong-Internal	0	0
Horizontal-External	0	0
Vertical-External	0	0
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	0	0
Horizontal-Int. and Vertical-Ext.	0	0
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	36	100.0


Table 8.16. Dish-like vessels ('platter' style).



	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	74	61.7
	F3	0	0
	F4	27	22.5
	F5	3	2.5
	F6	9	7.5
	F7	4	3.3
	F8	3	2.5
	<b>Total</b>		120



	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	17	48.6
	F3	0	0
	F4	4	11.4
	F5	3	8.6
	F6	3	8.6
	F7	8	22.9
	F8	0	0
	<b>Total</b>		35



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	1	50.0
	F2	0	0
	F3	0	0
	F4	1	50.0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
	<b>Total</b>		2

Wares	Frequency	Percent
Coarse	120	76.4
Medium	35	22.3
Fine	2	1.3
<b>Total</b>	157	100.0

Table 8.17. Other cooking vessels.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	23	2	0	0	0	0	25
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	34	0	2	21	0	0	57
	Red. Sh.	0	0	1	4	1	0	6
	Mixed	1	0	0	25	6	1	33
	Split	0	0	0	3	0	0	3
	<b>Total</b>	58	2	3	53	7	1	124
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	1	2	0	0	5
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	2	1	1	4
Split	0	0	0	0	0	0	0	
<b>Total</b>	2	0	1	4	1	1	9	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	5	0	1	0	0	0	6
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	10	2	3	15
Split	0	0	0	1	0	0	1	
<b>Total</b>	5	0	1	12	2	3	23	

Table 8.17. Other cooking vessels.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	27	58.7
EXT	13	28.3
INT	6	13.0
<b>Total</b>	<b>46</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	60	56.1
EXT	25	23.4
INT	22	20.6
<b>Total</b>	<b>107</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	9	11.0
Medium	38	46.3
Low	29	35.4
Unknown	6	7.3
<b>Total</b>	<b>82</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	8	9.4
Medium	23	27.1
Low	43	50.6
Unknown	11	12.9
<b>Total</b>	<b>85</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	48	58.5
Low	28	34.1
Unknown	6	7.3
<b>Total</b>	<b>82</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	31	36.5
Low	43	50.6
Unknown	11	12.9
<b>Total</b>	<b>85</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	53	33.8
Medium	95	60.5
Low	9	5.7
<b>Total</b>	<b>157</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	54	34.4
Medium	94	59.9
Low	9	5.7
<b>Total</b>	<b>157</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	20	12.7
10 by 10	105	66.9
>10 by 10	32	20.4
<b>Total</b>	<b>157</b>	<b>100.0</b>

Table 8.17. Other cooking vessels.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	25	50.0
Vertical-Internal	0	0
Sidelong-Internal	1	2.0
Horizontal-External	5	10.0
Vertical-External	3	6.0
Sidelong-External	1	2.0
Horizontal-Int. and Horizontal-Ext.	9	18.0
Horizontal-Int. and Vertical-Ext.	2	4.0
Horizontal-Int. and Sidelong-Ext.	2	4.0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	1	2.0
Sidelong-Int. and Vertical-Ext.	1	2.0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	50	100.0

Table 8.17. Other cooking vessels.



	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	2	50.0
	F3	0	0
	F4	1	25.0
	F5	0	0
	F6	0	0
	F7	1	25.0
	F8	0	0
	<b>Total</b>	4	100.0

	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	1	6.3
	F3	2	12.5
	F4	1	6.3
	F5	5	31.3
	F6	0	0
	F7	7	43.8
	F8	0	0
	<b>Total</b>	16	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	2	100.0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
	<b>Total</b>	2	100.0

Wares	Frequency	Percent
Coarse	4	30.8
Medium	7	53.8
Fine	2	15.4
<b>Total</b>	13	100.0

Table 8.18. Storage vessels with large rim diameter.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	10	4	0	1	0	0	15
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	2	0	0	2
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	1	0	0	1
	Split	0	0	0	1	0	0	1
	<b>Total</b>	10	4	0	5	0	0	19
	<b>Core Type</b>							
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	Total
<b>Reducing Firing</b>	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	1	0	0	0	1
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	1	0	0	1
	<b>Total</b>	0	0	1	1	0	0	2
	<b>Core Type</b>							
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	Total
<b>Mixed Firing</b>	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	1	0	1
	Split	0	0	0	0	0	0	0
	<b>Total</b>	0	0	0	0	1	0	1

Table 8.18. Storage vessels with large rim diameter.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	0	0
<b>Total</b>	0	0

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	4	44.5
EXT	3	33.3
INT	2	22.2
<b>Total</b>	9	100.0

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	3	50.0
Low	2	33.3
Unknown	1	16.7
<b>Total</b>	6	100.0

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1	14.3
Medium	4	57.1
Low	1	14.3
Unknown	1	14.3
<b>Total</b>	7	100.0

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	3	50.0
Low	2	33.3
Unknown	1	16.7
<b>Total</b>	6	100.0

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	5	71.4
Low	1	14.3
Unknown	1	14.3
<b>Total</b>	7	100.0

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	19	86.4
Medium	3	13.6
Low	0	0
<b>Total</b>	22	100.0


<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	19	86.4
Medium	3	13.6
Low	0	0
<b>Total</b>	22	100.0

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	0	0
10 by 10	16	72.7
>10 by 10	6	27.3
<b>Total</b>	22	100.0


Table 8.18. Storage vessels with large rim diameter.



	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	3	60.0
	F3	0	0
	F4	1	20.0
	F5	0	0
	F6	1	20.0
	F7	0	0
	F8	0	0
	<b>Total</b>	5	100.0



	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	0	0
	F3	2	28.6
	F4	1	14.3
	F5	1	14.3
	F6	0	0
	F7	3	42.9
	F8	0	0
	<b>Total</b>	7	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	1	50.0
	F2	0	0
	F3	1	50.0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
	<b>Total</b>	2	100.0

Wares	Frequency	Percent
Coarse	5	35.7
Medium	7	50.0
Fine	2	14.3
<b>Total</b>	14	100.0

Table 8.19. Other storage vessels.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	6	1	0	0	0	0	7
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	1	0	0	3	0	0	4
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	4	0	0	4
	Split	0	0	0	0	0	0	0
	<b>Total</b>	7	1	0	8	0	0	16
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	0	0	0	0	0	0	0	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
Split	0	0	0	0	0	0	0	
<b>Total</b>	0	0	0	0	0	0	0	

Table 8.19. Other storage vessels.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	0	0
<b>Total</b>	0	0

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	11	84.6
EXT	2	15.4
INT	0	0
<b>Total</b>	13	100.0

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1	9.1
Medium	6	54.5
Low	3	27.3
Unknown	1	9.1
<b>Total</b>	11	100.0

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	15.4
Medium	6	46.2
Low	2	15.4
Unknown	3	23.1
<b>Total</b>	13	100.0

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	7	63.6
Low	3	27.3
Unknown	1	9.1
<b>Total</b>	11	100.0

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	8	61.5
Low	2	15.4
Unknown	3	23.1
<b>Total</b>	13	100.0

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	6	37.4
Medium	5	31.3
Low	5	31.3
<b>Total</b>	16	100.0

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	5	31.3
Medium	5	31.3
Low	6	37.4
<b>Total</b>	16	100.0

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	0	0
10 by 10	12	75.0
>10 by 10	4	25.0
<b>Total</b>	16	100.0

Table 8.19. Other storage vessels.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	3	33.3
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	1	11.1
Vertical-External	1	11.1
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	3	33.3
Horizontal-Int. and Vertical-Ext.	1	11.1
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>9</b>	<b>100.0</b>


Table 8.19. Other storage vessels.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	9	52.9
	F3	2	11.8
	F4	3	17.6
	F5	1	5.9
	F6	1	5.9
	F7	1	5.9
	F8	0	0
<b>Total</b>	17	100.0	



Medium Ware	Fabric	Cases	Percent
	F1	1	3.1
	F2	2	6.3
	F3	9	28.1
	F4	4	12.5
	F5	3	9.4
	F6	1	3.1
	F7	12	37.5
	F8	0	0
<b>Total</b>	32	100.0	



Fine Ware	Fabric	Cases	Percent
	F1	4	44.4
	F2	0	0
	F3	1	11.1
	F4	0	0
	F5	3	33.4
	F6	0	0
	F7	1	11.1
	F8	0	0
<b>Total</b>	9	100.0	



Wares	Frequency	Percent
Coarse	17	29.3
Medium	32	55.2
Fine	9	15.5
<b>Total</b>	58	100.0

Table 8.20. Jugs.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	36	1	0	1	0	0	38
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	2	0	0	5	0	0	7
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	1	0	0	3	0	0	4
	Split	0	0	0	0	0	0	0
	<b>Total</b>	39	1	0	10	0	0	50
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	4	0	0	0	0	0	4
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	0	0	0	0
Split	0	0	0	1	0	0	1	
<b>Total</b>	4	0	0	2	0	0	6	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
Split	0	0	0	0	0	0	0	
<b>Total</b>	0	0	0	0	0	0	0	

Table 8.20. Jugs.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	18	100.0
<b>Total</b>	<b>18</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	5	17.3
EXT	23	79.3
INT	1	3.4
<b>Total</b>	<b>29</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	2	33.3
Low	3	50.0
Unknown	1	16.7
<b>Total</b>	<b>6</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	3	10.7
Medium	11	39.3
Low	5	17.9
Unknown	9	32.1
<b>Total</b>	<b>28</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	2	33.3
Low	3	50.0
Unknown	1	16.7
<b>Total</b>	<b>6</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1	3.6
Medium	13	46.4
Low	5	17.9
Unknown	9	32.1
<b>Total</b>	<b>28</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	41	73.2
Medium	14	25.0
Low	1	1.8
<b>Total</b>	<b>56</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	42	72.4
Medium	15	25.9
Low	1	1.7
<b>Total</b>	<b>58</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	29	50.0
10 by 10	27	46.6
>10 by 10	2	3.4
<b>Total</b>	<b>58</b>	<b>100.0</b>

Table 8.20. Jugs.




<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	1	16.7
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	0	0
Vertical-External	3	50.0
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	0	0
Horizontal-Int. and Vertical-Ext.	2	33.3
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>6</b>	<b>100.0</b>


Table 8.20. Jugs.




Coarse Ware	Fabric	Cases	Percent
	F1	0	0
	F2	15	60.0
	F3	1	4.0
	F4	7	28.0
	F5	1	4.0
	F6	1	4.0
	F7	0	0
	F8	0	0
<b>Total</b>	<b>25</b>	<b>100.0</b>	



Medium Ware	Fabric	Cases	Percent
	F1	2	3.1
	F2	14	21.9
	F3	7	10.9
	F4	3	4.7
	F5	11	17.2
	F6	3	4.7
	F7	24	37.5
	F8	0	0
<b>Total</b>	<b>64</b>	<b>100.0</b>	



Fine Ware	Fabric	Cases	Percent
	F1	46	80.6
	F2	2	3.5
	F3	3	5.3
	F4	0	0
	F5	1	1.8
	F6	0	0
	F7	5	8.8
	F8	0	0
<b>Total</b>	<b>57</b>	<b>100.0</b>	



Wares	Frequency	Percent
Coarse	25	17.1
Medium	64	43.8
Fine	57	39.1
<b>Total</b>	<b>146</b>	<b>100.0</b>

Table 8.21. Jars.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	59	2	0	3	1	0	65
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	13	0	0	16	1	0	30
	Red. Sh.	1	0	0	20	0	0	21
	Mixed	0	0	0	8	1	1	10
	Split	0	0	0	2	0	0	2
	<b>Total</b>	73	2	0	49	3	1	128
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	3	0	1	1	0	0	5
	Red. Sh.	0	0	0	2	0	0	2
	Mixed	0	0	0	1	3	0	4
Split	0	0	0	2	0	0	2	
<b>Total</b>	3	0	1	6	3	0	13	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	1	0	0	1
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	1	0	0	0	0	0	1
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	1	0	0	1
Split	0	0	0	0	0	0	0	
<b>Total</b>	1	0	0	2	0	0	3	

Table 8.21. Jars.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	4	5.3
EXT	0	0
INT	71	94.7
<b>Total</b>	<b>75</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	22	21.6
EXT	80	78.4
INT	0	0
<b>Total</b>	<b>102</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	7	31.8
Medium	5	22.7
Low	9	40.9
Unknown	1	4.5
<b>Total</b>	<b>22</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	43	42.2
Medium	25	24.5
Low	11	10.8
Unknown	23	22.5
<b>Total</b>	<b>102</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	6	27.3
Medium	7	31.8
Low	8	36.4
Unknown	1	4.5
<b>Total</b>	<b>22</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	37	36.3
Medium	31	30.4
Low	11	10.8
Unknown	23	22.5
<b>Total</b>	<b>102</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	62	42.8
Medium	70	48.2
Low	13	9.0
<b>Total</b>	<b>145</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	55	37.7
Medium	77	52.7
Low	14	9.6
<b>Total</b>	<b>146</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	1	.7
5 by 5	73	50.0
10 by 10	64	43.8
>10 by 10	8	5.5
<b>Total</b>	<b>146</b>	<b>100.0</b>

Table 8.21. Jars.



<b>Burnishing Pattern</b>	<b>Frequency</b>	<b>Percent</b>
Horizontal-Internal	4	16.7
Vertical-Internal	0	0
Sidelong-Internal	0	0
Horizontal-External	4	16.7
Vertical-External	11	45.8
Sidelong-External	0	0
Horizontal-Int. and Horizontal-Ext.	3	12.5
Horizontal-Int. and Vertical-Ext.	2	8.3
Horizontal-Int. and Sidelong-Ext.	0	0
Vertical-Int. and Vertical-Ext.	0	0
Vertical-Int. and Sidelong-Ext.	0	0
Sidelong-Int. and Vertical-Ext.	0	0
Diagonal-Int. and Diagonal-Ext.	0	0
Various Traces	0	0
<b>Total</b>	<b>24</b>	<b>100.0</b>

Table 8.21. Jars.



<b>Coarse Ware</b>	<b>Fabric</b>	<b>Cases</b>	<b>Percent</b>
	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	1	100.0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	<b>1</b>	<b>100.0</b>	

<b>Medium Ware</b>	<b>Fabric</b>	<b>Cases</b>	<b>Percent</b>
	F1	0	0
	F2	1	33.3
	F3	0	0
	F4	0	0
	F5	2	66.7
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	<b>3</b>	<b>100.0</b>	

<b>Fine Ware</b>	<b>Fabric</b>	<b>Cases</b>	<b>Percent</b>
	F1	1	100.0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	<b>1</b>	<b>100.0</b>	

<b>Wares</b>	<b>Frequency</b>	<b>Percent</b>
Coarse	1	20.0
Medium	3	60.0
Fine	1	20.0
<b>Total</b>	<b>5</b>	<b>100.0</b>

Table 8.22. Hole-mouth jars.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	1	1	0	0	0	0	2
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
	<b>Total</b>	1	1	0	1	0	0	3
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	0	0	0	0	0	0	0	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	1	0	0	1
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	1	0	0	1
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	0	0	0	2	0	0	2	

Table 8.22. Hole-mouth jars.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	4	100.0
<b>Total</b>	<b>4</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	1	25.0
EXT	3	75.0
INT	0	0
<b>Total</b>	<b>4</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	1	100.0
Low	0	0
Unknown	0	0
<b>Total</b>	<b>1</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	50.0
Medium	2	50.0
Low	0	0
Unknown	0	0
<b>Total</b>	<b>4</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	1	100.0
Low	0	0
Unknown	0	0
<b>Total</b>	<b>1</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1	25.0
Medium	3	75.0
Low	0	0
Unknown	0	0
<b>Total</b>	<b>4</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	40.0
Medium	2	40.0
Low	1	20.0
<b>Total</b>	<b>5</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	40.0
Medium	2	40.0
Low	1	20.0
<b>Total</b>	<b>5</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	3	60.0
10 by 10	2	40.0
>10 by 10	0	0
<b>Total</b>	<b>5</b>	<b>100.0</b>


Table 8.22. Hole-mouth jars.



	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>		0	100.0

	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	0	0
	F3	1	25.0
	F4	0	0
	F5	3	75.0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>		4	100.0

	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	35	92.1
	F2	0	0
	F3	2	5.3
	F4	0	0
	F5	0	0
	F6	0	0
	F7	1	2.6
	F8	0	0
<b>Total</b>		38	100.0



Wares	Frequency	Percent
Coarse	0	0
Medium	4	9.5
Fine	38	90.5
<b>Total</b>	42	100.0

Table 8.23. 'Classical Dimini' jugs.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	34	100.0
<b>Total</b>	<b>34</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	7	16.7
EXT	35	83.3
INT	0	0
<b>Total</b>	<b>42</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1	16.7
Medium	4	66.6
Low	1	16.7
Unknown	0	0
<b>Total</b>	<b>6</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	34	81.0
Medium	3	7.1
Low	0	0
Unknown	5	11.9
<b>Total</b>	<b>42</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1	16.7
Medium	4	66.6
Low	1	16.7
Unknown	0	0
<b>Total</b>	<b>6</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	34	81.0
Medium	3	7.1
Low	5	11.9
Unknown	0	0
<b>Total</b>	<b>42</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	14	33.3
Medium	26	61.9
Low	2	4.8
<b>Total</b>	<b>42</b>	<b>100.0</b>


<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	19	45.2
Medium	21	50.0
Low	2	4.8
<b>Total</b>	<b>42</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	16	38.1
10 by 10	23	54.8
>10 by 10	3	7.1
<b>Total</b>	<b>42</b>	<b>100.0</b>


Table 8.23. 'Classical Dimini' jugs.



	Fabric	Cases	Percent
<b>Coarse Ware</b>	F1	0	0
	F2	4	40.0
	F3	0	0
	F4	2	20.0
	F5	3	30.0
	F6	1	10.0
	F7	0	0
	F8	0	0
<b>Total</b>		10	100.0



	Fabric	Cases	Percent
<b>Medium Ware</b>	F1	0	0
	F2	3	25.0
	F3	2	16.7
	F4	2	16.7
	F5	3	25.0
	F6	0	0
	F7	2	16.7
	F8	0	0
<b>Total</b>		12	100.0



	Fabric	Cases	Percent
<b>Fine Ware</b>	F1	0	0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	1	100.0
	F8	0	0
<b>Total</b>		1	100.0

Wares	Frequency	Percent
Coarse	10	43.5
Medium	12	52.2
Fine	1	4.3
<b>Total</b>	23	100.0

Table 8.24. Pithoi and pithoid pots.



	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
<b>Oxidising Firing</b>	Oxidised	10	0	0	0	0	0	10
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	1	0	0	1
	Mixed	0	0	0	1	0	0	1
	Split	0	0	0	0	0	0	0
	<b>Total</b>	10	0	0	2	0	0	12
<b>Reducing Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	0	0	0	0	0	0	0	
<b>Mixed Firing</b>	Core Type							Total
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.	
	Oxidised	0	0	0	0	0	0	0
	Ox. Shar.	0	0	0	0	0	0	0
	Reduced	0	0	0	0	0	0	0
	Red. Sh.	0	0	0	0	0	0	0
	Mixed	0	0	0	0	0	0	0
	Split	0	0	0	0	0	0	0
<b>Total</b>	0	0	0	0	0	0	0	

Table 8.24. Pithoi and pithoid pots.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	3	100.0
<b>Total</b>	<b>3</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	4	44.4
EXT	5	55.6
INT	0	0
<b>Total</b>	<b>9</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	1	25.0
Medium	2	50.0
Low	1	25.0
Unknown	0	0
<b>Total</b>	<b>4</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	22.2
Medium	5	55.6
Low	2	22.2
Unknown	0	0
<b>Total</b>	<b>9</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	3	75.0
Low	1	25.0
Unknown	0	0
<b>Total</b>	<b>4</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	2	22.2
Low	5	55.6
Unknown	2	22.2
<b>Total</b>	<b>9</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	5	41.7
Medium	4	33.3
Low	3	25.0
<b>Total</b>	<b>12</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	6	50.0
Medium	2	16.7
Low	4	33.3
<b>Total</b>	<b>12</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	1	8.3
10 by 10	3	25.0
>10 by 10	8	66.7
<b>Total</b>	<b>12</b>	<b>100.0</b>

Table 8.24. Pithoi and pithoid pots.



<b>Coarse Ware</b>	<b>Fabric</b>	<b>Cases</b>	<b>Percent</b>
	F1	0	0
	F2	2	66.7
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	1	33.3
	F8	0	0
<b>Total</b>	<b>3</b>	<b>100.0</b>	

<b>Medium Ware</b>	<b>Fabric</b>	<b>Cases</b>	<b>Percent</b>
	F1	0	0
	F2	2	28.6
	F3	0	0
	F4	2	28.6
	F5	3	42.8
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	<b>7</b>	<b>100.0</b>	

<b>Fine Ware</b>	<b>Fabric</b>	<b>Cases</b>	<b>Percent</b>
	F1	2	100.0
	F2	0	0
	F3	0	0
	F4	0	0
	F5	0	0
	F6	0	0
	F7	0	0
	F8	0	0
<b>Total</b>	<b>2</b>	<b>100.0</b>	

<b>Wares</b>	<b>Frequency</b>	<b>Percent</b>
Coarse	3	25.0
Medium	7	58.3
Fine	2	16.7
<b>Total</b>	<b>12</b>	<b>100.0</b>

Table 8.25. Storage vessels.



	Core Type							Total	
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.		
<b>Oxidising Firing</b>	Oxidised	5	0	0	0	0	0	5	
	Ox. Shar.	0	0	0	0	0	0	0	
	Reduced	2	0	0	1	0	0	3	
	Red. Sh.	0	0	0	0	0	0	0	
	Mixed	0	0	0	2	0	0	2	
	Split	0	0	0	0	0	0	0	
	<b>Total</b>	7	0	0	3	0	0	10	
<b>Reducing Firing</b>	Core Type							Total	
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.		
	Oxidised	0	0	0	0	0	0		0
	Ox. Shar.	0	0	0	0	0	0		0
	Reduced	0	0	0	0	0	0		0
	Red. Sh.	0	0	0	0	0	0		0
	Mixed	0	0	0	0	0	0		0
	Split	0	0	0	0	0	0		0
<b>Total</b>	0	0	0	0	0	0	0		
<b>Mixed Firing</b>	Core Type							Total	
	Core	Uniform	Ox. Double	Red. Double	Half	Three Col.	Multiple Col.		
	Oxidised	0	0	0	0	0	0		0
	Ox. Shar.	0	0	0	0	0	0		0
	Reduced	0	0	1	0	0	0		1
	Red. Sh.	0	0	0	0	0	0		0
	Mixed	0	0	0	1	0	0		1
Split	0	0	0	0	0	0	0		
<b>Total</b>	0	0	1	1	0	0	2		

Table 8.25. Storage vessels.



<b>Rough</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	0	0
EXT	0	0
INT	5	100.0
<b>Total</b>	<b>5</b>	<b>100.0</b>

<b>Burnish</b>	<b>Frequency</b>	<b>Percent</b>
INT-EXT	5	45.5
EXT	6	54.5
INT	0	0
<b>Total</b>	<b>11</b>	<b>100.0</b>

<b>Coverage of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	3	60.0
Low	1	20.0
Unknown	1	20.0
<b>Total</b>	<b>5</b>	<b>100.0</b>

<b>Coverage of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	4	36.4
Medium	5	45.5
Low	2	18.2
Unknown	0	0
<b>Total</b>	<b>11</b>	<b>100.0</b>

<b>Degree of Burnishing (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	0	0
Medium	3	60.0
Low	1	20.0
Unknown	1	20.0
<b>Total</b>	<b>5</b>	<b>100.0</b>

<b>Degree of Burnishing (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	18.2
Medium	7	63.6
Low	2	18.2
Unknown	0	6.5
<b>Total</b>	<b>11</b>	<b>100.0</b>

<b>Degree of Abrasion (Int.)</b>	<b>Frequency</b>	<b>Percent</b>
High	4	33.3
Medium	8	66.7
Low	0	0
<b>Total</b>	<b>12</b>	<b>100.0</b>

<b>Degree of Abrasion (Ext.)</b>	<b>Frequency</b>	<b>Percent</b>
High	2	16.7
Medium	10	83.3
Low	0	0
<b>Total</b>	<b>12</b>	<b>100.0</b>

<b>Sherd Dim.</b>	<b>Frequency</b>	<b>Percent</b>
2 by 2	0	0
5 by 5	0	0
10 by 10	10	83.3
>10 by 10	2	16.7
<b>Total</b>	<b>12</b>	<b>100.0</b>

Table 8.25. Storage vessels.






Figure 4.1. Map of Pieria and Thessaly, showing sites mentioned in the text (after Pappa and Besios 1999).







Figure 4.2. Aerial view and sketch plan of Makriyalos I and II.





Figure 4.3. Pit-dwellings of Makriyalos II.



Figure 4.4. Pit 24.









Figure 4.5. The apsidal building.




a. Bowl



b. Bowl



c. Bowl





0 1 2  
M.H.

Figure 8.1. 'Classical Dimini' pottery from Makriyalos II.



a. Fruitstand



b. Hemispheric bowl







Figure 8.1.2. 'Classical Dimini' pottery from Makriyalos II.



a. Bowl



*Internal surface*



b. Bowl





Figure 8.1.3. 'Classical Dimini' pottery from Makriyalos II.



a. Bowl



b. Unknown






Figure 8.1.4. 'Classical Dimini' pottery from Makriyalos II.



a. Carinated-like bowl



b. Storage pot





Figure 8.2. Characteristic pottery from Makriyalos II.



a. Footed cup



b. Carinated-like bowl







Figure 8.2.1. Characteristic pottery from Makriyalos II.



a. Brazier



b. Closed shape vessel



c. Bowl






Figure 8.2.2. Characteristic pottery from Makriyalos II.



a. Carinated bowl



b. Jug



c. Footed cup






Figure 8.2.3. Characteristic pottery from Makriyalos II.



a. Cap



b. Footed cup



b. Storage pot





Figure 8.2.4. Characteristic pottery from Makriyalos II.



a. Cup



b. Footed cup





Figure 8.2.5. Characteristic pottery from Makriyalos II.




a. Tripod base

a. Bowl



b. Open shape storage vessel



c. Bowl

c. Shallow bowl






Figure 8.2.6. Characteristic pottery from Makriyalos II.



a. Tripod base



b. Cup



c. Bowl






Figure 8.2.7. Characteristic pottery from Makriyalos II.



a. Tray




Μαυρογιάννης Α. 727


Figure 8.2.8. Characteristic pottery from Makriyalos II.



a. Bowl



b. Bowl



c. Strainer




Figure 8.2.9. Characteristic pottery from Makriyalos II.



a. Footed cup



b. Shallow bowl



c. 'Classical Dimini' bowl

d. Brazier

e. Closed shape vessel

f. Storage pot




g. Storage pot

h. Cooking pot

Figure 8.2.10. Characteristic pottery from Makriyalos II.



©00024




0 50m

- |   |                       |   |                     |
|---|-----------------------|---|---------------------|
|  | <b>Apsidal houses</b> |  | <b>Hearths</b>      |
|  | <b>Pit 24</b>         |  | <b>"Borrow pit"</b> |
|  | <b>Ditch</b>          |  | <b>Area A</b>       |

Figure 9.1. Plan of Makriyalos II marking places of interest as mentioned in the text.





0 40 Meters


• 6-448 Sherds

• 449-1806 Sherds

• 1807-10031 Sherds

Figure 9.2. Distribution of sherds.





0 40 Meters

- 85-35600 Kgs
- 35601-161330 Kgs
- 161331-267455 Kgs

Figure 9.3. Distribution of weight of sherds.





Figure 9.4. 'Borrow' pit.







Figure 9.5. Plan of Makriyalos II marking places of interest as mentioned in the text.






0 40 Meters

- 30%-55%
- 56%-80%
- 81%-100%

Figure 9.6. Distribution of abrasion.






0 40 Meters

- 1-246 Sherds
- 247-931 Sherds
- 932-6202 Sherds

Figure 9.7. Distribution of broken shell based fabric.






0 20 Meters



Figure 9.8. Units without presence of broken shell based fabric.






- 34.1%-62.7%
- 62.7%-81.3%
- 81.3%-100%

Figure 9.9. Distribution of coarse ware sherds with broken shell based fabric.






0 50 Meters



- 2.1%-22.2%
- 22.2%-38.5%
- 38.5%-96.4%

Figure 9.10. Distribution of medium ware sherds with broken shell based fabric.






0 40 Meters

- 1.7%-8.5%
- 8.5%-15.4%
- 15.4%-28.6%

Figure 9.1.1. Distribution of F3 fabric.






0 40 Meters

- 0.0%-5.7%
- 5.7%-17.4%
- 17.4%-33.3%

Figure 9.12. Distribution of F5 fabric.






0 40 Meters

- 4.3%-14.3%
- 14.3%-24.5%
- 24.5%-37.1%

Figure 9.13. Distribution of F7 fabric.






- 1-11 Vessels
- 12-36 Vessels
- 37-105 Vessels
- 106-259 Vessels
- 260-638 Vessels

Figure 9.14. Distribution of vessels with broken shell based fabric.





0 40 Meters

- 7.7%-21.8%
- 21.8%-35.7%
- 35.7%-44.8%
- 44.8%-66.7%
- 66.7%-100%

Figure 9.15. Distribution of vessels with broken shell based fabric.