

# ***References***

ACS (2001). In: *Cancer Facts and Figures*. Atlanta, GA, USA, American Cancer Society. pp:1-42.

Adlercreutz, H. (1995). Phytoestrogens: epidemiology and a possible role in cancer protection. *Environmental Health Perspectives* **103**, 103-112.

Adlercreutz, H. (2002a). Phyto-oestrogens and cancer. *The Lancet Oncology* **3**, 364-373.

Adlercreutz, H. (2002b). Phytoestrogens and breast cancer. *Journal of Steroid Biochemistry and Molecular Biology* **83**, 113-118.

Adlercreutz, H., Heikkinen, R., Woods, M., Fotsis, T., Dwyer, J.T., Goldin, B.R. and Gorbach, S.L. (1982). Excretion of the lignans enterolactone and enterodiol and of equol in omnivorous and vegetarian postmenopausal women and in women with breast cancer. *The Lancet* **320**, 1295-1299.

Adlercreutz, H., Fotsis, T., Bannwart, C., Wähälä, K., Brunow, G. and Hase, T. (1991a). Isotope dilution gas chromatographic-mass spectrometric method for the determination of lignans and isoflavonoids in human urine, including identification of genistein. *Clinica Chimica Acta* **199**, 263-278.

Adlercreutz, H., Honjo, H., Higashi, A., Fotsis, T., Hamalainen, E., Hasegawa, T. and Okada, H. (1991b). Urinary excretion of lignans and isoflavonoid phytoestrogens in Japanese men and women consuming a traditional Japanese diet. *American Journal of Clinical Nutrition* **54**, 1093-1100.

Adlercreutz, H., van der Wildt, J., Kinzel, J., Attalla, H., Wähälä, K., Mäkelä, T., Hase, T. and Fotsis, T. (1995). Lignan and isoflavonoid conjugates in human urine. *Journal of Steroid Biochemistry and Molecular Biology* **52**, 97-103.

Aherne, S.A. and O'Brien, N.M. (2002). Dietary flavonols: chemistry, food content, and metabolism. *Nutrition* **18**, 75-81.

- Allred, C.D., Ju, Y.H., Allred, K.F., Chang, J. and Helferich, W.G. (2001). Dietary genistin stimulates growth of estrogen-dependent breast cancer tumors similar to that observed with genistein. *Carcinogenesis* **22**, 1667-1673.
- Amouri, B. and Gargouri, A. (2006). Characterization of a novel  $\beta$ -glucosidase from a *Stachybotrys* strain. *Biochemical Engineering Journal* **32**, 191-197.
- Andersen, Ø.M. and Jordheim, M. (2006). The anthocyanins. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:471-552.
- Andersen, Ø.M. and Markham, K.R. (2006). Preface. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group.
- Anderson, J.J.B. and Garner, S.C. (1997). The effects of phytoestrogens on bone. *Nutrition Research* **17**, 1617-1632.
- Anton, R. (1988). Flavonoids and traditional medicine. In: *Plant Flavonoids in Biology and Medicine II: Biochemical, Cellular, and Medicinal Properties*. (eds: Cody, V., Middleton Jr, E., Harborne, J.B. and Beretz, A.). New York, USA, Alan R. Liss, Inc. pp:423-439.
- Arts, I.C.W., Hollman, P.C.H. and Kromhout, D. (1999). Chocolate as a source of tea flavonoids. *The Lancet* **354**, 488-488.
- Atkins, G.L. and Nimmo, I.A. (1975). A comparison of seven methods for fitting the Michaelis-Menten equation. *Biochemical Journal* **149**, 775-777.
- Aviram, M. (1993). Modified forms of low density lipoprotein and atherosclerosis. *Atherosclerosis* **98**, 1-9.
- Aviram, M. and Fuhrman, B. (2003). Effects of flavonoids on the oxidation of low-density lipoprotein and atherosclerosis. In: *Flavonoids in Health and Disease* (2nd edn) 238

*Edition, Revised and Expanded).* (eds: Rice-Evans, C.A. and Packer, L.). New York, USA, Marcel Dekker, Inc. pp:165-204.

Aziz, A.A., Edwards, C.A., Lean, M.E.J. and Crozier, A. (1998). Absorption and excretion of conjugated flavonols, including quercetin-4'- $\beta$ -glucoside and isorhamnetin-4'- $\beta$ -glucoside by human volunteers after the consumption of onions. *Free Radical Research* **29**, 257-269.

Barbagallo, R.N., Palmeri, R., Fabiano, S., Rapisarda, P. and Spagna, G. (2007). Characteristic of  $\beta$ -glucosidase from Sicilian blood oranges in relation to anthocyanin degradation. *Enzyme and Microbial Technology* **41**, 570-575.

Barnes, S., Kirk, M. and Coward, L. (1994). Isoflavones and their conjugates in soy foods: extraction conditions and analysis by HPLC-mass spectrometry. *Journal of Agricultural and Food Chemistry* **42**, 2466-2474.

Bennett, J.P., Gomperts, B.D. and Wollenweber, E. (1981). Inhibitory effects of natural flavonoids on secretion from mast cells and neutrophils. *Arzneimittelforschung* **31**, 433-437.

Benzie, I.F.F., Szeto, Y.T., Strain, J.J. and Tomlinson, B. (1999). Consumption of green tea causes rapid increase in plasma antioxidant power in humans. *Nutrition and Cancer* **34**, 83-87.

Bhatia, Y., Mishra, S. and Bisaria, V.S. (2002). Microbial  $\beta$ -glucosidases: cloning, properties, and applications. *Critical Reviews in Biotechnology* **22**, 375-407.

Birt, D.F., Hendrich, S. and Wang, W. (2001). Dietary agents in cancer prevention: flavonoids and isoflavonoids. *Pharmacology & Therapeutics* **90**, 157-177.

Bisswanger, H. (2004). In: *Practical Enzymology*. Weinheim, Germany, Wiley-VCH. pp:1-255.

- Bisswanger, H. (2008). In: *Enzyme Kinetics: Principles and Methods (2nd Revised Edition)*. Weinheim, Germany, Wiley-VCH. pp:1-301.
- Bloor, S.J. (2001). Overview of methods for analysis and identification of flavonoids. In: *Flavonoids and Other Polyphenols (Methods in Enzymology, Volume 335)*. (ed: Packer, L.). San Diego, California, USA, Academic Press. pp:3-14.
- Bohm, B.A. (1998). In: *Introduction to Flavonoids*. Amsterdam, Netherland, Harwood Academic Publishers. pp:1-503.
- Bols, M., López, Ó. and Ortega-Caballero, F. (2007). Glycosidase inhibitors: structure, activity, synthesis, and medical relevance. In: *Comprehensive Glycoscience, (From Chemistry to Systems Biology, Four-Volume Set) Volume 1*. (ed: Kamerling, J.P.). Oxford, UK, Elsevier Science. 1 pp:815-884.
- Bombardelli, E. and Morazzoni, P. (1993). The flavonoids: new perspectives in biological activities and therapeutics. *Chimica Oggi-Chemistry Today* **11**, 25-28.
- Boots, A.W., Wilms, L.C., Swennen, E.L.R., Kleinjans, J.C.S., Bast, A. and Haenen, G.R.M.M. (2008). *In vitro* and *ex vivo* anti-inflammatory activity of quercetin in healthy volunteers. *Nutrition* **24**, 703-710.
- Bors, W., Michel, C. and Stettmaier, K. (2001). Structure-activity relationships governing antioxidant capacities of plant polyphenols. In: *Flavonoids and Other Polyphenols (Methods in Enzymology, Volume 335)*. (ed: Lester, P.). San Diego, California, USA, Academic Press. pp:166-180.
- Bowey, E., Adlercreutz, H. and Rowland, I. (2003). Metabolism of isoflavones and lignans by the gut microflora: a study in germ-free and human flora associated rats. *Food and Chemical Toxicology* **41**, 631-636.
- Bradford, M.M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry* **72**, 248-254.

- Brouwers, E., L'Homme, R., Al-Maharik, N., Lapcík, O., Hampl, R., Wähälä, K., Mikola, H. and Adlercreutz, H. (2003). Time-resolved fluoroimmunoassay for equol in plasma and urine. *Journal of Steroid Biochemistry and Molecular Biology* **84**, 577-587.
- Browne, T.R., Greenblatt, D., Evans, J.E., Evans, B.A., Szabo, G.K. and Schumacher, G.E. (1987). Determination of the *in vivo* Km and Vmax of a drug with tracer studies. *Journal of Clinical Pharmacology* **27**, 321-324.
- Brzezinski, A., Adlercreutz, H., Shaoul, R., Rosier, A., Shmueli, A., Tanos, V. and Schenker, J.G. (1997). Short-term effects of phytoestrogen-rich diet on postmenopausal women. *Menopause-the Journal of the North American Menopause Society* **4**, 89-94.
- Burda, S. and Oleszek, W. (2001). Antioxidant and antiradical activities of flavonoids. *Journal of Agricultural and Food Chemistry* **49**, 2774-2779.
- Calabrò, M.L., Galtieri, V., Cutroneo, P., Tommasini, S., Ficarra, P. and Ficarra, R. (2004). Study of the extraction procedure by experimental design and validation of a LC method for determination of flavonoids in *Citrus bergamia* juice. *Journal of Pharmaceutical and Biomedical Analysis* **35**, 349-363.
- Caldwell, C.R., Britz, S.J. and Mirecki, R.M. (2005). Effect of temperature, elevated carbon dioxide, and drought during seed development on the isoflavone content of dwarf soybean [*Glycine max* (L.) Merrill] grown in controlled environments. *Journal of Agricultural and Food Chemistry* **53**, 1125-1129.
- Carusi, D. (2000). Phytoestrogens as hormone replacement therapy: an evidence-based approach. *Primary Care Update for OB/GYNS* **7**, 253-259.
- Cassidy, A., Bingham, S. and Setchell, K. (1994). Biological effects of a diet of soy protein rich in isoflavones on the menstrual cycle of premenopausal women. *American Journal of Clinical Nutrition* **60**, 333-340.

- Cassidy, A., Hanley, B. and Lamuela-Raventos, R.M. (2000). Isoflavones, lignans and stilbenes - origins, metabolism and potential importance to human health. *Journal of the Science of Food and Agriculture* **80**, 1044-1062.
- Cassidy, A., Brown, J.E., Hawdon, A., Faughnan, M.S., King, L.J., Millward, J., Zimmer-Nechemias, L., Wolfe, B. and Setchell, K.D.R. (2006). Factors affecting the bioavailability of soy isoflavones in humans after ingestion of physiologically relevant levels from different soy foods. *Journal of Nutrition* **136**, 45-51.
- Cederroth, C.R. and Nef, S. (2009). Soy, phytoestrogens and metabolism: a review. *Molecular and Cellular Endocrinology* **304**, 30-42.
- Chang, H.C., Churchwell, M.I., Delclos, K.B., Newbold, R.R. and Doerge, D.R. (2000). Mass spectrometric determination of genistein tissue distribution in diet-exposed Sprague-Dawley rats. *Journal of Nutrition* **130**, 1963-1970.
- Chang, L.-H., Cheng, Y.-C. and Chang, C.-M. (2004). Extracting and purifying isoflavones from defatted soybean flakes using superheated water at elevated pressures. *Food Chemistry* **84**, 279-285.
- Chang, W.S., Lee, Y.J., Lu, F.J. and Chiang, H.C. (1993). Inhibitory effects of flavonoids on xanthine oxidase. *Anticancer Research - International Journal of Cancer Research and Treatment* **13**, 2165-2170.
- Cherdshewasart, W., Subtang, S. and Dahlan, W. (2007). Major isoflavonoid contents of the phytoestrogen rich-herb *Pueraria mirifica* in comparison with *Pueraria lobata*. *Journal of Pharmaceutical and Biomedical Analysis* **43**, 428-434.
- Cho, S.Y., Lee, Y.N. and Park, H.J. (2009). Optimization of ethanol extraction and further purification of isoflavones from soybean sprout cotyledon. *Food Chemistry* **117**, 312-317.

- Chun, J., Kim, J.S. and Kim, J.H. (2008). Enrichment of isoflavone aglycones in soymilk by fermentation with single and mixed cultures of *Streptococcus infantarius* 12 and *Weissella* sp. 4. *Food Chemistry* **109**, 278-284.
- Clifford, M.N. (2000). Anthocyanins - nature, occurrence and dietary burden. *Journal of the Science of Food and Agriculture* **80**, 1063-1072.
- Copeland, R.A. (2000). In: *Enzymes: A Practical Introduction to Structure, Mechanism, and Data Analysis*. New York, USA, John-Wiley & Sons. pp:1-397.
- Cornwell, T., Cohick, W. and Raskin, I. (2004). Dietary phytoestrogens and health. *Phytochemistry* **65**, 995-1016.
- Cos, P., Ying, L., Calomme, M., Hu, J.P., Cimanga, K., Van Poel, B., Pieters, L., Vlietinck, A.J. and Berghe, D.V. (1998). Structure-activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers. *Journal of Natural Products* **61**, 71-76.
- Counotte, G.H.M. and Prins, R.A. (1979). Calculation of Km and Vmax from substrate concentration versus time plot. *Applied and Environmental Microbiology* **38**, 758-760.
- Cowan, D.A. (1997). Thermophilic proteins: stability and function in aqueous and organic solvents. *Comparative Biochemistry and Physiology Part A: Physiology* **118**, 429-438.
- Coward, L., Barnes, N.C., Setchell, K.D.R. and Barnes, S. (1993). Genistein, daidzein, and their  $\beta$ -glycoside conjugates: antitumor isoflavones in soybean foods from American and Asian diets. *Journal of Agricultural and Food Chemistry* **41**, 1961-1967.
- Craig, W.J. (1999). Health-promoting properties of common herbs. *American Journal of Clinical Nutrition* **70**, 491S-499.

- Crespy, V., Morand, C., Besson, C., Manach, C., Demigne, C. and Remesy, C. (2002). Quercetin, but not its glycosides, is absorbed from the rat stomach. *Journal of Agricultural and Food Chemistry* **50**, 618-621.
- Crozier, A., Lean, M.E.J., McDonald, M.S. and Black, C. (1997). Quantitative analysis of the flavonoid content of commercial tomatoes, onions, lettuce, and celery. *Journal of Agricultural and Food Chemistry* **45**, 590-595.
- Cui, H. (2005). In: *Soy Isoflavones - Researches on Bioactivities and Application*. Beijing, China, Science Press. pp:1-212.
- Cygan, J., Neufeld-Kaiser, W., Jara, G. and Daniel, W.L. (1997). Comparative biochemistry of a cytosolic artiodactyl glucosidase. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology* **116**, 437-446.
- Czjzek, M., Cicek, M., Zamboni, V., Bevan, D.R., Henrissat, B. and Esen, A. (2000). The mechanism of substrate (aglycone) specificity in  $\beta$ -glucosidases is revealed by crystal structures of mutant maize  $\beta$ -glucosidase-DIMBOA, -DIMBOAGlc, and -dhurrin complexes. *Proceedings of the National Academy of Sciences of the United States of America* **97**, 13555-13560.
- Dale, M.P., Ensley, H.E., Kern, K., Sastry, K.A.R. and Byers, L.D. (1985). Reversible inhibitors of  $\beta$ -glucosidase. *Biochemistry* **24**, 3530-3539.
- Daniel, R.M., Peterson, M.E., Danson, M.J., Price, N.C., Kelly, S.M., Monk, C.R., Weinberg, C.S., Oudshoorn, M.L. and Lee, C.K. (2009). The molecular basis of the effect of temperature on enzyme activity. *Biochemical Journal* **425**, 353-360.
- Daniels, L.B., Coyle, P.J., Chiao, Y.B., Glew, R.H. and Labow, R.S. (1981). Purification and characterization of a cytosolic broad specificity  $\beta$ -glucosidase from human liver. *Journal of Biological Chemistry* **256**, 13004-13013.
- Davies, K.M. and Schwinn, K.E. (2006). Molecular biology and biotechnology of flavonoid biosynthesis. In: *Flavonoids: Chemistry, Biochemistry and Applications*.

(eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:143-218.

Day, A.J. and Williamson, G. (1999). Human metabolism of dietary quercetin glycosides. In: *Plant Polyphenols 2: Chemistry, Biology, Pharmacology, Ecology*. (eds: Gross, G.G., Hemingway, R.W. and Yoshida, T.). New York, USA, Plenum Press. pp:415-434.

Day, A.J. and Williamson, G. (2003). Absorption of quercetin glycosides. In: *Flavonoids in Health and Disease (2nd Edition, Revised and Expanded)*. (eds: Rice-Evans, C.A. and Packer, L.). New York, USA, Marcel Dekker, Inc. pp:391-412.

Day, A.J., DuPont, M.S., Ridley, S., Rhodes, M., Rhodes, M.J.C., Morgan, M.R.A. and Williamson, G. (1998). Deglycosylation of flavonoid and isoflavonoid glycosides by human small intestine and liver  $\beta$ -glucosidase activity. *FEBS Letters* **436**, 71-75.

Day, A.J., Bao, Y., Morgan, M.R.A. and Williamson, G. (2000a). Conjugation position of quercetin glucuronides and effect on biological activity. *Free Radical Biology and Medicine* **29**, 1234-1243.

Day, A.J., Cañada, F.J., Díaz, J.C., Kroon, P.A., McLauchlan, R., Faulds, C.B., Plumb, G.W., Morgan, M.R.A. and Williamson, G. (2000b). Dietary flavonoid and isoflavone glycosides are hydrolysed by the lactase site of lactase phlorizin hydrolase. *FEBS Letters* **468**, 166-170.

Day, A.J., Gee, J.M., DuPont, M.S., Johnson, I.T. and Williamson, G. (2003). Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter. *Biochemical Pharmacology* **65**, 1199-1206.

Day, A.J., Rothwell, J.A. and Morgan, M.R.A. (2004). Characterisation of polyphenol metabolites. In: *Phytochemicals in Health and Disease*. (eds: Bao, Y. and Fenwick, R.). New York, USA, Marcel Dekker. pp:57-76.

- de Pascual-Teresa, S., Hallund, J., Talbot, D., Schroot, J., Williams, C.M., Bugel, S. and Cassidy, A. (2006). Absorption of isoflavones in humans: effects of food matrix and processing. *Journal of Nutritional Biochemistry* **17**, 257-264.
- De Stefani, E., Boffetta, P., Deneo-Pellegrini, H., Mendilaharsu, M., Carzoglio, J.C., Ronco, A. and Olivera, L. (1999a). Dietary antioxidants and lung cancer risk: a case-control study in Uruguay. *Nutrition and Cancer* **34**, 100-110.
- De Stefani, E., Ronco, A., Mendilaharsu, M. and Deneo-Pellegrini, H. (1999b). Diet and risk of cancer of the upper aerodigestive tract--II. Nutrients. *Oral Oncology* **35**, 22-26.
- Dehmlow, C., Erhard, J. and de Groot, H. (1996). Inhibition of Kupffer cell functions as an explanation for the hepatoprotective properties of silibinin. *Hepatology* **23**, 749-754.
- Dew, T.P., Day, A.J. and Morgan, M.R.A. (2005). Xanthine oxidase activity *in vitro*: effects of food extracts and components. *Journal of Agricultural and Food Chemistry* **53**, 6510-6515.
- Dignum, M.J.W., van der Heijden, R., Kerler, J., Winkel, C. and Verpoorte, R. (2004). Identification of glucosides in green beans of *Vanilla planifolia* Andrews and kinetics of vanilla β-glucosidase. *Food Chemistry* **85**, 199-205.
- Dixon, R.A. (2004). Phytoestrogens. *Annual Review of Plant Biology* **55**, 225-261.
- Donovan, J.L. and Waterhouse, A.L. (2003). Bioavailability of flavanol monomers. In: *Flavonoids in Health and Disease (2nd Edition, Revised and Expanded)*. (eds: Rice-Evans, C.A. and Packer, L.). New York, USA, Marcel Dekker, Inc. pp:413-440.
- Dragsted, L.O., Knuthsen, P. and Nielsen, S.E. (1996). *Polyphenols in Danish foods and their possible health effects*. Proceedings of the Symposium on Polyphenols and Anthocyanins as Food Colourants and Antioxidants, Vienna, Austria.

- Ducret, A., Trani, M. and Lortie, R. (2006). Comparison between various commercial sources of almond  $\beta$ -glucosidase for the production of alkyl glucosides. *Journal of Molecular Catalysis B: Enzymatic* **38**, 91-94.
- Dueñas, M., Hernández, T., Estrella, I. and Fernández, D. (2009). Germination as a process to increase the polyphenol content and antioxidant activity of lupin seeds (*Lupinus angustifolius* L.). *Food Chemistry* **117**, 599-607.
- Dugas, Alton J., Castaneda-Acosta, J., Bonin, G.C., Price, K.L., Fischer, N.H. and Winston, G.W. (2000). Evaluation of the total peroxy radical-scavenging capacity of flavonoids: structure-activity relationships. *Journal of Natural Products* **63**, 327-331.
- Duggleby, R.G. (1995). Analysis of enzyme progress curves by nonlinear regression. In: *Enzyme Kinetics and Mechanism Part D: Developments in Enzyme Dynamics (Methods in Enzymology, Volume 249)*. (ed: Purich, D.L.). New York, USA, Academic Press. pp:61-90.
- DuPont, M.S., Bennett, R.N., Mellon, F.A. and Williamson, G. (2002). Polyphenols from alcoholic apple cider are absorbed, metabolized and excreted by humans. *Journal of Nutrition* **132**, 172-175.
- Dziedzic, S.Z. and Hudson, B.J.F. (1983). Hydroxy isoflavones as antioxidants for edible oils. *Food Chemistry* **11**, 161-166.
- Erlund, I. (2004). Review of the flavonoids quercetin, hesperetin, and naringenin. Dietary sources, bioactivities, bioavailability, and epidemiology. *Nutrition Research* **24**, 851-874.
- Esen, A. (1993).  $\beta$ -Glucosidases: overview. In:  *$\beta$ -Glucosidases: Biochemistry and Molecular Biology (ACS Symposium Series 553)*. (ed: Esen, A.). Washington, DC, USA, American Chemical Society. pp:1-14.
- Farag, M.A., Huhman, D.V., Lei, Z. and Sumner, L.W. (2007). Metabolic profiling and systematic identification of flavonoids and isoflavonoids in roots and cell

- suspension cultures of *Medicago truncatula* using HPLC-UV-ESI-MS and GC-MS. *Phytochemistry* **68**, 342-354.
- Ferrández, M.L. and Alcaraz, M.J. (1991). Anti-inflammatory activity and inhibition of arachidonic acid metabolism by flavonoids. *Agents Actions* **32**, 283-288.
- Ferreira, D., Slade, D. and Marais, J.P.J. (2006). Flavans and proanthocyanidins. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:553-616.
- Ferriola, P.C., Cody, V. and Middleton Jr, E. (1989). Protein kinase C inhibition by plant flavonoids: kinetic mechanisms and structure-activity relationships. *Biochemical Pharmacology* **38**, 1617-1624.
- Fleuriet, A. and Macheix, J.-J. (2003). Phenolic acids in fruits and vegetables. In: *Flavonoids in Health and Disease (2nd Edition, Revised and Expanded)*. (eds: Rice-Evans, C.A. and Packer, L.). New York, USA, Marcel Dekker, Inc. pp:1-42.
- Fossen, T., Pedersen, A.T. and Andersen, Ø.M. (1998). Flavonoids from red onion (*Allium cepa*). *Phytochemistry* **47**, 281-285.
- Foti, P., Erba, D., Spadafranca, A., Ciappellano, S., Bresciani, J. and Testolin, G. (2006). Daidzein is absorbed by passive transport in isolated small intestine of rats. *Nutrition Research* **26**, 284-288.
- Franke, A.A. and Custer, L.J. (1994). High-performance liquid chromatographic assay of isoflavonoids and coumestrol from human urine. *Journal of Chromatography B: Biomedical Sciences and Applications* **662**, 47-60.
- Franke, A.A., Halm, B.M. and Ashburn, L.A. (2004). Determinants for urinary and plasma isoflavones in humans after soy intake. *Nutrition and Cancer* **50**, 141-154.

- Franke, A.A., Halm, B.M. and Ashburn, L.A. (2008a). Isoflavones in children and adults consuming soy. *Archives of Biochemistry and Biophysics* **476**, 161-170.
- Franke, A.A., Halm, B.M. and Ashburn, L.A. (2008b). Urinary isoflavones are increased in adults, but decreased in children, consuming soy when on oral antibiotic therapy. *Nutrition and Cancer* **60**, 627 - 635.
- Frankenfeld, C.L., Atkinson, C., Thomas, W.K., Goode, E.L., Gonzalez, A., Jokela, T., Wahala, K., Schwartz, S.M., Li, S.S. and Lampe, J.W. (2004). Familial correlations, segregation analysis, and nongenetic correlates of soy isoflavone-metabolizing phenotypes. *Experimental Biology Medicine* **229**, 902-913.
- Friedenauer, S. and Berlet, H.H. (1989). Sensitivity and variability of the Bradford protein assay in the presence of detergents. *Analytical Biochemistry* **178**, 263-268.
- Friesenecker, B., Tsai, A.G., Allegra, C. and Intaglietta, M. (1994). Oral administration of purified micronized flavonoid fraction suppresses leukocyte adhesion in ischemia-reperfusion injury: *in vivo* observations in the hamster skin fold. *International Journal of Microcirculation* **14**, 50-55.
- Friesenecker, B., Tsai, A.G. and Intaglietta, M. (1995). Cellular basis of inflammation, edema and the activity of Daflon 500 mg. *International Journal of Microcirculation* **15** 17-21.
- Galati, G. and O'Brien, P.J. (2004). Potential toxicity of flavonoids and other dietary phenolics: significance for their chemopreventive and anticancer properties. *Free Radical Biology and Medicine* **37**, 287-303.
- Gamache, P., H. and Acworth, I.N. (1998). Analysis of phytoestrogens and polyphenols in plasma, tissue, and urine using HPLC with coulometric array detection. *Proceedings of the Society for Experimental Biology and Medicine* **217**, 274-280.

- Garcia-Closas, R., Agudo, A., Gonzalez, C.A. and Riboli, E. (1998). Intake of specific carotenoids and flavonoids and the risk of lung cancer in women in Barcelona, Spain. *Nutrition and Cancer* **32**, 154-158.
- Garcia-Closas, R., Gonzalez, C.A., Agudo, A. and Riboli, E. (1999). Intake of specific carotenoids and flavonoids and the risk of gastric cancer in Spain. *Cancer Cause and Control* **10**, 71-75.
- Garcia, R., Gonzalez, C.A., Agudo, A. and Riboli, E. (1999). High intake of specific carotenoids and flavonoids does not reduce the risk of bladder cancer. *Nutrition and Cancer* **35**, 212-214.
- Garrett, S.D., Lee, H.A., Friar, P.M.K. and Morgan, M.R.A. (1999). Validation of a novel estrogen receptor-based microtitration plate assay for the determination of phytoestrogens in soy-based foods. *Journal of Agricultural and Food Chemistry* **47**, 4106-4111.
- Gee, J.M., DuPont, M.S., Rhodes, M.J.C. and Johnson, I.T. (1998). Quercetin glucosides interact with the intestinal glucose transport pathway. *Free Radical Biology and Medicine* **25**, 19-25.
- Geleijnse, J.M., Launer, L.J., van der Kuip, D.A.M., Hofman, A. and Witteman, J.C.M. (2002). Inverse association of tea and flavonoid intakes with incident myocardial infarction: the Rotterdam Study. *American Journal of Clinical Nutrition* **75**, 880-886.
- Glew, R.H., Gophalan, V., Forsyth, G.W. and VanderJagt, D.J. (1993). The mammalian cytosolic broad-specificity  $\beta$ -glucosidase. In:  *$\beta$ -Glucosidases: Biochemistry and Molecular Biology (ACS Symposium Series 553)*. (ed: Esen, A.). Washington, DC, USA, American Chemical Society. pp:83-112.
- Gould, K.S. and Lister, C. (2006). Flavonoid functions in plants. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:397-442.

- Grayer, R.J. and Veitch, N.C. (2006). Flavanones and dihydroflavonols. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:917-1002.
- Greenwald, P. (2004). Clinical trials in cancer prevention: current results and perspectives for the future. *Journal of Nutrition* **134**, 3507S-3512S.
- Guo, J.-Y., Li, X., Browning, J.D., Rottinghaus Jr., G.E., Lubahn, D.B., Constantinou, A., Bennink, M. and MacDonald, R.S. (2004). Dietary soy isoflavones and estrone protect ovariectomized ERKO and wild-type mice from carcinogen-induced colon cancer. *Journal of Nutrition* **134**, 179-182.
- Halliwell, B. (1995). How to characterize an antioxidant: an update. *Biochemical Society Symposia (Printed in Great Britain)* **61**, 73-101.
- Halliwell, B. (2000). Antioxidant activity and other biological effects of flavonoids. In: *Wake Up to Flavonoids*. (ed: Rice-Evans, C.). London, Royal Society of Medicine Press Limited. pp:13-24.
- Halliwell, B. and Gutteridge, J.M.C. (2007). In: *Free Radicals in Biology and Medicine (4th Edition)*. Oxford, UK, Oxford University Press. pp:1-851.
- Han, Y. and Chen, H. (2008). Characterization of  $\beta$ -glucosidase from corn stover and its application in simultaneous saccharification and fermentation. *Bioresource Technology* **99**, 6081-6087.
- Hanasaki, Y., Ogawa, S. and Fukui, S. (1994). The correlation between active oxygens scavenging and antioxidative effects of flavonoids. *Free Radical Biology and Medicine* **16**, 845-850.

- Hanes, C.S. (1932). Studies on plant amylases: the effect of starch concentration upon the velocity of hydrolysis by the amylase of germinated barley. *Biochemical Journal* **26**, 1406–1421.
- Harborne, J.B. (1963). Plant polyphenols. X. Flavone and aurone glycosides of *Antirrhinum*. *Phytochemistry* **2**, 327-334.
- Harborne, J.B. (1994). In: *The Flavonoids: Advances in Research since 1986*. Boca Raton, Florida, USA Chapman & Hall/CRC Press. pp:1-676.
- Harborne, J.B. and Baxter, H. (1999a). In: *The Handbook of Natural Flavonoids (Volume 1)*. Chichester, UK, John Wiley & Sons, Harwood Academic. pp:1-889.
- Harborne, J.B. and Baxter, H. (1999b). In: *The Handbook of Natural Flavonoids (Volume 2)*. Chichester, UK, John Wiley & Sons, Harwood Academic. pp:1-879.
- Harborne, J.B. and Williams, C.A. (2000). Advances in flavonoid research since 1992. *Phytochemistry* **55**, 481-504.
- Harborne, J.B., Mabry, T.J. and Mabry, H. (1975). In: *The Flavonoids*. London, UK, Chapman & Hall. pp:1-1204.
- Haron, H., Ismail, A., Azlan, A., Shahar, S. and Peng, L.S. (2009). Daidzein and genestein contents in tempeh and selected soy products. *Food Chemistry* **115**, 1350-1356.
- Hartmann-Schreier, J. and Schreier, P. (1986). Purification and partial characterization of  $\beta$ -glucosidase from papaya fruit. *Phytochemistry* **25**, 2271-2274.
- Hartmann-Schreier, J. and Schreier, P. (1987). Properties of  $\beta$ -glucosidase from *Carica papaya* fruit. *Food Chemistry* **26**, 201-212.
- Havsteen, B. (1983). Flavonoids, a class of natural products of high pharmacological potency. *Biochemical Pharmacology* **32**, 1141-1148.

- Hays, W.S., Jenison, S.A., Yamada, T., Pastuszyn, A. and Glew, R.H. (1996). Primary structure of the cytosolic  $\beta$ -glucosidase of guinea pig liver. *Biochemical Journal* **319**, 829-837.
- Heim, K.E., Tagliaferro, A.R. and Bobilya, D.J. (2002). Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *Journal of Nutritional Biochemistry* **13**, 572-584.
- Heinonen, S., Wähälä, K. and Adlercreutz, H. (1999). Identification of isoflavone metabolites dihydrodaidzein, dihydrogenistein, 6'-OH-O-dma, and *cis*-4-OH-equol in human urine by gas chromatography-mass spectroscopy using authentic reference compounds. *Analytical Biochemistry* **274**, 211-219.
- Heinonen, S.-M., Wähälä, K. and Adlercreutz, H. (2002). Metabolism of isoflavones in human subjects. *Phytochemistry Reviews* **1**, 175-182.
- Heinonen, S.-M., Hoikkala, A., Wähälä, K. and Adlercreutz, H. (2003). Metabolism of the soy isoflavones daidzein, genistein and glycinein in human subjects: identification of new metabolites having an intact isoflavanoid skeleton. *Journal of Steroid Biochemistry and Molecular Biology* **87**, 285-299.
- Hendrich, S. (2002). Bioavailability of isoflavones. *Journal of Chromatography B* **777**, 203-210.
- Hertog, M.G.L., Feskens, E.J.M., Hollman, P.C.H., Katan, M.B. and Kromhout, D. (1993a). Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen Elderly Study. *The Lancet* **342**, 1007-1011.
- Hertog, M.G.L., Hollman, P.C.H., Katan, M.B. and Kromhout, D. (1993b). Intake of potentially anticarcinogenic flavonoids and their determinants in adults in the Netherlands. *Nutrition and Cancer* **20**, 21-29.

- Hertog, M.G.L., Hollman, P.C.H. and van de Putte, B. (1993c). Content of potentially anticarcinogenic flavonoids of tea infusions, wines, and fruit juices. *Journal of Agricultural and Food Chemistry* **41**, 1242-1246.
- Hertog, M.G.L., Feskens, E.J.M., Hollman, P.C.H., Katan, M.B. and Kromhout, D. (1994). Dietary flavonoids and cancer risk in the Zutphen Elderly Study-their determinants in adults in the Netherlands. *Nutrition and Cancer* **22**, 175-184.
- Hertog, M.G.L., Kromhout, D., Aravanis, C., Blackburn, H., Buzina, R., Fidanza, F., Giampaoli, S., Jansen, A., Menotti, A., Nedeljkovic, S., Pekkarinen, M., Simic, B.S., Toshima, H., Feskens, E.J.M., Hollman, P.C.H. and Katan, M.B. (1995). Flavonoid intake and long-term risk of coronary heart disease and cancer in the Seven Countries Study. *Archives of Internal Medicine* **155**, 381-386.
- Hertog, M.G.L., Sweetnam, P.M., Fehily, A.M., Elwood, P.C. and Kromhout, D. (1997). Antioxidant flavonols and ischemic heart disease in a Welsh population of men: the Caerphilly Study. *American Journal of Clinical Nutrition* **65**, 1489-1494.
- Hider, R.C., Liu, Z.D. and Khodr, H.H. (2001). Metal chelation of polyphenols. In: *Flavonoids and Other Polyphenols (Methods in Enzymology, Volume 335)*. (ed: Lester, P.). San Diego, California, USA, Academic Press. pp:190-203.
- Hinderer, W., Köster, J. and Barz, W. (1986). Purification and properties of a specific isoflavone 7-O-glucoside-6"-malonate malonyl esterase from roots of chickpea (*Cicer arietinum* L.). *Archives of Biochemistry and Biophysics* **248**, 570-578.
- Hirvonen, T., Pietinen, P., Virtanen, M., Ovaskainen, M.-L., Häkkinen, S., Albanes, D. and Virtamo, J. (2001a). Intake of flavonols and flavones and risk of coronary heart disease in male smokers. *Epidemiology* **12**, 62-67.
- Hirvonen, T., Virtamo, J., Korhonen, P., Albanes, D. and Pietinen, P. (2001b). Flavonol and flavone intake and the risk of cancer in male smokers (Finland). *Cancer Cause and Control* **12**, 789-796.

- Hodnick, W.F., Duval, D.L. and Pardini, R.S. (1994). Inhibition of mitochondrial respiration and cyanide-stimulated generation of reactive oxygen species by selected flavonoids. *Biochemical Pharmacology* **47**, 573-580.
- Hofstee, B.H.J. (1959). Non-inverted versus inverted plots in enzyme kinetics. *Nature* **184**, 1296–1298.
- Hollman, P. (2000). Bioavailability of flavonoids. In: *Wake Up to Flavonoids*. (ed: Rice-Evans, C.). London, Royal Society of Medicine Press Limited. pp:45-52.
- Hollman, P.C.H. (2001). Determination of flavonols in body fluids. In: *Flavonoids and Other Polyphenols (Methods in Enzymology, Volume 335)*. (ed: Packer, L.). San Diego, California, USA, Academic Press. pp:97-103.
- Hollman, P.C.H. and Katan, M.B. (1997). Absorption, metabolism and health effects of dietary flavonoids in man. *Biomedecine & Pharmacotherapy* **51**, 305-310.
- Hollman, P.C.H. and Katan, M.B. (1999). Dietary flavonoids: intake, health effects and bioavailability. *Food and Chemical Toxicology* **37**, 937-942.
- Hollman, P.C.H. and Arts, I.C.W. (2000). Flavonols, flavones and flavanols - nature, occurrence and dietary burden. *Journal of the Science of Food and Agriculture* **80**, 1081-1093.
- Hollman, P.C.H., de Vries, J.H.M. and Katan, M.B. (1995). Absorption of the dietary antioxidant quercetin in healthy ileostomy volunteers. *Atherosclerosis* **115**, S49.
- Holst, B. and Williamson, G. (2004). Method to study bioavailability of phytochemicals. In: *Phytochemicals in Health and Disease*. (eds: Bao, Y. and Fenwick, R.). New York, USA, Marcel Dekker. pp:25-56.
- Holzbeierlein, J.M., McIntosh, J. and Thrasher, J.B. (2005). The role of soy phytoestrogens in prostate cancer. *Current Opinion in Urology* **15**, 17-22.

- Hsieh, M.-C. and Graham, T.L. (2001). Partial purification and characterization of a soybean  $\beta$ -glucosidase with high specific activity towards isoflavone conjugates. *Phytochemistry* **58**, 995-1005.
- Hu, Y., Luan, H., Hao, D., Xiao, H., Yang, S. and Yang, L. (2007). Purification and characterization of a novel ginsenoside-hydrolyzing  $\beta$ -D-glucosidase from the China white jade snail (*Achatina fulica*). *Enzyme and Microbial Technology* **40**, 1358-1366.
- Hur, H.-G., Lay, J.O., Beger, R.D., Freeman, J.P. and Rafii, F. (2000). Isolation of human intestinal bacteria metabolizing the natural isoflavone glycosides daidzin and genistin. *Archives of Microbiology* **174**, 422-428.
- Hutchins, A.M., Slavin, J.L. and Lampe, J.W. (1995). Urinary isoflavonoid phytoestrogen and lignan excretion after consumption of fermented and unfermented soy products. *Journal of the American Dietetic Association* **95**, 545-551.
- Hwang, C.S., Kwak, H.S., Lim, H.J., Lee, S.H., Kang, Y.S., Choe, T.B., Hur, H.G. and Han, K.O. (2006). Isoflavone metabolites and their *in vitro* dual functions: they can act as an estrogenic agonist or antagonist depending on the estrogen concentration. *Journal of Steroid Biochemistry and Molecular Biology* **101**, 246-253.
- Ibe, F. and Shepherd, M.J. (1995). Flavonoids in UK total diet studies. Final report. London, Ministry of Agriculture, Fisheries and Food.
- Ielpo, M.T.L., Basile, A., Miranda, R., Moscatiello, V., Nappo, C., Sorbo, S., Laghi, E., Ricciardi, M.M., Ricciardi, L. and Vuotto, M.L. (2000). Immunopharmacological properties of flavonoids. *Fitoterapia* **71**, S101-S109.
- Ismail, B. and Hayes, K. (2005).  $\beta$ -Glycosidase activity toward different glycosidic forms of isoflavones. *Journal of Agricultural and Food Chemistry* **53**, 4918-4924.
- Ito, H., Gonthier, M.-P., Manach, C., Morand, C., Mennen, L., Remesy, C. and Scalbert, A. (2005). Polyphenol levels in human urine after intake of six different polyphenol-rich beverages. *British Journal of Nutrition* **94**, 500-509.

- Izumi, T., Piskula, M.K., Osawa, S., Obata, A., Tobe, K., Saito, M., Kataoka, S., Kubota, Y. and Kikuchi, M. (2000). Soy isoflavone aglycones are absorbed faster and in higher amounts than their glucosides in humans. *Journal of Nutrition* **130**, 1695-1699.
- Joannou, G.E., Kelly, G.E., Reeder, A.Y., Waring, M. and Nelson, C. (1995). A urinary profile study of dietary phytoestrogens. The identification and mode of metabolism of new isoflavonoids. *Journal of Steroid Biochemistry and Molecular Biology* **54**, 167-184.
- Jou, H.-J., Wu, S.-C., Chang, F.-W., Ling, P.-Y., Chu, K.S. and Wu, W.-H. (2008). Effect of intestinal production of equol on menopausal symptoms in women treated with soy isoflavones. *International Journal of Gynecology & Obstetrics* **102**, 44-49.
- Kamizake, N.K.K., Gonçalves, M.M., Zaia, C.T.B.V. and Zaia, D.A.M. (2003). Determination of total proteins in cow milk powder samples: a comparative study between the Kjeldahl method and spectrophotometric methods. *Journal of Food Composition and Analysis* **16**, 507-516.
- Kano, M., Takayanagi, T., Harada, K., Sawada, S. and Ishikawa, F. (2006). Bioavailability of isoflavones after ingestion of soy beverages in healthy adults. *Journal of Nutrition* **136**, 2291-2296.
- Karakaya, S. (2004). Bioavailability of phenolic compounds. *Critical Reviews in Food Science and Nutrition* **44**, 453-464.
- Karr, S.C., Lampe, J.W., Hutchins, A.M. and Slavin, J.L. (1997). Urinary isoflavonoid excretion in humans is dose dependent at low to moderate levels of soy-protein consumption. *American Journal of Clinical Nutrition* **66**, 46-51.
- Keleti, T. (1986). Determination of Michaelis-Menten parameters from initial velocity measurements using unstable substrate. *Analytical Biochemistry* **152**, 48-51.

- Keli, S.O., Hertog, M.G.L., Feskens, E.J.M. and Kromhout, D. (1996). Dietary flavonoids, antioxidant vitamins, and incidence of stroke: the Zutphen Study. *Archives of Internal Medicine* **156**, 637-642.
- Kelly, G.E., Nelson, C., Waring, M.A., Joannou, G.E. and Reeder, A.Y. (1993). Metabolites of dietary (soya) isoflavones in human urine. *Clinica Chimica Acta* **223**, 9-22.
- Kimira, M., Arai, Y., Shimoi, K. and Watanabe, S. (1988). Japanese intake of flavonoids and isoflavonoids from foods. *Journal of Epidemiology* **8**, 168-175.
- King, R.A. and Bursill, D.B. (1998). Plasma and urinary kinetics of the isoflavones daidzein and genistein after a single soy meal in humans. *American Journal of Clinical Nutrition* **67**, 867-872.
- Kirakosyan, A., Kaufman, P.B., Warber, S., Bolling, S., Chang, S.C. and Duke, J.A. (2003a). Quantification of major isoflavonoids and L-canavanine in several organs of kudzu vine (*Pueraria montana*) and in starch samples derived from kudzu roots. *Plant Science* **164**, 883-888.
- Kirakosyan, A., Seymour, E., Kaufman, P.B., Warber, S., Bolling, S. and Chang, S.C. (2003b). Antioxidant capacity of polyphenolic extracts from leaves of *Crataegus laevigata* and *Crataegus monogyna* (hawthorn) subjected to drought and cold stress. *Journal of Agricultural and Food Chemistry* **51**, 3973-3976.
- Klejdus, B., Mikelová, R., Petrlová, J., Potesil, D., Adam, V., Stiborová, M., Hodek, P., Vacek, J., Kizek, R. and Kubán, V. (2005). Determination of isoflavones in soy bits by fast column high-performance liquid chromatography coupled with UV-visible diode-array detection. *Journal of Chromatography A* **1084**, 71-79.
- Knek, P., Jarvinen, R., Reunanen, A. and Maatela, J. (1996). Flavonoid intake and coronary mortality in Finland: a cohort study. *British Medical Journal (BMJ)* **312**, 478-481.

- Knekt, P., Jarvinen, R., Seppanen, R., Heliovaara, M., Teppo, L., Pukkala, E. and Aromaa, A. (1997). Dietary flavonoids and the risk of lung cancer and other malignant neoplasms. *American Journal of Epidemiology* **146**, 223-230.
- Knekt, P., Kumpulainen, J., Jarvinen, R., Rissanen, H., Heliovaara, M., Reunanan, A., Hakulinen, T. and Aromaa, A. (2002). Flavonoid intake and risk of chronic diseases. *American Journal of Clinical Nutrition* **76**, 560-568.
- Ko, T.-F., Tsai, H.-S., Lin, S.-M., Liu, C.-D., Learn, S.-P. and Chiou, R.Y.Y. (2010). GC-MS determined distribution of urinary equol producers as affected by age, gender, and repeated ingestions of soymilk. *Journal of Food Science* **75**, H306-H310.
- Korkina, L.G. and Afanas'Ev, I.B. (1996). Antioxidant and chelating properties of flavonoids. In: *Antioxdants in Disease Mechanisms and Therapy (Advances in Pharmacology, Volume 38)*. (ed: Sies, H.). San Diego, California, USA, Academic Press. **38**. pp:151-163.
- Kuhnau, J. (1976). The flavonoids. A class of semi-essential food components: their role in human nutrition. *World Review of Nutrition and Dietetics* **24**, 117-191.
- Kuhnle, G.G.C., Dell'Aquila, C., Aspinall, S.M., Runswick, S.A., Joosen, A.M.C.P., Mulligan, A.A. and Bingham, S.A. (2009). Phytoestrogen content of fruits and vegetables commonly consumed in the UK based on LC-MS and <sup>13</sup>C-labelled standards. *Food Chemistry* **116**, 542-554.
- Kyle, J.A.M. and Duthie, G.G. (2006). Flavonoids in foods. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:219-262.
- L'Homme, R., Brouwers, E., Al-Maharik, N., Lapčík, O., Hampl, R., Mikola, H., Wähälä, K. and Adlercreutz, H. (2002). Time-resolved fluoroimmunoassay of plasma and urine *O*-desmethylangolensin. *Journal of Steroid Biochemistry and Molecular Biology* **81**, 353-361.

- Lampe, J.W., Karr, S.C., Hutchins, A.M. and Slavin, J.L. (1998). Urinary equol excretion with a soy challenge: influence of habitual diet. *Proceedings of the Society for Experimental Biology and Medicine* **217**, 335-339.
- Lampe, J.W., Skor, H.E., Li, S., Wahala, K., Howald, W.N. and Chen, C. (2001). Wheat bran and soy protein feeding do not alter urinary excretion of the isoflavan equol in premenopausal women. *Journal of Nutrition* **131**, 740-744.
- Larkin, T.A., Price, W.E. and Astheimer, L.B. (2007). Increased probiotic yogurt or resistant starch intake does not affect isoflavone bioavailability in subjects consuming a high soy diet. *Nutrition* **23**, 709-718.
- Lau, C.-C., Chan, C.-O., Chau, F.-T. and Mok, D.K.-W. (2009). Rapid analysis of *Radix puerariae* by near-infrared spectroscopy. *Journal of Chromatography A* **1216**, 2130-2135.
- Le Marchand, L., Murphy, S.P., Hankin, J.H., Wilkens, L.R. and Kolonel, L.N. (2000). Intake of flavonoids and lung cancer. *Journal of the National Cancer Institute* **92**, 154-160.
- Le Marchand, L., Hankin, J.H., Pierce, L.M., Sinha, R., Nerurkar, P.V., Franke, A.A., Wilkens, L.R., Kolonel, L.N., Donlon, T., Seifried, A., Custer, L.J., Lum-Jones, A. and Chang, W. (2002). Well-done red meat, metabolic phenotypes and colorectal cancer in Hawaii. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* **506-507**, 205-214.
- Lecas, M., Gunata, Z.Y., Sapis, J.-C. and Bayonove, C.L. (1991). Purification and partial characterization of  $\beta$ -glucosidase from grape. *Phytochemistry* **30**, 451-454.
- Lee, D.W. and Lowry, J.B. (1980). Young-leaf anthocyanin and solar ultraviolet. *Biotropica* **12**, 75.
- Lee, S.-J., Ahn, J.-K., Khanh, T.-D., Chun, S.-C., Kim, S.-L., Ro, H.-M., Song, H.-K. and Chung, I.-M. (2007). Comparison of isoflavone concentrations in soybean

(*Glycine max* (L.) Merrill) sprouts grown under two different light conditions. *Journal of Agricultural and Food Chemistry* **55**, 9415-9421.

Leese, H.J. and Semenza, G. (1973). On the identity between the small intestinal enzymes phlorizin hydrolase and glycosylceramidase. *Journal of Biological Chemistry* **248**, 8170-8173.

Lichtenstein, A.H. (1998). Soy protein, isoflavones and cardiovascular disease risk. *Journal of Nutrition* **128**, 1589-1592.

Liggins, J., Bluck, L.J.C., Coward, W.A. and Bingham, S.A. (1998). Extraction and quantification of daidzein and genistein in food. *Analytical Biochemistry* **264**, 1-7.

Liggins, J., Bluck, L.J.C., Runswick, S., Atkinson, C., Coward, W.A. and Bingham, S.A. (2000). Daidzein and genistein content of fruits and nuts. *Journal of Nutritional Biochemistry* **11**, 326-331.

Lin, C.-C., Tsai, Y.-L., Ho, C.-T. and Teng, S.-C. (2008). Determination of the differential estrogenicity of isoflavonoids by E2-ER-ERE-dependent gene expression in recombinant yeast and MCF-7 human breast cancer cells. *Food Chemistry* **108**, 719-726.

Lof, M. and Weiderpass, E. (2006). Epidemiologic evidence suggests that dietary phytoestrogen intake is associated with reduced risk of breast, endometrial, and prostate cancers. *Nutrition Research* **26**, 609-619.

Lu, L.-J.W. and Anderson, K.E. (1998). Sex and long-term soy diets affect the metabolism and excretion of soy isoflavones in humans. *American Journal of Clinical Nutrition* **68**, 1500S-1504.

Luan, H., Liu, X., Qi, X., Hu, Y., Hao, D., Cui, Y. and Yang, L. (2006). Purification and characterization of a novel stable ginsenoside Rb1-hydrolyzing  $\beta$ -D-glucosidase from China white jade snail. *Process Biochemistry* **41**, 1974-1980.

- Lundh, T.J.-O., Pettersson, H. and Kiessling, K.-H. (1988). Liquid chromatographic determination of the estrogens daidzein, formononetin, coumestrol, and equol in bovine blood plasma and urine. *Journal of the Association of Official Analytical Chemists* **71**, 938-941.
- Ma, D.-F., Qin, L.-Q., Wang, P.-Y. and Katoh, R. (2008). Soy isoflavone intake increases bone mineral density in the spine of menopausal women: meta-analysis of randomized controlled trials. *Clinical Nutrition* **27**, 57-64.
- Mabry, T.J., Markham, K.R. and Thomas, M.B. (1970). In: *The Systematic Identification of Flavonoids*. Berlin, Germany, Springer. pp:1-354.
- Magee, P.J. and Rowland, I.R. (2004). Review article: phyto-oestrogens, their mechanism of action: current evidence for a role in breast and prostate cancer. *British Journal of Nutrition* **91**, 513–531.
- Majo, D.D., Giannanco, M., Guardia, M.L., Tripoli, E., Giannanco, S. and Finotti, E. (2005). Flavanones in *Citrus fruit*: structure-antioxidant activity relationships. *Food Research International* **38**, 1161-1166.
- Manach, C., Scalbert, A., Morand, C., Remesy, C. and Jimenez, L. (2004). Polyphenols: food sources and bioavailability. *American Journal of Clinical Nutrition* **79**, 727-747.
- Manach, C., Williamson, G., Morand, C., Scalbert, A. and Remesy, C. (2005). Bioavailability and bioefficacy of polyphenols in humans. I. Review of 97 bioavailability studies. *American Journal of Clinical Nutrition* **81**, 230S-242S.
- Manthey, J.A. and Guthrie, N. (2002). Antiproliferative activities of citrus flavonoids against six human cancer cell lines. *Journal of Agricultural and Food Chemistry* **50**, 5837-5843.

- Manthey, J.A., Guthrie, N. and Grohmann, K. (2001). Biological properties of citrus flavonoids pertaining to cancer and inflammation. *Current Medicinal Chemistry* **8**, 135-153.
- Marin, F.R., Perez-Alvarez, J.A. and Soler-Rivas, C. (2005). Isoflavones as functional food components. In: *Studies in Natural Products Chemistry (Volume 32)*. (ed: Rahman, A.u.), Elsevier. **32**. pp:1177-1207.
- Markham, K.R. and Bloor, S.J. (1998). Analysis and identification of flavonoids in practice. In: *Flavonoids in Health and Disease*. (eds: Rice-Evans, C.A. and Packer, L.). New York, USA, Marcel Dekker. pp:1-34.
- Marquart, L.C. (1835). In: *Die Farben der Bluthen. Eine chemisch-physiol. Abhandlung* Bonn. (Cited by Bohm, 1998).
- Marston, A. and Hostettmann, K. (2006). Separation and quantification of flavonoids. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:1-36.
- Martin, M.T. (2002). Determination of active site concentration. In: *Enzyme Assays: A Practical Approach*. (eds: Eisenthal, R. and Danson, M.J.). Oxford, Oxford University Press. pp:1-48.
- Maskarinec, G., Watts, K., Kagihara, J., Hebshi, S.M. and Franke, A.A. (2008). Urinary isoflavonoid excretion is similar after consuming soya milk and miso soup in Japanese-American women. *British Journal of Nutrition* **100**, 424-429.
- Mathey, J., Lamothe, V., Coxam, V., Potier, M., Sauvant, P. and Pelissero, C.B. (2006). Concentrations of isoflavones in plasma and urine of post-menopausal women chronically ingesting high quantities of soy isoflavones. *Journal of Pharmaceutical and Biomedical Analysis* **41**, 957-965.

- Mayr, U., Treutter, D., Santos-Buelga, C., Bauer, H. and Feucht, W. (1995). Developmental changes in the phenol concentrations of 'Golden delicious' apple fruits and leaves. *Phytochemistry* **38**, 1151-1155.
- Mazur, W. (1998). Phytoestrogen content in foods. *Baillière's Clinical Endocrinology and Metabolism* **12**, 729-742.
- Mazur, W. and Adlercreutz, H. (1998). Naturally occurring oestrogens in food. *Journal of Pure and Applied Chemistry* **70**, 1759-1776.
- Mazur, W.M., Duke, J.A., Wähälä, K., Rasku, S. and Adlercreutz, H. (1998). Isoflavonoids and lignans in legumes: nutritional and health aspects in humans. *Journal of Nutritional Biochemistry* **9**, 193-200.
- McCarty, M.F. (2006). Isoflavones made simple - genistein's agonist activity for the  $\beta$ -type estrogen receptor mediates their health benefits. *Medical Hypotheses* **66**, 1093-1114.
- McCue, P. and Shetty, K. (2004). Health benefits of soy isoflavonoids and strategies for enhancement: a review. *Critical Reviews in Food Science and Nutrition* **44**, 361-367.
- McDonald, M.S., Hughes, M., Burns, J., Lean, M.E.J., Matthews, D. and Crozier, A. (1998). Survey of the free and conjugated myricetin and quercetin content of red wines of different geographical origins. *Journal of Agricultural and Food Chemistry* **46**, 368-375.
- Merken, H.M. and Beecher, G.R. (2000). Measurement of food flavonoids by high-performance liquid chromatography: a review. *Journal of Agricultural and Food Chemistry* **48**, 577-599.
- Messina, M.J. (2002). Soy foods and soybean isoflavones and menopausal health. *Nutrition in Clinical Care* **5**, 272-282.

- Messina, M. and Bennink, M. (1998). Soyfoods, isoflavones and risk of colonic cancer: a review of the *in vitro* and *in vivo* data. *Baillière's Clinical Endocrinology and Metabolism* **12**, 707-728.
- Middleton, E. and Kandaswami, C. (1992). Effects of flavonoids on immune and inflammatory cell functions. *Biochemical Pharmacology* **43**, 1167-1179.
- Miksicek, R.J. (1993). Commonly occurring plant flavonoids have estrogenic activity. *Molecular Pharmacology* **44**, 37-43.
- Miksicek, R.J. (1995). Estrogenic flavonoids: structural requirements for biological activity. *Proceedings of the Society for Experimental Biology and Medicine* **201**, 44-50.
- Minton, A.P. (2001). The influence of macromolecular crowding and macromolecular confinement on biochemical reactions in physiological media. *Journal of Biological Chemistry* **276**, 10577-10580.
- Mojzis, J., Varinska, L., Mojzisova, G., Kostova, I. and Mirossay, L. (2008). Antiangiogenic effects of flavonoids and chalcones. *Pharmacological Research* **57**, 259-265.
- Morand, C., Manach, C., Donovan, J. and Remesy, C. (2001). Preparation and characterization of flavonoid metabolites present in biological samples. In: *Flavonoids and Other Polyphenols (Methods in Enzymology, Volume 335)*. (ed: Lester, P.). San Diego, California, USA, Academic Press. pp:115-121.
- Morton, M.S., Arisaka, O., Miyake, N., Morgan, L.D. and Evans, B.A.J. (2002). Phytoestrogen concentrations in serum from Japanese men and women over forty years of age. *Journal of Nutrition* **132**, 3168-3171.
- Mu, H., Bai, Y.H., Wang, S.T., Zhu, Z.M. and Zhang, Y.W. (2009). Research on antioxidant effects and estrogenic effect of formononetin from *Trifolium pratense* (red clover). *Phytomedicine* **16**, 314-319.

- Mulligan, A.A., Welch, A.A., McTaggart, A.A., Bhaniani, A. and Bingham, S.A. (2007). Intakes and sources of soya foods and isoflavones in a UK population cohort study (EPIC-Norfolk). *European Journal of Clinical Nutrition* **61**, 248-254.
- NC-IUB (1979). Units of enzyme activity (Recommendations 1978, Nomenclature Committee of the International Union of Biochemistry). *European Journal of Biochemistry* **97**, 319-320.
- Nestel, P., Fujii, A. and Zhang, L. (2007). An isoflavone metabolite reduces arterial stiffness and blood pressure in overweight men and postmenopausal women. *Atherosclerosis* **192**, 184-189.
- Nielsen, I.L.F. and Williamson, G. (2007). Review of the factors affecting bioavailability of soy isoflavones in humans. *Nutrition and Cancer* **57**, 1-10.
- Nijveldt, R.J., van Nood, E., van Hoorn, D.E.C., Boelens, P.G., van Norren, K. and van Leeuwen, P.A.M. (2001). Flavonoids: a review of probable mechanisms of action and potential applications. *American Journal of Clinical Nutrition* **74**, 418-425.
- O'Leary, K.A., Day, A.J., Needs, P.W., Mellon, F.A., O'Brien, N.M. and Williamson, G. (2003). Metabolism of quercetin-7- and quercetin-3-glucuronides by an *in vitro* hepatic model: the role of human  $\beta$ -glucuronidase, sulfotransferase, catechol-*O*-methyltransferase and multi-resistant protein 2 (MRP2) in flavonoid metabolism. *Biochemical Pharmacology* **65**, 479-491.
- Ohta, A., Uehara, M., Sakai, K., Takasaki, M., Adlercreutz, H., Morohashi, T. and Ishimi, Y. (2002). A combination of dietary fructooligosaccharides and isoflavone conjugates increases femoral bone mineral density and equol production in ovariectomized mice. *Journal of Nutrition* **132**, 2048-2054.
- Okabe, Y., Shimazu, T. and Tanimoto, H. (2011). Higher bioavailability of isoflavones after a single ingestion of aglycone-rich fermented soybeans compared

with glucoside-rich non-fermented soybeans in Japanese postmenopausal women. *Journal of the Science of Food and Agriculture* **91**, 658-663.

Orruño, E., Apenten, R.O. and Zabetakis, I. (2001). The role of  $\beta$ -glucosidase in the biosynthesis of 2,5-dimethyl-4-hydroxy-3(2H)-furanone in strawberry (*Fragaria × ananassa* cv. *Elsanta*). *Flavour and Fragrance Journal* **16**, 81-84.

Otieno, D.O., Ashton, J.F. and Shah, N.P. (2006). Evaluation of enzymic potential for biotransformation of isoflavone phytoestrogen in soymilk by *Bifidobacterium animalis*, *Lactobacillus acidophilus* and *Lactobacillus casei*. *Food Research International* **39**, 394-407.

Pei, Y.-H., Li, X. and Lee, D. (1999). Separation of three major isoflavonoids from the root of *Pueraria lobata* by high speed centrifugal partition chromatography. *Studies in Plant Science* **6**, 311-313.

Peters, N.K., Frost, J.W. and Long, S.R. (1986). A plant flavone, luteolin, induces expression of *Rhizobium meliloti* nodulation genes. *Science* **233**, 977-980.

Peterson, G.L. (1977). A simplification of the protein assay method of Lowry *et al.* which is more generally applicable. *Analytical Biochemistry* **83**, 346-356.

Pietta, P. and Mauri, P. (2001). Analysis of flavonoids in medicinal plants. In: *Flavonoids and Other Polyphenols (Methods in Enzymology, Volume 335)*. (ed: Lester, P.). San Diego, California, USA, Academic Press. pp:26-45.

Pietta, P., Gardana, C. and Pietta, A. (2003). Flavonoids in herbs. In: *Flavonoids in Health and Disease (2nd Edition, Revised and Expanded)*. (eds: Rice-Evans, C.A. and Packer, L.). New York, Marcel Dekker, Inc. pp:43-69.

Piotrowski, J.J., Hunter, G.C., Eskelson, C.D., Dubick, M.A. and Bernhard, V.M. (1990). Evidence for lipid peroxidation in atherosclerosis. *Life Sciences* **46**, 715-721.

- Piskula, M.K. (2000). Soy isoflavone conjugation differs in fed and food-deprived rats. *Journal of Nutrition* **130**, 1766-1771.
- Potter, J.D. (1997). Cancer prevention: epidemiology and experiment. *Cancer Letters* **114**, 7-9.
- Price, K.R. and Rhodes, M.J.C. (1997). Analysis of the major flavonol glycosides present in four varieties of onion (*Allium cepa*) and changes in composition resulting from autolysis. *Journal of the Science of Food and Agriculture* **74**, 331-339.
- Price, K.R., Bacon, J.R. and Rhodes, M.J.C. (1997). Effect of storage and domestic processing on the content and composition of flavonol glucosides in onion (*Allium cepa*). *Journal of Agricultural and Food Chemistry* **45**, 938-942.
- Price, K.R., Casuscelli, F., Colquhoun, I.J. and Rhodes, M.J.C. (1998a). Composition and content of flavonol glycosides in broccoli florets (*Brassica olearacea*) and their fate during cooking. *Journal of the Science of Food and Agriculture* **77**, 468-472.
- Price, K.R., Colquhoun, I.J., Barnes, K.A. and Rhodes, M.J.C. (1998b). Composition and content of flavonol glycosides in green beans and their fate during processing. *Journal of Agricultural and Food Chemistry* **46**, 4898-4903.
- Price, N.C. and Stevens, L. (2002). Techniques for enzyme extraction. In: *Enzyme Assays: A Practical Approach*. (eds: Eisenthal, R. and Danson, M.J.). Oxford, Oxford University Press. pp:209-224.
- Prior, R.L. and Cao, G. (2000). Flavonoids: diet and health relationships. *Nutrition in Clinical Care* **3**, 279-288.
- Radd, S. and Setchell, K. (2003). In: *Eat to Live: A Phytoestrogen Protection Plan for Life*. Dublin, Ireland, Newleaf. pp:1-332.
- Raschke, M., Wahala, K. and Pool-Zobel, B.L. (2006). Reduced isoflavone metabolites formed by the human gut microflora suppress growth but do not affect

- DNA integrity of human prostate cancer cells. *British Journal of Nutrition* **96**, 426-434.
- Redmond, J.W., Batley, M., Djordjevic, M.A., Innes, R.W., Kuempel, P.L. and Rolfe, B.G. (1986). Flavones induce expression of nodulation genes in *Rhizobium*. *Nature* **323**, 632-635.
- Reinli, K. and Block, G. (1996). Phytoestrogen content of food -- a compendium of literature values. *Nutrition and Cancer* **26**, 123-148.
- Rice-Evans, C.A., Miller, N.J. and Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine* **20**, 933-956.
- Richelle, M., Pridmore-Merten, S., Bodenstab, S., Enslen, M. and Offord, E.A. (2002). Hydrolysis of isoflavone glycosides to aglycones by  $\beta$ -glycosidase does not alter plasma and urine isoflavone pharmacokinetics in postmenopausal women. *Journal of Nutrition* **132**, 2587-2592.
- Rimm, E.B., Katan, M.B., Ascherio, A., Stampfer, M.J. and Willett, W.C. (1996). Relation between intake of flavonoids and risk for coronary heart disease in male health professionals. *Annals of Internal Medicine* **125**, 384-389.
- Ritchie, M.R., Morton, M.S., Deighton, N., Blake, A. and Cummings, J.H. (2004). Plasma and urinary phyto-oestrogens as biomarkers of intake: validation by duplicate diet analysis. *British Journal of Nutrition* **91**, 447-457.
- Robinson, D. (1966). The  $\beta$ -glucosidase and  $\beta$ -galactosidase components of *Medicago sativa* L. *Phytochemistry* **5**, 699-705.
- Rostagno, M.A., Villares, A., Guillamón, E., García-Lafuente, A. and Martínez, J.A. (2009). Sample preparation for the analysis of isoflavones from soybeans and soy foods. *Journal of Chromatography A* **1216**, 2-29.

- Rothwell, J.A. (2005). In: *Differential Absorption and Metabolism of Flavonoids*. Leeds, PhD Thesis. University of Leeds. pp:1-223.
- Rowland, I.R., Wiseman, H., Sanders, T.A.B., Adlercreutz, H. and Bowey, E.A. (2000). Interindividual variation in metabolism of soy isoflavones and lignans: influence of habitual diet on equol production by the gut microflora. *Nutrition and Cancer* **36**, 27 - 32.
- Rozema, J., Björn, L.O., Bornman, J.F., Gaberscik, A., Häder, D.P., Trost, T., Germ, M., Klisch, M., Gröniger, A., Sinha, R.P., Lebert, M., He, Y.Y., Buffoni-Hall, R., de Bakker, N.V.J., van de Staaij, J. and Meijkamp, B.B. (2002). The role of UV-B radiation in aquatic and terrestrial ecosystems-an experimental and functional analysis of the evolution of UV-absorbing compounds. *Journal of Photochemistry and Photobiology B: Biology* **66**, 2-12.
- Rüfer, C.E., Bub, A., Möseneder, J., Winterhalter, P., Stürtz, M. and Kulling, S.E. (2008). Pharmacokinetics of the soybean isoflavone daidzein in its aglycone and glucoside form: a randomized, double-blind, crossover study. *American Journal of Clinical Nutrition* **87**, 1314-1323.
- Rye, C.S. and Withers, S.G. (2000). Glycosidase mechanisms. *Current Opinion in Chemical Biology* **4**, 573-580.
- Saito, N., Tatsuzawa, F., Miyoshi, K., Shigihara, A. and Honda, T. (2003). The first isolation of C-glycosylanthocyanin from the flowers of *Tricyrtis formosana*. *Tetrahedron Letters* **44**, 6821-6823.
- Saitoh, S., Sato, T., Harada, H. and Matsuda, T. (2004). Biotransformation of soy isoflavone-glycosides in laying hens: intestinal absorption and preferential accumulation into fgg yolk of equol, a more estrogenic metabolite of daidzein. *Biochimica et Biophysica Acta (BBA) - General Subjects* **1674**, 122-130.

- Samman, S., Wall, P.M.L. and Cook, N.C. (1998). Flavonoids and other phytochemicals in relation to coronary disease. In: *Flavonoids in Health and Disease*. (eds: Rice-Evans, C.A. and Packer, L.). New York, USA, Marcel Dekker. pp:469-482.
- Santos-Buelga, C. and Scalbert, A. (2000). Proanthocyanidins and tannin-like compounds - nature, occurrence, dietary intake and effects on nutrition and health. *Journal of the Science of Food and Agriculture* **80**, 1094-1117.
- Scalbert, A. and Williamson, G. (2000). Dietary intake and bioavailability of polyphenols. *Journal of Nutrition* **130**, 2073S-2085S.
- Scalbert, A., Morand, C., Manach, C. and Rémésy, C. (2002). Absorption and metabolism of polyphenols in the gut and impact on health. *Biomedecine & Pharmacotherapy* **56**, 276-282.
- Schnell, S., Chappell, M.J., Evans, N.D. and Roussel, M.R. (2006). The mechanism distinguishability problem in biochemical kinetics: the single-enzyme, single-substrate reaction as a case study. *Comptes Rendus Biologies* **329**, 51-61.
- Sesso, H.D., Gaziano, J.M., Liu, S. and Buring, J.E. (2003). Flavonoid intake and the risk of cardiovascular disease in women. *American Journal of Clinical Nutrition* **77**, 1400-1408.
- Setchell, K.D.R. and Cassidy, A. (1999). Dietary isoflavones: biological effects and relevance to human health. *Journal of Nutrition* **129**, 758-767.
- Setchell, K.D.R. and Lydeking-Olsen, E. (2003). Dietary phytoestrogens and their effect on bone: evidence from *in vitro* and *in vivo*, human observational, and dietary intervention studies. *American Journal of Clinical Nutrition* **78**, 593S-609S.
- Setchell, K.D.R., Borriello, S.P., Hulme, P., Kirk, D.N. and Axelson, M. (1984). Nonsteroidal estrogens of dietary origin: possible roles in hormone-dependent disease. *American Journal of Clinical Nutrition* **40**, 569-578.

- Setchell, K.D.R., Brown, N.M., Desai, P., Zimmer-Nechemias, L., Wolfe, B.E., Brashear, W.T., Kirschner, A.S., Cassidy, A. and Heubi, J.E. (2001). Bioavailability of pure isoflavones in healthy humans and analysis of commercial soy isoflavone supplements. *Journal of Nutrition* **131**, 1362S-1375.
- Setchell, K.D.R., Brown, N.M. and Lydeking-Olsen, E. (2002a). The clinical importance of the metabolite equol - a clue to the effectiveness of soy and its isoflavones. *Journal of Nutrition* **132**, 3577-3584.
- Setchell, K.D.R., Brown, N.M., Zimmer-Nechemias, L., Brashear, W.T., Wolfe, B.E., Kirschner, A.S. and Heubi, J.E. (2002b). Evidence for lack of absorption of soy isoflavone glycosides in humans, supporting the crucial role of intestinal metabolism for bioavailability. *American Journal of Clinical Nutrition* **76**, 447-453.
- Setchell, K.D.R., Brown, N.M., Desai, P.B., Zimmer-Nechimias, L., Wolfe, B., Jakate, A.S., Creutzinger, V. and Heubi, J.E. (2003). Bioavailability, disposition, and dose-response effects of soy isoflavones when consumed by healthy women at physiologically typical dietary intakes. *Journal of Nutrition* **133**, 1027-1035.
- Shewale, J.G. (1982).  $\beta$ -Glucosidase: its role in cellulase synthesis and hydrolysis of cellulose. *International Journal of Biochemistry* **14**, 435-443.
- Shinde, A.N., Malpathak, N. and Fulzele, D.P. (2010). Determination of isoflavone content and antioxidant activity in *Psoralea corylifolia* L. callus cultures. *Food Chemistry* **118**, 128-132.
- Shoskes, D.A. (1998). Effect of bioflavonoids quercetin and curcumin on ischemic renal injury: a new class of renoprotective agents. *Transplantation* **66**, 147-152.
- Sichel, G., Corsaro, C., Scalia, M., Di Bilio, A.J. and Bonomo, R.P. (1991). *In vitro* scavenger activity of some flavonoids and melanins against O<sub>2</sub> •. *Free Radical Biology and Medicine* **11**, 1-8.

- Song, K.B., Atkinson, C., Frankenfeld, C.L., Jokela, T., Wahala, K., Thomas, W.K. and Lampe, J.W. (2006). Prevalence of daidzein-metabolizing phenotypes differs between Caucasian and Korean American women and girls. *Journal of Nutrition* **136**, 1347-1351.
- Spencer, J.P.E., Srai, S.K.S. and Rice-Evans, C.A. (2003). Metabolism in the small intestine and gastrointestinal tract. In: *Flavonoids in Health and Disease (2nd Edition, Revised and Expanded)*. (eds: Rice-Evans, C.A. and Packer, L.). New York, Marcel Dekker, Inc. pp:364-390.
- Splitgerber, A.G. and Sohl, J. (1989). Nonlinearity in protein assays by the Coomassie blue dye-binding method. *Analytical Biochemistry* **179**, 198-201.
- Srivastava, S.K., Gopalkrishnan, K.S. and Ramachandran, K.B. (1984). Kinetic characterization of a crude  $\beta$ -d-glucosidase from *Aspergillus wentii* Pt 2804. *Enzyme and Microbial Technology* **6**, 508-512.
- Stauffer, C.E. (1989). In: *Enzyme Assays for Food Scientists*. New York, USA, Van Nostrand Reinhold. pp:1-317.
- Sun, J. and Ding, A. (1998). Evaluation of factors affecting isoflavone content in soybeans. *Journal of the Chinese Cereals and Oils Association* **13**, 12-15,18.
- Suzuki, H., Takahashi, S., Watanabe, R., Fukushima, Y., Fujita, N., Noguchi, A., Yokoyama, R., Nishitani, K., Nishino, T. and Nakayama, T. (2006). An isoflavone conjugate-hydrolyzing  $\beta$ -glucosidase from the roots of soybean (*Glycine max*) seedlings. *Journal of Biological Chemistry* **281**, 30251-30259.
- Swiny, E.E. and Markham, K.R. (2003). Applications of flavonoid analysis and identification techniques: isoflavones (phytoestrogens) and 3-deoxyanthocyanins. In: *Flavonoids in Health and Disease (2nd Edition, Revised and Expanded)* (eds: Rice-Evans, C.A. and Packer, L.). New York, Marcel Dekker, Inc. pp:97-122.

- Tamura, A., Shiomi, T., Hachiya, S., Shigematsu, N. and Hara, H. (2008). Low activities of intestinal lactase suppress the early phase absorption of soy isoflavones in Japanese adults. *Clinical Nutrition* **27**, 248-253.
- Tew, B.-Y., Xu, X., Wang, H.-J., Murphy, P.A. and Hendrich, S. (1996). A diet high in wheat fiber decreases the bioavailability of soybean isoflavones in a single meal fed to women. *Journal of Nutrition* **126**, 871-877.
- Tipton, K.F. (2002). Principles of enzyme assay and kinetic studies. In: *Enzyme Assays: A Practical Approach*. (eds: Eisenthal, R. and Danson, M.J.). Oxford, Oxford University Press. pp:1-48.
- Tomás-Barberán, F.A. (1995). Capillary electrophoresis: a new technique in the analysis of plant secondary metabolites. *Phytochemical Analysis* **6**, 177-192.
- Tomás-Barberán, F.A. and Clifford, M.N. (2000). Flavanones, chalcones and dihydrochalcones - nature, occurrence and dietary burden. *Journal of the Science of Food and Agriculture* **80**, 1073-1080.
- Tripoli, E., Guardia, M.L., Giannanca, S., Majo, D.D. and Giannanca, M. (2007). Citrus flavonoids: molecular structure, biological activity and nutritional properties: a review. *Food Chemistry* **104**, 466-479.
- Tsangalis, D., Wilcox, G., Shah, N.P. and Stojanovska, L. (2005). Bioavailability of isoflavone phytoestrogens in postmenopausal women consuming soya milk fermented with probiotic bifidobacteria. *British Journal of Nutrition* **93**, 867-877.
- Tsushida, T. and Suzuki, M. (1996). Content of flavonol glucosides and some properties of enzymes metabolizing the glucosides in onion. *Nippon Shokuhin Kagaku Kogaku Kaishi* **43**, 642-649.
- Uehara, M., Lapčík, O., Hampl, R., Al-Maharik, N., Mäkelä, T., Wähälä, K., Mikola, H. and Adlercreutz, H. (2000). Rapid analysis of phytoestrogens in human urine by

time-resolved fluoroimmunoassay. *Journal of Steroid Biochemistry and Molecular Biology* **72**, 273-282.

Urbánek, M., Blechtová, L., Pospíšilová, M. and Polásek, M. (2002). On-line coupling of capillary isotachophoresis and capillary zone electrophoresis for the determination of flavonoids in methanolic extracts of *Hypericum perforatum* leaves or flowers. *Journal of Chromatography A* **958**, 261-271.

Valant-Vetschera, K.M. and Wollenweber, E. (2006). Flavones and flavonols. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:617-748.

Valerio, L.G., Kepa, J.K., Pickwell, G.V. and Quattrochi, L.C. (2001). Induction of human NAD(P)H: quinone oxidoreductase (NQO1) gene expression by the flavonol quercetin. *Toxicology Letters* **119**, 49-57.

van den Tweel, W.J.J., Harder, A. and Buitelaar, R.M. (1993). In: *Stability and Stabilization of Enzymes: Proceedings of an International Symposium Held in Maastricht, the Netherlands, 22-25 November 1992*. Amsterdam, Netherlands, Elsevier. pp:1-520.

Veitch, N.C. and Grayer, R.J. (2006). Chalcones, dihydrochalcones, and aurones. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:1003-1100.

Vergne, S., Titier, K., Bernard, V., Asselineau, J., Durand, M., Lamothe, V., Potier, M., Perez, P., Demotes-Mainard, J., Chantre, P., Moore, N., Bennetau-Pelissero, C. and Sauvant, P. (2007). Bioavailability and urinary excretion of isoflavones in humans: effects of soy-based supplements formulation and equol production. *Journal of Pharmaceutical and Biomedical Analysis* **43**, 1488-1494.

- Visnevschi-Necrasov, T., Cunha, S.C., Nunes, E. and Oliveira, M.B.P.P. (2009). Optimization of matrix solid-phase dispersion extraction method for the analysis of isoflavones in *Trifolium pratense*. *Journal of Chromatography A* **1216**, 3720-3724.
- Vocadlo, D.J. and Davies, G.J. (2008). Mechanistic insights into glycosidase chemistry. *Current Opinion in Chemical Biology* **12**, 539-555.
- Walle, T. (2004). Absorption and metabolism of flavonoids. *Free Radical Biology and Medicine* **36**, 829-837.
- Walle, T., Otake, Y., Walle, U.K. and Wilson, F.A. (2000). Quercetin glucosides are completely hydrolyzed in ileostomy patients before absorption. *Journal of Nutrition* **130**, 2658-2661.
- Wang, H.-J. and Murphy, P.A. (1994a). Isoflavone composition of American and Japanese soybeans in Iowa: effects of variety, crop year, and location. *Journal of Agricultural and Food Chemistry* **42**, 1674-1677.
- Wang, H.-J. and Murphy, P.A. (1994b). Isoflavone content in commercial soybean foods. *Journal of Agricultural and Food Chemistry* **42**, 1666-1673.
- Wang, J., Han, L., Zhu, L. and Gao, Y. (2006). Determination of isoflavones in human urine by high performance liquid chromatograph. *Chinese Journal of Analytical Chemistry* **34**, 569-572.
- Wardhani, D.H., Vázquez, J.A. and Pandiella, S.S. (2008). Kinetics of daidzin and genistin transformations and water absorption during soybean soaking at different temperatures. *Food Chemistry* **111**, 13-19.
- Watanabe, S., Yamaguchi, M., Sobue, T., Takahashi, T., Miura, T., Arai, Y., Mazur, W., Wahala, K. and Adlercreutz, H. (1998). Pharmacokinetics of soybean isoflavones in plasma, urine and feces of men after ingestion of 60 g baked soybean powder (kinako). *Journal of Nutrition* **128**, 1710-1715.

- Werne, S. (2000). Estimating dietary intakes of flavonoids. In: *Wake Up to Flavonoids*. (ed: Rice-Evans, C.). London, Royal Society of Medicine Press Limited. pp:35-43.
- Whitten, P.L. and Naftolin, F. (1998). Reproductive actions of phytoestrogens. *Baillière's Clinical Endocrinology and Metabolism* **12**, 667-690.
- Williams, C.A. (2006). Flavone and flavonol O-glycosides. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:749-856.
- Williamson, G. (2004). Common features in the pathways of absorption and metabolism of flavonoids. In: *Phytochemicals: Mechanisms of Action*. (eds: Meskin, M.S., Bidlack, W.R., Davies, A.J., Lewis, D.S. and Randolph, R.K.). Boca Raton, Florida, USA, CRC Press. pp:20-33.
- Williamson, G. and Manach, C. (2005). Bioavailability and bioefficacy of polyphenols in humans. II. Review of 93 intervention studies. *American Journal of Clinical Nutrition* **81**, 243S-255S.
- Wiseman, H. (2006). Isoflavonoids and human health. In: *Flavonoids: Chemistry, Biochemistry and Applications*. (eds: Andersen, Ø.M. and Markham, K.R.). Boca Raton, Florida, USA, CRC Press, Taylor & Francis Group. pp:371-396.
- Woodward, J. and Wiseman, A. (1982). Fungal and other β-D-glucosidases - their properties and applications. *Enzyme and Microbial Technology* **4**, 73-79.
- Wu, Q., Wang, M. and Simon, J.E. (2003). Determination of isoflavones in red clover and related species by high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection. *Journal of Chromatography A* **1016**, 195-209.
- Xie, X.S. and Lu, H.P. (1999). Single-molecule enzymology. *Journal of Biological Chemistry* **274**, 15967-15970.

- Xu, X., Wang, H.-J., Murphy, P.A., Cook, L. and Hendrich, S. (1994). Daidzein is a more bioavailable soymilk isoflavone than is genistein in adult women. *Journal of Nutrition* **124**, 825-832.
- Xu, X., Wang, H.-J., Murphy, P.A. and Hendrich, S. (2000). Neither background diet nor type of soy food affects short-term isoflavone bioavailability in women. *Journal of Nutrition* **130**, 798-801.
- Yan, T.-R. and Lin, C.-L. (1997). Purification and characterization of a glucose-tolerant  $\beta$ -glucosidase from *Aspergillus niger* CCRC 31494. *Bioscience, Biotechnology, and Biochemistry* **61**, 965-970.
- Yan, T.-R., Lin, Y.-H. and Lin, C.-L. (1998). Purification and characterization of an extracellular  $\beta$ -glucosidase II with high hydrolysis and transglucosylation activities from *Aspergillus niger*. *Journal of Agricultural and Food Chemistry* **46**, 431-437.
- Yilmaz, Y. and Toledo, R.T. (2004). Health aspects of functional grape seed constituents. *Trends in Food Science & Technology* **15**, 422-433.
- Yochum, L., Kushi, L.H., Meyer, K. and Folsom, A.R. (1999). Dietary flavonoid intake and risk of cardiovascular disease in postmenopausal women. *American Journal of Epidemiology* **149**, 943-949.
- Yu, H.-L., Xu, J.-H., Lu, W.-Y. and Lin, G.-Q. (2007). Identification, purification and characterization of  $\beta$ -glucosidase from apple seed as a novel catalyst for synthesis of O-glucosides. *Enzyme and Microbial Technology* **40**, 354-361.
- Zhang, C., Li, D., Yu, H., Zhang, B. and Jin, F. (2007). Purification and characterization of piceid- $\beta$ -D-glucosidase from *Aspergillus oryzae*. *Process Biochemistry* **42**, 83-88.
- Zhang, Y., Wang, G.-J., Song, T.T., Murphy, P.A. and Hendrich, S. (1999). Urinary disposition of the soybean isoflavones daidzein, genistein and glycinein differs among

humans with moderate fecal isoflavone degradation activity. *Journal of Nutrition* **129**, 957-962.

Zheng, Z. and Shetty, K. (2000). Solid-state bioconversion of phenolics from cranberry pomace and role of *Lentinus edodes*  $\beta$ -glucosidase. *Journal of Agricultural and Food Chemistry* **48**, 895-900.

Zubik, L. and Meydani, M. (2003). Bioavailability of soybean isoflavones from aglycone and glucoside forms in American women. *American Journal of Clinical Nutrition* **77**, 1459-1465.