
THE IDEA OF RESIDENCE IN THE NEOLITHIC COTSWOLDS

Volume 2

Nicola Snashall

A Thesis Submitted for the Degree of Doctor of Philosophy

DEPARTMENT OF ARCHAEOLOGY & PREHISTORY
UNIVERSITY OF SHEFFIELD

September 2002

Appendix 1. Assemblages: Tables

A1.1. Phase 1 Assemblages.

Assemblage No.	Assemblage Name	Radiocarbon Dates Uncal. BP
50	Hazleton North	4875 \pm 80 (OxA-646) 4915 \pm 80 (OxA-739) 4970 \pm 80 (OxA-738)
34	Peak Camp	4630 \pm 110 (OxA-416) 4660 \pm 80 (OxA-417) 4670 \pm 90 (OxA-445) 4790 \pm 80 (OxA-444) 4810 \pm 90 (OxA-446)
14	Duntisbourne Grove	4717 \pm 60 (Sample 16) 4761 \pm 57 (Sample 15)
55	Condicote	3670 \pm 100 (HAR-3067) 3720 \pm 80 (HAR-3064)
15	Trinity Farm	3836 \pm 58 (Sample 18) 3876 \pm 57 (Sample 17)

A1.2.1. Phase 2. Zone A Assemblage.

10km Square	Assemblage No.	Assemblage Name	Type	Published (P) or New (N) Data
SO91	34	Peak Camp	Excavated	N
SO91	325	Peak Camp	Fieldwalked	N
SO91	61	Crickley Hill	Excavated	N (J.Gale)
SO91	318	Birdlip Quarry	Excavated	N
SO91	137	Leckhampton	Fieldwalked	N
SO91	62	Crippett's Field	Fieldwalked	N
SO91	146	Withington, Coberley	Fieldwalked	N
SO91	40	Birdlip Bypass	Fieldwalked	N
SO91	41	Blacklains, Brimpsfield	Fieldwalked	N
SO91	149	Cranham III, Hungerfield Barrow	Fieldwalked	N
SO91	194	N. side of Foston's Ash, Cranham	Fieldwalked	N
SO91	209	North of Foston's Ash	Fieldwalked	N
SO91	324	Cranham	Fieldwalked	N
SP03	144	Hailes Farm nr. Hailes Abbey	Fieldwalked	N

A1.2.2. Phase 2. Zone B Assemblages.

10km Square	Assemblage No.	Assemblage Name	Type	Published (P) or New (N) Data
SP12	55	Condicote Henge	Excavated	N
SP12	131	Ilevan's Quarry Round Barrow	Excavated	N
SP12	63	Swell 8 Round Barrow, Cow Common	Excavated	P
SP12	64	Cow Common & The Park	Fieldwalked	P

A1.2.3. Phase 2. Zone C Assemblages.

10km Square	Assemblage No.	Assemblage Name	Type	Published (P) or New (N) Data
SP22	54	Icomb Hill	Excavated	N
SP22	229	Icomb Hill	Fieldwalked	N
SP23	49	Rollrights	Excavated & Fieldwalked	P

A1.2.4. Phase 2. Zone D Assemblages.

10km Square	Assemblage No.	Assemblage Name	Type	Published (P) or New (N) Data
ST77	124	Marshfield Barrows	Excavated	N
ST77	125	Marshfield Barrows Field	Fieldwalked	N
ST77	1 & 227	Ironmongers Piece I & II, Marshfield	Excavated & Fieldwalked	P
ST77	176-183	Marshfield Parish Survey	Fieldwalked	P
ST77	36	Tog Hill, nr Marshfield, Cold Ashton	Fieldwalked	N

A1.2.5. Phase 2. Zone E Assemblages.

10km Square	Assemblage No.	Assemblage Name	Type	Published (P) or New (N) Data
SP00	15	Trinity Farm	Excavated	N
SP00	16	St. Augustine's Farm, South	Excavated	N
SP00	319	Norcote Farm	Excavated	N
SP00	205	Norcote, Preston	Fieldwalked	N
SP00	320	Yellow School Copse, Preston	Fieldwalked	N
SP00	317	Hare Bushes, North	Fieldwalked	N
SP00	322	Hare Bushes Area, Baunton	Fieldwalked	N
SP00	323	Field Barn, South of Baunton	Fieldwalked	N
SP00	140	North Cemey Down, Baunton	Fieldwalked	N
SP00	204	Whiteway, nr Shooters Hill, Baunton	Fieldwalked	N
SP00	203	Whiteway nr Eldon Wood & Sister's Copse, Baunton	Fieldwalked	N
SP00	53	Southmore Grove, Rendcombe	Fieldwalked	N

A1.3. Phase 1. Intact Debitage Length:Width Indices.

	Hazleton Forecourt	Hazleton Midden	Peak Camp	Duntisbourne Grove	Trinity Farm	Condicote
	A50a	A50b	A34	A14	A15	A55
<0.6	0%	2.80%	2.27%	3.41%	0%	7.14%
0.6 - 1.0	14.60%	27.30%	18.75%	19.32%	44.44%	14.29%
1.1 - 1.5	29.10%	34%	27.27%	31.82%	11.11%	35.71%
1.6 - 2.0	23.60%	17%	30.11%	22.73%	22.22%	28.57%
2.1 - 2.5	21.80%	15.10%	11.93%	10.23%	11.11%	0%
>2.6	10.90%	3.80%	9.66%	12.50%	11.11	14.29%
N =	55	106	176	88	9	14

A1.4. Phase 1. L:W Intact Debitage. Flake, Narrow Flake, Blade.

	Hazleton Forecourt A50a	Hazleton Midden A50b	Peak Camp A34	Duntisbourne Grove A14	Trinity Farm A15	Condicote A55
Flake	43.70%	64.10%	48.29%	54.55%	55.55%	57.14%
Non-Flake	23.60%	17%	30.11%	22.73%	22.22%	28.57%
Blade	32.70%	18.90%	21.59%	22.73%	22.22%	14.29%

A1.5. Phase 1. L:W Intact Debitage. Non-Blade, Blade.

	Hazleton Forecourt A50a	Hazleton Midden A50b	Peak Camp A34	Duntisbourne Grove A14	Trinity Farm A15	Condicote A55
Non-Blade	67.30%	81.10%	78.40%	77.28%	77.77%	85.71%
Blade	32.70%	18.90%	21.59%	22.73%	22.22%	14.29%

A1.6. Phase 1. All Recognisable Flakes, Narrow Flakes, Blades.

	A34 Peak Camp	A14 Duntisbourne Grove	A15 Trinity Farm	A55 Condicote
Flake	42.66%	46.03%	81.82%	69.23%
Non-Flake	38.23%	34.13%	13.64%	23.08%
Blade	19.11%	19.84%	4.54%	7.69%
N =	361	126	22	26

A1.7.1. Balance of Assemblage. Peak Camp. Assemblage 34

	No.	% of Total
Debitage / Prep.	1379	90.43%
Cores	10	0.66%
Unmodified	0	0.00%
Unclassifiable burnt	94	6.16%
Trimmed / Worn	10	0.66%
Misc. Retouched	8	0.52%
Tools (classifiable excl. gunflints)	24	1.57%
Gunflints	0	0.00%
Total	1525	100.00%

A1.7.2. Breakdown of Tools Classifiable. Peak Camp. Assemblage 34

	No.	% of Total
Combination Tools	0	
Scrapers	3	12.50%
Sawing / Cutting / Engraving	4	16.67%
Piercing	1	4.17%
Arrowheads	10	41.67%
Microliths / Microburins	1	4.17%
Knives & Retouched Blades	1	4.17%
Daggers	0	
Axe / Adze (standard)	1	4.17%
Axe / Adze (non-standard)	1	4.17%
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	1	4.17%
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	1	4.17%
Hammerstones	0	
Total	24	100.00%

A1.7.3. Scar Direction. Peak Camp. Assemblage 34

	0 Visible	1	2	3	Total
Flake					
Total No.	28	91	23	12	154
% flakes	18.18%	59.09%	14.94%	7.79%	
Narrow Flake					
Total No.	41	69	21	7	138
% narrow flakes	29.71%	50.00%	15.22%	5.07%	
Blade					
Total No.	14	53	2	0	69
% blades	20.29%	76.81%	2.90%	0.00%	
Other					
Total No.	711	251	39	17	1018
% other	69.84%	24.66%	3.83%	1.67%	
Total Debitage	794	464	85	36	1379
% total debitage	57.58%	33.65%	6.16%	2.61%	

A1.7.4. Platform Preparation. Peak Camp. Assemblage 34

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	35	25	62	9	23	154
% flakes	22.73%	16.23%	40.26%	5.84%	14.94%	
Narrow Flake						
Total No.	57	8	61	1	11	138
% narrow flakes	41.30%	5.80%	44.20%	0.72%	7.97%	
Blade						
Total No.	20	1	46	0	2	69
% blades	28.99%	1.45%	66.67%	0.00%	2.90%	
Other						
Total No.	737	43	194	14	30	1018
% other	72.40%	4.22%	19.06%	1.38%	2.95%	
Total Debitage	849	77	363	24	66	1379
% total debitage	61.57%	5.58%	26.32%	1.74%	4.79%	

A1.7.5. Cortex. Peak Camp. Assemblage 34

CORTEX (dorsal)	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	4	0	0	0	0	0	0	1	5
% flakes	80.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	20.00%	
Narrow Flake									
Total No.	81	35	6	9	6	0	0	1	138
% narrow flakes	58.70%	25.36%	4.35%	6.52%	4.35%	0.00%	0.00%	0.72%	
Blade									
Total No.	41	24	2	0	1	0	0	1	69
% blades	59.42%	34.78%	2.90%	0.00%	1.45%	0.00%	0.00%	1.45%	
Other									
Total No.	836	104	19	19	31	4	2	3	1018
% other	82.12%	10.22%	1.87%	1.87%	3.05%	0.39%	0.20%	0.29%	
Total Debitage	962	163	27	28	38	4	2	6	1230
% total debitage	78.21%	13.25%	2.20%	2.28%	3.09%	0.33%	0.16%	0.49%	

A1.7.6. Flake Termination. Peak Camp. Assemblage 34

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	113	23	9	0	9	154
% flakes	73.38%	14.94%	5.84%	0.00%	5.84%	
Narrow Flake						
Total No.	82	5	2	0	49	138
% narrow flakes	59.42%	3.62%	1.45%	0.00%	35.51%	
Blade						
Total No.	31	3	0	0	35	69
% blades	44.93%	4.35%	0.00%	0.00%	50.72%	
Other						
Total No.	223	39	8	0	748	1018
% other	21.91%	3.83%	0.79%	0.00%	73.48%	
Total Debitage	449	70	19	0	841	1379
% total debitage	32.56%	5.08%	1.38%	0.00%	60.99%	

A1.7.8. Core Scars. Peak Camp. Assemblage 34

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	1	0	1	2
%	50.00%	0.00%	50.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	1	1
%	0.00%	0.00%	100.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	1	1
%	0.00%	0.00%	100.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	1	1
%	0.00%	0.00%	100.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	1	1
%	0.00%	0.00%	100.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	1	0	5	6
%	16.67%	0.00%	83.33%	

A1.7.7. Raw Materials. Penk Camp. Assemblage 34

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd Pebble	Bullhead	Langdale	
Flake	141	0	4	1	8	0	0	0	154
Total No.	91.56%	0.00%	2.60%	0.65%	5.19%	0.00%	0.00%	0.00%	
% flakes									
Narrow Flake	123	1	1	0	13	0	0	0	138
Total No.	89.13%	0.72%	0.72%	0.00%	9.42%	0.00%	0.00%	0.00%	
% narrow flakes									
Blade	62	0	0	0	7	0	0	0	69
Total No.	89.86%	0.00%	0.00%	0.00%	10.14%	0.00%	0.00%	0.00%	
% blades									
Other debitage	901	1	1	0	115	0	0	0	1018
Total No.	88.51%	0.10%	0.10%	0.00%	11.30%	0.00%	0.00%	0.00%	
% other debitage									
Total Debitage	1227	2	6	1	143	0	0	0	1379
% total debitage	88.98%	0.15%	0.44%	0.07%	10.37%	0.00%	0.00%	0.00%	
Total Cores	9	0	1	0	0	0	0	0	10
% cores	90.00%	0.00%	10.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	87	0	2	0	40	0	0	0	129
% tools etc	67.44%	0.00%	1.55%	0.00%	31.01%	0.00%	0.00%	0.00%	
Total Assemblage	1323	2	9	1	183	0	0	0	1518
% Assemblage	87.15%	0.13%	0.59%	0.07%	12.06%	0.00%	0.00%	0.00%	

A1.7.9. Core Weights and Dimensions. Peak Camp. Assemblage 34

	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	25.00	30.95	30.40	29.15
Core A2	N/A	N/A	N/A	N/A
Core B1	24.00	43.50	28.60	22.20
Core B2	N/A	N/A	N/A	N/A
Core B3	32.00	46.80	34.70	24.80
Core C	N/A	N/A	N/A	N/A
Core D	20.00	28.40	23.10	27.60
Core E	N/A	N/A	N/A	N/A
Core Levallois	40.00	54.60	46.20	5.80
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	27.67	39.20	32.23	23.12
Core frags	7.00			

A1.7.10. Length:Width Index.
Peak Camp. Assemblage 34

	No.	%
<0.6	4	2.27%
0.6-1.0	33	18.75%
1.1-1.5	48	27.27%
1.6-2.0	53	30.11%
2.1-2.5	21	11.93%
>2.5	17	9.66%
Total	176	100.00%

A1.7.11. Thickness(mm). Peak Camp. Assemblage 34

	No.	%
0-1	0	0.00%
1.1-2	6	3.41%
2.1-3	19	10.80%
3.1-4	33	18.75%
4.1-5	33	18.75%
5.1-6	23	13.07%
6.1-7	10	5.68%
7.1-8	20	11.36%
8.1-9	9	5.11%
9.1-10	6	3.41%
10.1-11	3	1.70%
11.1-12	3	1.70%
12.1-13	3	1.70%
13.1-14	2	1.14%
14.1-15	2	1.14%
15.1-16	2	1.14%
16.1-17	1	0.57%
17.1-18	1	0.57%
>18	0	0.00%
Total	176	100.00%

 A1.8.1. Balance of Assemblage. Peak Camp. Assemblage 325

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	361	90.25%
Cores	2	0.50%
Unmodified	0	0.00%
Unclassifiable burnt	27	6.75%
Trimmed / Worn	0	0.00%
Misc. Retouched	6	1.50%
Tools (classifiable excl. gunflints)	4	1.00%
Gunflints	0	0.00%
Total	400	100.00%

 A1.8.2. Breakdown of Tools (classifiable). Peak Camp. Assemblage 325

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	1	25.00%
Sawing / Cutting / Engraving	0	
Piercing	1	25.00%
Arrowheads	2	50.00%
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	4	100.00%

A1.8.3. Scar Direction. Peak Camp. Assemblage 325

	0 Visible	1	2	3	Total
Flake					
Total No.	7	7	3	2	19
% flakes	36.84%	36.84%	15.79%	10.53%	
Narrow Flake					
Total No.	11	12	3	6	32
% narrow flakes	34.38%	37.50%	9.38%	18.75%	
Blade					
Total No.	5	4	0	0	9
% blades	55.56%	44.44%	0.00%	0.00%	
Other					
Total No.	255	30	8	8	301
% other	84.72%	9.97%	2.66%	2.66%	
Total Debitage	278	53	14	16	361
% total debitage	77.01%	14.68%	3.88%	4.43%	

A1.8.4. Platform Preparation. Peak Camp. Assemblage 325

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	4	2	8	4	1	19
% flakes	21.05%	10.53%	42.11%	21.05%	5.26%	
Narrow Flake						
Total No.	14	1	14	2	1	32
% narrow flakes	43.75%	3.13%	43.75%	6.25%	3.13%	
Blade						
Total No.	5	0	4	0	0	9
% blades	55.56%	0.00%	44.44%	0.00%	0.00%	
Other						
Total No.	219	4	62	5	11	301
% other	72.76%	1.33%	20.60%	1.66%	3.65%	
Total Debitage	242	7	88	11	13	361
% total debitage	67.04%	1.94%	24.38%	3.05%	3.60%	

A1.8.5. Cortex. Peak Camp. Assemblage 325

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100% All Cortex	Platf. Only	Total	
Flake									
Total No.	11	4	2	0	1	0	1	0	19
% flakes	57.89%	21.05%	10.53%	0.00%	5.26%	0.00%	5.26%	0.00%	
Narrow Flake									
Total No.	20	10	2	0	0	0	0	0	32
% narrow flakes	62.50%	31.25%	6.25%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	7	1	0	1	0	0	0	0	9
% blades	77.78%	11.11%	0.00%	11.11%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	238	40	6	7	8	0	0	2	301
% other	79.07%	13.29%	1.99%	2.33%	2.66%	0.00%	0.00%	0.66%	
Total Debitage	276	55	10	8	9	0	1	2	361
% total debitage	76.45%	15.24%	2.77%	2.22%	2.49%	0.00%	0.28%	0.55%	

A1.8.6. Flake Termination. Peak Camp. Assemblage 325

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	14	2	2	0	1	19
% flakes	73.68%	10.53%	10.53%	0.00%	5.26%	
Narrow Flake						
Total No.	26	0	0	0	6	32
% narrow flakes	81.25%	0.00%	0.00%	0.00%	18.75%	
Blade						
Total No.	3	0	0	0	6	9
% blades	33.33%	0.00%	0.00%	0.00%	66.67%	
Other						
Total No.	52	14	1	1	233	301
% other	17.28%	4.65%	0.33%	0.33%	77.41%	
Total Debitage	95	16	3	1	246	361
% total debitage	26.32%	4.43%	0.83%	0.28%	68.14%	

A1.8.8. Core Scars. Peak Camp. Assemblage 325

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	0	0	0
%	0.00%	0.00%	0.00%	

A1.8.7. Raw Materials. Peak Camp. Assemblage 325

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	15	0	1	0	3	0	0	0	0	19
Total No.	78.95%	0.00%	5.26%	0.00%	15.79%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	32	0	0	0	0	0	0	0	0	32
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	9	0	0	0	0	0	0	0	0	9
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	283	0	4	0	14	0	0	0	0	301
Total No.	94.02%	0.00%	1.33%	0.00%	4.65%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	339	0	5	0	17	0	0	0	0	361
% total debitage	93.91%	0.00%	1.39%	0.00%	4.71%	0.00%	0.00%	0.00%	0.00%	
Total Cores	1	0	0	0	1	0	0	0	0	2
% cores	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	33	0	1	0	3	0	0	0	0	37
% tools etc	89.19%	0.00%	2.70%	0.00%	8.11%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	373	0	6	0	21	0	0	0	0	400
% Assemblage	93.25%	0.00%	1.50%	0.00%	5.25%	0.00%	0.00%	0.00%	0.00%	

A1.8.9. Core Weights and Dimensions. Peak Camp. Assemblage 325

Core Wts & Dimensions	Av. Wt (g)		Av. Length (mm)	
Av. Width	Av. Thickness			
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores(excl. frags)	N/A	N/A	N/A	N/A
Core frags	4.50			

A1.8.10. Length:Width Index.
Peak Camp. Assemblage 325

	No.	%
<0.6	1	4.35%
0.6-1.0	3	13.04%
1.1-1.5	5	21.74%
1.6-2.0	6	26.09%
2.1-2.5	6	26.09%
>2.5	2	8.70%
Total	23	100.00%

A1.8.11. Thickness(mm). Peak Camp. Assemblage
325

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	3	13.04%
3.1-4	3	13.04%
4.1-5	5	21.74%
5.1-6	2	8.70%
6.1-7	1	4.35%
7.1-8	2	8.70%
8.1-9	2	8.70%
9.1-10	2	8.70%
10.1-11	0	0.00%
11.1-12	0	0.00%
12.1-13	1	4.35%
13.1-14	0	0.00%
14.1-15	1	4.35%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	1	4.35%
Total	23	100.00%

A1.9.1. Balance of Assemblage. Crickley Hill. Assemblage 61

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	50924	98.28%
Cores	326	0.63%
Unmodified	0	0.00%
Unclassifiable burnt	0	0.00%
Trimmed / Worn	144	0.28%
Misc. Retouched	32	0.06%
Tools (classifiable excl. gunflints)	389	0.75%
Gunflints	0	0.00%
Total	51815	100.00%

A1.9.2. Breakdown of Tools (classifiable). Crickley Hill. Assemblage 61

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Scrapers	180	46.27%
Sawing / Cutting / Engraving	24	6.17%
Piercing	2	0.51%
Arrowheads	166	42.67%
Microliths / Microburins	10	2.57%
Knives & Retouched Blades	5	1.29%
Daggers	0	0.00%
Laurel Leaf	0	0.00%
Elongated (non-axe / adze)-fabricators only	2	0.51%
Total	389	100.00%

Misc. Retouched within Assemblage 61

(ie "other") = tools in all of the following classes:

- Axe / Adze (standard)
- Axe / Adze (non-standard)
- Other Core & Heavy Flake Tools
- Tanged Pieces
- Truncated Pieces
- Single Piece Sickles *
- Hammerstones
- Combination Tools
- Elongated excluding fabricator

A1.10.1. *Balance of Assemblage. Birillip Quarry. Assemblage 318*

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	125	81.17%
Cores	9	5.84%
Unmodified	0	0.00%
Unclassifiable burnt	1	0.65%
Trimmed / Worn	1	0.65%
Misc. Retouched	2	1.30%
Tools (classifiable excl. gunflints)	16	10.39%
Gunflints	0	0.00%
Total	154	100.00%

A1.10.2. *Breakdown of Tools (classifiable). Birillip Quarry. Assemblage 318*

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	8	50.00%
Sawing / Cutting / Engraving	4	25.00%
Piercing	1	6.25%
Arrowheads	2	12.50%
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	1	6.25%
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	16	100.00%

A1.10.3. Scar Direction. Birdlip Quarry. Assemblage 318

	0 Visible	1	2	3	Total
Flake					
Total No.	7	9	3	1	20
% flakes	35.00%	45.00%	15.00%	5.00%	
Narrow Flake					
Total No.	7	5	0	0	12
% narrow flakes	58.33%	41.67%	0.00%	0.00%	
Blade					
Total No.	2	19	2	1	24
% blades	8.33%	79.17%	8.33%	4.17%	
Other					
Total No.	43	17	7	2	69
% other	62.32%	24.64%	10.14%	2.90%	
Total Debitage	59	50	12	4	125
% total debitage	47.20%	40.00%	9.60%	3.20%	

A1.10.4. Platform Preparation. Birdlip Quarry. Assemblage 318

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	7	7	5	0	1	20
% flakes	35.00%	35.00%	25.00%	0.00%	5.00%	
Narrow Flake						
Total No.	6	2	3	0	1	12
% narrow flakes	50.00%	16.67%	25.00%	0.00%	8.33%	
Blade						
Total No.	8	1	13	0	2	24
% blades	33.33%	4.17%	54.17%	0.00%	8.33%	
Other						
Total No.	46	9	9	2	3	69
% other	66.67%	13.04%	13.04%	2.90%	4.35%	
Total Debitage	67	19	30	2	7	125
% total debitage	53.60%	15.20%	24.00%	1.60%	5.60%	

A1.10.5. Cortex. Birdlip Quarry. Assemblage 318

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	11	9	0	0	0	0	0	0	20
% flakes	55.00%	45.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	10	0	0	1	0	1	0	0	12
% narrow flakes	83.33%	0.00%	0.00%	8.33%	0.00%	8.33%	0.00%	0.00%	
Blade									
Total No.	15	4	1	3	0	0	0	1	24
% blades	62.50%	16.67%	4.17%	12.50%	0.00%	0.00%	0.00%	4.17%	
Other									
Total No.	53	10	1	1	2	1	0	1	69
% other	76.81%	14.49%	1.45%	1.45%	2.90%	1.45%	0.00%	1.45%	
Total Debitage	89	23	2	5	2	2	0	2	125
% total debitage	71.20%	18.40%	1.60%	4.00%	1.60%	1.60%	0.00%	1.60%	

A1.10.6. Flake Termination. Birdlip Quarry. Assemblage 318

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	12	3	2	0	3	20
% flakes	60.00%	15.00%	10.00%	0.00%	15.00%	
Narrow Flake						
Total No.	6	0	1	0	5	12
% narrow flakes	50.00%	0.00%	8.33%	0.00%	41.67%	
Blade						
Total No.	12	2	2	0	8	24
% blades	50.00%	8.33%	8.33%	0.00%	33.33%	
Other						
Total No.	34	3	0	0	32	69
% other	49.28%	4.35%	0.00%	0.00%	46.38%	
Total Debitage	64	8	5	0	48	125
% total debitage	51.20%	6.40%	4.00%	0.00%	38.40%	

A1.10.8. Core Scars. Birdlip Quarry. Assemblage 318

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	1	1
%	0.00%	0.00%	100.00%	
Core C	0	2	2	4
%	0.00%	50.00%	50.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total(exc. frags)	0	2	3	5
%	0.00%	40.00%	60.00%	

A1.10.7. Raw Materials. Birdlip Quarry. Assemblage 318

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead f Langdale		
Flake	12	0	0	0	8	0	0	0	0	20
Total No.	60.00%	0.00%	0.00%	0.00%	40.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	2	0	0	0	9	0	0	1	0	12
Total No.	16.67%	0.00%	0.00%	0.00%	75.00%	0.00%	0.00%	8.33%	0.00%	
% narrow flakes										
Blade	8	0	0	0	16	0	0	0	0	24
Total No.	33.33%	0.00%	0.00%	0.00%	66.67%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	41	0	0	0	28	0	0	0	0	69
Total No.	59.42%	0.00%	0.00%	0.00%	40.58%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	63	0	0	0	61	0	0	1	0	125
% total debitage	50.40%	0.00%	0.00%	0.00%	48.80%	0.00%	0.00%	0.80%	0.00%	
Total Cores	2	1	0	0	6	0	0	0	0	9
% cores	22.22%	11.11%	0.00%	0.00%	66.67%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	6	1	0	0	13	0	0	0	0	20
% tools etc	30.00%	5.00%	0.00%	0.00%	65.00%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	71	2	0	0	80	0	0	1	0	154
% Assemblage	46.10%	1.30%	0.00%	0.00%	51.95%	0.00%	0.00%	0.65%	0.00%	

A1.10.9. Core Weights and Dimensions. Birdlip Quarry. Assemblage 318

Core Wts & Dimensions	Av. Wt (g)		Av. Length (mm)	
	Av. Width	Av. Thickness		
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	20.00	39.00	31.60	25.60
Core C	9.25	26.98	22.00	14.23
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores(excl.frag)	11.40	29.38	23.92	16.50
Core frags	9.00			

A1.10.10. Length:Width Index.
Peak Camp. Assemblage 325

	No.	%
<0.6	0	0.00%
0.6-1.0	3	14.29%
1.1-1.5	4	19.05%
1.6-2.0	6	28.57%
2.1-2.5	7	33.33%
>2.5	1	4.76%
Total	21	100.00%

A1.10.11. Thickness(mm). Peak Camp. Assemblage
325

	No.	%
0-1	0	0.00%
1.1-2	1	4.76%
2.1-3	5	23.81%
3.1-4	2	9.52%
4.1-5	3	14.29%
5.1-6	3	14.29%
6.1-7	0	0.00%
7.1-8	4	19.05%
8.1-9	0	0.00%
9.1-10	1	4.76%
10.1-11	0	0.00%
11.1-12	1	4.76%
12.1-13	0	0.00%
13.1-14	0	0.00%
14.1-15	1	4.76%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	21	100.00%

A1.11.1. Breakdown of Tools. Leckhampton. Assemblage 137

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	0	
Sawing / Cutting / Engraving	0	
Piercing	2	11.76%
Arrowheads	15	88.24%
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	17	100.00%

A1.11.4. Core Scars. Leckhampton. Assemblage 137

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	0	0	0
%	0.00%	0.00%	0.00%	

A1.11.5. Core Weights and Dimensions. Leckhampton. Assemblage 137 - No Cores in assemblage

A1.11.2. Cortex. Leckhampton. Assemblage 137

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	3	0	0	0	0	0	0	0	3
% flakes	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	0	0	0	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	1	1	0	0	0	0	0	0	2
% blades	50.00%	50.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	1	0	0	0	0	0	0	0	1
% other	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total Debitage									
Total No.	5	1	0	0	0	0	0	0	6
% total debitage	83.33%	16.67%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	

A1.11.3. Raw Materials, Leckhampton, Assemblage 137

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd Pebble	Bullhead	Langdale	
Flake	1	0	0	0	2	0	0	0	3
Total No.	33.33%	0.00%	0.00%	0.00%	66.67%	0.00%	0.00%	0.00%	
% flakes									
Narrow Flake	0	0	0	0	0	0	0	0	0
Total No.	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes									
Blade	2	0	0	0	0	0	0	0	2
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades									
Other debitage	1	0	0	0	0	0	0	0	1
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage									
Total Debitage	4	0	0	0	2	0	0	0	6
% total debitage	66.67%	0.00%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	
Total Cores	0	0	0	0	0	0	0	0	0
% cores	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	15	0	1	0	6	0	0	0	22
% tools etc	68.18%	0.00%	4.55%	0.00%	27.27%	0.00%	0.00%	0.00%	
Total Assemblage	19	0	1	0	8	0	0	0	28
% Assemblage	67.86%	0.00%	3.57%	0.00%	28.57%	0.00%	0.00%	0.00%	

A1.12.1. Balance of Assemblage. Crippett's Field. Assemblage 62

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	83	79.05%
Cores	3	2.86%
Unmodified	0	0.00%
Unclassifiable burnt	8	7.62%
Trimmed / Worn	2	1.90%
Misc. Retouched	2	1.90%
Tools (classifiable excl. gunflints)	7	6.67%
Gunflints	0	0.00%
Total	105	100.00%

A1.12.2. Breakdown of Tools (classifiable). Crippett's Field. Assemblage 62

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	5	71.43%
Sawing / Cutting / Engraving	1	14.29%
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	1	14.29%
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	7	100.00%

A1.12.3. Scar Direction. Crippett's Field. Assemblage 62

	0 Visible	1	2	3	Total
Flake					
Total No.	8	11	6	11	36
% flakes	22.22%	30.56%	16.67%	30.56%	
Narrow Flake					
Total No.	1	2	4	0	7
% narrow flakes	14.29%	28.57%	57.14%	0.00%	
Blade					
Total No.	3	3	1	0	7
% blades	42.86%	42.86%	14.29%	0.00%	
Other					
Total No.	18	8	4	3	33
% other	54.55%	24.24%	12.12%	9.09%	
Total Debitage	30	24	15	14	83
% total debitage	36.14%	28.92%	18.07%	16.87%	

A1.12.4. Platform Preparation. Crippett's Field. Assemblage 62

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	9	18	4	4	1	36
% flakes	25.00%	50.00%	11.11%	11.11%	2.78%	
Narrow Flake						
Total No.	3	3	0	1	0	7
% narrow flakes	42.86%	42.86%	0.00%	14.29%	0.00%	
Blade						
Total No.	3	0	4	0	0	7
% blades	42.86%	0.00%	57.14%	0.00%	0.00%	
Other						
Total No.	19	2	9	2	1	33
% other	57.58%	6.06%	27.27%	6.06%	3.03%	
Total Debitage	34	23	17	7	2	83
% total debitage	40.96%	27.71%	20.48%	8.43%	2.41%	

A1.12.5. Cortex. Crittett's Field. Assemblage 62

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100% All Cortex	Platf. Only	Total
Flake								
Total No.	15	11	4	3	2	1	0	36
% flakes	41.67%	30.56%	11.11%	8.33%	5.56%	2.78%	0.00%	0.00%
Narrow Flake								
Total No.	2	1	1	3	0	0	0	7
% narrow flakes	28.57%	14.29%	14.29%	42.86%	0.00%	0.00%	0.00%	0.00%
Blade								
Total No.	5	2	0	0	0	0	0	7
% blades	71.43%	28.57%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Other								
Total No.	26	4	1	0	0	0	1	33
% other	78.79%	12.12%	3.03%	0.00%	0.00%	0.00%	3.03%	3.03%
Total Debitage								
Total Debitage	48	18	6	6	2	1	1	83
% total debitage	57.83%	21.69%	7.23%	7.23%	2.41%	1.20%	1.20%	1.20%

A1.12.6. Flake Termination. Crippett's Field. Assemblage 62

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	24	9	1	0	2	36
% flakes	66.67%	25.00%	2.78%	0.00%	5.56%	
Narrow Flake						
Total No.	3	1	0	0	3	7
% narrow flakes	42.86%	14.29%	0.00%	0.00%	42.86%	
Blade						
Total No.	3	0	0	0	4	7
% blades	42.86%	0.00%	0.00%	0.00%	57.14%	
Other						
Total No.	9	0	1	0	23	33
% other	27.27%	0.00%	3.03%	0.00%	69.70%	
Total Debitage	39	10	2	0	32	83
% total debitage	46.99%	12.05%	2.41%	0.00%	38.55%	

A1.12.8. Core Scars. Crippett's Field. Assemblage 62

	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	0	0	0
%	0.00%	0.00%	0.00%	

A1.12.7. Raw Materials. Crippett's Field. Assemblage 62

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd Pebble	Bullhead	Langdale		
Flake	28	4	1	1	2	0	0	0	0	36
Total No.	77.78%	11.11%	2.78%	2.78%	5.56%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	7	0	0	0	0	0	0	0	0	7
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	7	0	0	0	0	0	0	0	0	7
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	31	0	0	0	2	0	0	0	0	33
Total No.	93.94%	0.00%	0.00%	0.00%	6.06%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	73	4	1	1	4	0	0	0	0	83
% total debitage	87.95%	4.82%	1.20%	1.20%	4.82%	0.00%	0.00%	0.00%	0.00%	
Total Cores	2	0	0	0	1	0	0	0	0	3
% cores	66.67%	0.00%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	11	0	0	0	8	0	0	0	0	19
% tools etc	57.89%	0.00%	0.00%	0.00%	42.11%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	86	4	1	1	13	0	0	0	0	105
% Assemblage	81.90%	3.81%	0.95%	0.95%	12.38%	0.00%	0.00%	0.00%	0.00%	

A1.12.9. Core Weights and Dimensions. Crippett's Field. Assemblage 62

	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	N/A	N/A	N/A	N/A
Core frags	3.33			

A1.12.10. Length:Width Index. Crippett's Field. Assemblage 62

	No.	%
<0.6	2	6.06%
0.6-1.0	12	36.36%
1.1-1.5	12	36.36%
1.6-2.0	4	12.12%
2.1-2.5	3	9.09%
>2.5	0	0.00%
Total	33	100.00%

A1.12.11. Thickness (mm). Crippett's Field. Assemblage 62

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	0	0.00%
4.1-5	0	0.00%
5.1-6	2	6.06%
6.1-7	3	9.09%
7.1-8	3	9.09%
8.1-9	5	15.15%
9.1-10	2	6.06%
10.1-11	2	6.06%
11.1-12	1	3.03%
12.1-13	6	18.18%
13.1-14	2	6.06%
14.1-15	1	3.03%
15.1-16	1	3.03%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	5	15.15%
Total	33	100.00%

 A1.13.1& 2. Balance of Assemblage & Breakdown of Tools. Withington, Cobberley. Assemblage 146

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	3	42.86%
Cores	0	0.00%
Unmodified	0	0.00%
Unclassifiable burnt	0	0.00%
Trimmed / Worn	0	0.00%
Misc. Retouched	1	14.29%
Tools (classifiable excl. gunflints)	3	42.86%
Gunflints	0	0.00%
Total	7	100.00%

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	1	33.33%
Sawing / Cutting / Engraving	1	33.33%
Piercing	0	
Arrowheads	0	
Microliths / Microburins	1	33.33%
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	3	100.00%

A1.14.1. Balance of Assemblage. Birdlip Bypass. Assemblage 40

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	3174	78.22%
Cores	234	5.77%
Unmodified	33	0.81%
Unclassifiable burnt	377	9.29%
Trimmed / Worn	15	0.37%
Misc. Retouched	65	1.60%
Tools (classifiable excl. gunflints)	157	3.87%
Gunflints	3	0.07%
Total	4058	100.00%

A1.14.2. Breakdown of Tools (classifiable). Birdlip Bypass. Assemblage 40

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	2	1.27%
Scrapers	84	53.50%
Sawing / Cutting / Engraving	15	9.55%
Piercing	20	12.74%
Arrowheads	12	7.64%
Microliths / Microburins	4	2.55%
Knives & Retouched Blades	4	2.55%
Daggers	0	
Axe / Adze (standard)	1	0.64%
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	7	4.46%
Other Core & Heavy Flake Tools	8	5.10%
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	157	100.00%

A1.14.3. Scar Direction. Birdlip Bypass. Assemblage 40

	0 Visible	1	2	3	Total
Flake					
Total No.	121	230	225	121	697
% flakes	17.36%	33.00%	32.28%	17.36%	
Narrow Flake					
Total No.	41	153	93	29	316
% narrow flakes	12.97%	48.42%	29.43%	9.18%	
Blade					
Total No.	35	132	34	3	204
% blades	17.16%	64.71%	16.67%	1.47%	
Other					
Total No.	746	695	371	145	1957
% other	38.12%	35.51%	18.96%	7.41%	
Total Debitage	943	1210	723	298	3174
% total debitage	29.71%	38.12%	22.78%	9.39%	

A1.14.4. Platform Preparation. Birdlip Bypass. Assemblage 40

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	250	178	130	92	47	697
% flakes	35.87%	25.54%	18.65%	13.20%	6.74%	
Narrow Flake						
Total No.	98	52	128	23	15	316
% narrow flakes	31.01%	16.46%	40.51%	7.28%	4.75%	
Blade						
Total No.	87	20	89	1	7	204
% blades	42.65%	9.80%	43.63%	0.49%	3.43%	
Other						
Total No.	1277	196	327	93	64	1957
% other	65.25%	10.02%	16.71%	4.75%	3.27%	
Total Debitage	1712	446	674	209	133	3174
% total debitage	53.94%	14.05%	21.24%	6.58%	4.19%	

A1.14.5. Cortex. Birillip Bypass. Assemblage 40

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	348	175	60	36	49	10	2	17	697
% flakes	49.93%	25.11%	8.61%	5.16%	7.03%	1.43%	0.29%	2.44%	
Narrow Flake									
Total No.	168	82	37	12	8	2	2	5	316
% narrow flakes	53.16%	25.95%	11.71%	3.80%	2.53%	0.63%	0.63%	1.58%	
Blade									
Total No.	154	28	10	6	1	2	0	3	204
% blades	75.49%	13.73%	4.90%	2.94%	0.49%	0.98%	0.00%	1.47%	
Other									
Total No.	1370	344	115	52	40	10	3	23	1957
% other	70.01%	17.58%	5.88%	2.66%	2.04%	0.51%	0.15%	1.18%	
Total Debitage									
Total Debitage	2040	629	222	106	98	24	7	48	3174
% total debitage	64.27%	19.82%	6.99%	3.34%	3.09%	0.76%	0.22%	1.51%	

A1.14.6. Flake Termination. Birdlip Bypass. Assemblage 40

Flake	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Total No.	369	39	40	1	248	697
% flakes	52.94%	5.60%	5.74%	0.14%	35.58%	
Narrow Flake						
Total No.	161	16	7	0	132	316
% narrow flakes	50.95%	5.06%	2.22%	0.00%	41.77%	
Blade						
Total No.	74	9	3	0	118	204
% blades	36.27%	4.41%	1.47%	0.00%	57.84%	
Other						
Total No.	515	56	15	3	1368	515
% other	100.00%	10.87%	2.91%	0.53%	265.63%	
Total Debitage	1119	120	65	4	1866	3174
% total debitage	35.26%	3.78%	2.05%	0.13%	58.79%	

A1.14.8. Core Scars. Birdlip Bypass. Assemblage 40

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	1	3	4
%	0.00%	25.00%	75.00%	
Core A2	3	1	1	5
%	60.00%	20.00%	20.00%	
Core B1	3	1	1	5
%	60.00%	20.00%	20.00%	
Core B2	0	2	5	7
%	0.00%	28.57%	71.43%	
Core B3	2	5	7	14
%	14.29%	35.71%	50.00%	
Core C	1	26	23	50
%	2.00%	52.00%	46.00%	
Core D	0	2	1	3
%	0.00%	66.67%	33.33%	
Core E	0	4	3	7
%	0.00%	57.14%	42.86%	
Core Levallois	0	1	1	2
%	0.00%	50.00%	50.00%	
Flaked Lump	0	2	1	3
%	0.00%	66.67%	33.33%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	2	11	6	19
%	10.53%	57.89%	31.58%	
Total (exc. frags)	11	56	52	119
%	9.24%	47.06%	43.70%	

A1.14.7. Raw Materials. Birdlip Bypass. Assemblage 40

<i>Raw Materials</i>	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead Flint	Langdale	
Flake	421	70	28	9	169	0	0	0	0	697
Total No.	60.40%	10.04%	4.02%	1.29%	24.25%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	199	23	7	0	87	0	0	0	0	316
Total No.	62.97%	7.28%	2.22%	0.00%	27.53%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	130	7	5	0	62	0	0	0	0	204
Total No.	63.73%	3.43%	2.45%	0.00%	30.39%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	1442	53	43	11	408	0	0	0	0	1957
Total No.	73.68%	2.71%	2.20%	0.56%	20.85%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	2192	153	83	20	726	0	0	0	0	3174
% total debitage	69.06%	4.82%	2.61%	0.63%	22.87%	0.00%	0.00%	0.00%	0.00%	
Total Cores	131	20	9	3	71	0	0	0	0	234
% cores	55.98%	8.55%	3.85%	1.28%	30.34%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	398	14	46	5	187	0	0	0	0	650
% tools etc	61.23%	2.15%	7.08%	0.77%	28.77%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	2721	187	138	28	984	0	0	0	0	4058
% Assemblage	67.05%	4.61%	3.40%	0.69%	24.25%	0.00%	0.00%	0.00%	0.00%	

A1.14.10. Core Weights and Dimensions. Birdlip Bypass. Assemblage 40

<i>Core Wts & Dimensions</i>	<i>v. Wt (g)</i>	<i>Av. Length (mm)</i>	<i>Av. Width</i>	<i>v. Thickness</i>
Core A1	4.50	16.93	19.13	15.13
Core A2	17.00	32.72	30.78	20.74
Core B1	15.00	32.36	21.04	17.46
Core B2	18.00	33.47	25.40	19.57
Core B3	16.00	28.65	25.35	18.86
Core C	16.16	32.19	25.24	18.98
Core D	18.67	28.13	29.40	17.17
Core E	11.43	33.53	25.00	14.77
Core Levallois	31.00	31.05	47.10	13.60
Flaked Lump	15.33	32.77	27.90	17.07
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	8.37	27.48	22.63	11.68
All cores (excl. frags)	14.61	30.58	25.22	17.29
Core frags	6.89			

A1.14.10. Length:Width Index.
Birdlip Bypass. Assemblage 62

	No.	%
<0.6	10	2.28%
0.6-1.0	142	32.42%
1.1-1.5	146	33.33%
1.6-2.0	81	18.49%
2.1-2.5	41	9.36%
>2.5	18	4.11%
Total	438	100.00%

A1.14.11. Thickness(mm). Birdlip Bypass.
Assemblage 62

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	11	2.51%
3.1-4	32	7.31%
4.1-5	50	11.42%
5.1-6	38	8.68%
6.1-7	57	13.01%
7.1-8	66	15.07%
8.1-9	50	11.42%
9.1-10	26	5.94%
10.1-11	33	7.53%
11.1-12	17	3.88%
12.1-13	6	1.37%
13.1-14	13	2.97%
14.1-15	7	1.60%
15.1-16	4	0.91%
16.1-17	8	1.83%
17.1-18	6	1.37%
>18	14	3.20%
Total	438	100.00%

 A1.15.1. Balance of Assemblage. Blacklains, Brimpsfield. Assemblage 41

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	18	5.79%
Cores	6	1.93%
Unmodified	0	0.00%
Unclassifiable burnt	3	0.96%
Trimmed / Worn	1	0.32%
Misc. Retouched	20	6.43%
Tools (classifiable excl. gunflints)	263	84.57%
Gunflints	0	0.00%
Total	311	100.00%

 A1.15.2. Breakdown of Tools (classifiable). Blacklains, Brimpsfield. Assemblage 41

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	2	0.76%
Scrapers	91	34.60%
Sawing / Cutting / Engraving	6	2.28%
Piercing	10	3.80%
Arrowheads	129	49.05%
Microliths / Microburins	0	
Knives & Retouched Blades	16	6.08%
Daggers	0	
Axe / Adze (standard)	5	1.90%
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	2	0.76%
Other Core & Heavy Flake Tools	1	0.38%
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	1	0.38%
Total	263	100.00%

A1.15.3. Scar Direction. Blacklains, Brimpsfield. Assemblage 41

	0 Visible	1	2	3	Total
Flake					
Total No.	0	1	1	2	4
% flakes	0.00%	25.00%	25.00%	50.00%	
Narrow Flake					
Total No.	3	0	1	2	6
% narrow flakes	50.00%	0.00%	16.67%	33.33%	
Blade					
Total No.	0	2	0	0	2
% blades	0.00%	100.00%	0.00%	0.00%	
Other					
Total No.	6	0	0	0	6
% other	100.00%	0.00%	0.00%	0.00%	
Total Debitage	9	3	2	4	18
% total debitage	50.00%	16.67%	11.11%	22.22%	

A1.15.4. Platform Preparation. Blacklains, Brimpsfield. Assemblage 41

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	1	1	2	0	0	4
% flakes	25.00%	25.00%	50.00%	0.00%	0.00%	
Narrow Flake						
Total No.	3	0	3	0	0	6
% narrow flakes	50.00%	0.00%	50.00%	0.00%	0.00%	
Blade						
Total No.	1	0	1	0	0	2
% blades	50.00%	0.00%	50.00%	0.00%	0.00%	
Other						
Total No.	6	0	0	0	0	6
% other	100.00%	0.00%	0.00%	0.00%	0.00%	
Total Debitage	11	1	6	0	0	18
% total debitage	61.11%	5.56%	33.33%	0.00%	0.00%	

A1.15.5. Cortex. Blacklains, Brimpsfield. Assemblage 41

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100% All Cortex	Platf. Only	Total
Flake								
Total No.	1	0	2	1	0	0	0	4
% flakes	25.00%	0.00%	50.00%	25.00%	0.00%	0.00%	0.00%	0.00%
Narrow Flake								
Total No.	3	2	1	0	0	0	0	6
% narrow flakes	50.00%	33.33%	16.67%	0.00%	0.00%	0.00%	0.00%	0.00%
Blade								
Total No.	1	1	0	0	0	0	0	2
% blades	50.00%	50.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Other								
Total No.	6	0	0	0	0	0	0	6
% other	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Total Debitage	11	3	3	1	0	0	0	18
% total debitage	61.11%	16.67%	16.67%	5.56%	0.00%	0.00%	0.00%	0.00%

A1.15.6. Flake Termination. Blacklains, Brimpsfield. Assemblage 41

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	2	0	0	0	2	4
% flakes	50.00%	0.00%	0.00%	0.00%	50.00%	
Narrow Flake						
Total No.	3	0	0	0	3	6
% narrow flakes	50.00%	0.00%	0.00%	0.00%	50.00%	
Blade						
Total No.	2	0	0	0	0	2
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	2	0	0	0	4	6
% other	33.33%	0.00%	0.00%	0.00%	66.67%	
Total Debitage	9	0	0	0	9	18
% total debitage	50.00%	0.00%	0.00%	0.00%	50.00%	

A1.15.8. Core Scars. Blacklains, Brimpsfield. Assemblage 41

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	2	0	0	2
%	100.00%	0.00%	0.00%	
Core A2	1	0	0	1
%	100.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	1	0	1
%	0.00%	100.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	1	0	1
%	0.00%	100.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	3	2	0	5
%	60.00%	40.00%	0.00%	

A1.15.7. Raw Materials. Blacklains, Brimpsfield. Assemblage 41

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	3	0	0	0	1	0	0	0	0	4
Total No.	75.00%	0.00%	0.00%	0.00%	25.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	6	0	0	0	0	0	0	0	0	6
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	1	0	0	0	1	0	0	0	0	2
Total No.	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	6	0	0	0	0	0	0	0	0	6
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	16	0	0	0	2	0	0	0	0	18
% total debitage	88.89%	0.00%	0.00%	0.00%	11.11%	0.00%	0.00%	0.00%	0.00%	
Total Cores	4	2	0	0	0	0	0	0	0	6
% cores	66.67%	33.33%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	241	3	10	2	30	0	1	0	0	287
% tools etc	83.97%	1.05%	3.48%	0.70%	10.45%	0.00%	0.35%	0.00%	0.00%	
Total Assemblage	261	5	10	2	32	0	1	0	0	311
% Assemblage	83.92%	1.61%	3.22%	0.64%	10.29%	0.00%	0.32%	0.00%	0.00%	

A1.15.9. Core Weights and Dimensions. Blacklains, Brimpsfield. Assemblage 41

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	36.00	38.55	39.90	22.40
Core A2	16.00	34.90	22.10	19.40
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	44.00	49.70	44.90	21.00
Core E	N/A	N/A	N/A	N/A
Core Levallois	30.00	41.50	34.10	21.00
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	32.40	40.64	36.18	21.24
Core frags	14.00			

A1.15.10. Length:Width Index.
Blacklains, Brimpsfield.
Assemblage 41

	No.	%
<0.6	0	0.00%
0.6-1.0	3	25.00%
1.1-1.5	4	33.33%
1.6-2.0	2	16.67%
2.1-2.5	2	16.67%
>2.5	1	8.33%
Total	12	100.00%

A1.15.10. Thickness (mm).
Blacklains, Brimpsfield.
Assemblage 41

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	2	16.67%
4.1-5	0	0.00%
5.1-6	1	8.33%
6.1-7	1	8.33%
7.1-8	0	0.00%
8.1-9	1	8.33%
9.1-10	1	8.33%
10.1-11	2	16.67%
11.1-12	0	0.00%
12.1-13	2	16.67%
13.1-14	1	8.33%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	1	8.33%
Total	12	100.00%

*A1.16.1 & 2. Balance of Assemblage & Breakdown of Tools (classifiable).
Cranham III, Hungerfield Barrow. Assemblage 149*

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	5	83.33%
Cores	0	0.00%
Unmodified	0	0.00%
Unclassifiable burnt	0	0.00%
Trimmed / Worn	1	16.67%
Misc. Retouched	0	0.00%
Tools (classifiable excl. gunflints)	0	0.00%
Gunflints	0	0.00%
Total	6	100.00%

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	0	
Sawing / Cutting / Engraving	0	
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	0	0.00%

 A1.17.1. Balance of Assemblage. North Side of Foston's Ash, Cranham. Assemblage 194

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	52	72.22%
Cores	4	5.56%
Unmodified	0	0.00%
Unclassifiable burnt	3	4.17%
Trimmed / Worn	1	1.39%
Misc. Retouched	2	2.78%
Tools (classifiable excl. gunflints)	10	13.89%
Gunflints	0	0.00%
Total	72	100.00%

 A1.17.2. Breakdown of Tools (classifiable). North Side of Foston's Ash, Cranham. Assemblage 194

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	7	70.00%
Sawing / Cutting / Engraving	0	
Piercing	1	10.00%
Arrowheads	1	10.00%
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	1	10.00%
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	10	100.00%

A1.17.3. Scar Direction. North Side of Foston's Ash, Cranham. Assemblage 194

	0 Visible	1	2	3	Total
Flake					
Total No.	10	5	2	8	25
% flakes	40.00%	20.00%	8.00%	32.00%	
Narrow Flake					
Total No.	0	0	1	0	1
% narrow flakes	0.00%	0.00%	100.00%	0.00%	
Blade					
Total No.	1	4	0	0	5
% blades	20.00%	80.00%	0.00%	0.00%	
Other					
Total No.	4	9	2	6	21
% other	19.05%	42.86%	9.52%	28.57%	
Total Debitage	15	18	5	14	52
% total debitage	28.85%	34.62%	9.62%	26.92%	

A1.17.4. Platform Preparation. North Side of Foston's Ash, Cranham. Assemblage 194

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	11	8	1	2	3	25
% flakes	44.00%	32.00%	4.00%	8.00%	12.00%	
Narrow Flake						
Total No.	0	0	1	0	0	1
% narrow flakes	0.00%	0.00%	100.00%	0.00%	0.00%	
Blade						
Total No.	2	0	3	0	0	5
% blades	40.00%	0.00%	60.00%	0.00%	0.00%	
Other						
Total No.	10	4	5	2	0	21
% other	47.62%	19.05%	23.81%	9.52%	0.00%	
Total Debitage	23	12	10	4	3	52
% total debitage	44.23%	23.08%	19.23%	7.69%	5.77%	

A1.17.5. Cortex. North Side of Fostor's Ash, Cranham. Assemblage 194

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platt. Only	Total
Flake									
Total No.	16	5	0	0	4	0	0	0	25
% flakes	64.00%	20.00%	0.00%	0.00%	16.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	1	0	0	0	0	0	0	0	1
% narrow flakes	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	3	2	0	0	0	0	0	0	5
% blades	60.00%	40.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	13	5	1	1	0	0	0	1	21
% other	61.90%	23.81%	4.76%	4.76%	0.00%	0.00%	0.00%	4.76%	
Total Debitage	33	12	1	1	4	0	0	1	52
% total debitage	63.46%	23.08%	1.92%	1.92%	7.69%	0.00%	0.00%	1.92%	

A1.17.6. Flake Termination. North Side of Foston's Ash, Cranham. Assemblage 194

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	9	5	2	0	9	25
% flakes	36.00%	20.00%	8.00%	0.00%	36.00%	
Narrow Flake						
Total No.	0	0	0	0	1	1
% narrow flakes	0.00%	0.00%	0.00%	0.00%	100.00%	
Blade						
Total No.	1	0	0	0	4	5
% blades	20.00%	0.00%	0.00%	0.00%	80.00%	
Other						
Total No.	4	0	0	0	17	21
% other	19.05%	0.00%	0.00%	0.00%	80.95%	
Total Debitage	14	5	2	0	31	52
% total debitage	26.92%	9.62%	3.85%	0.00%	59.62%	

A1.17.8. Core Scars. North Side of Foston's Ash, Cranham. Assemblage 194

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	1	1	2
%	0.00%	50.00%	50.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	1	0	1
%	0.00%	100.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	1	0	0	1
%	100.00%	0.00%	0.00%	
Total (exc. frags)	1	2	1	4
%	25.00%	50.00%	25.00%	

A1.17.7. Raw Materials. North Side of Foston's Ash, Cranham. Assemblage 194

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd Pebble	Bullhead	Langdale	
Flake	22	1	0	0	2	0	0	0	25
Total No.	88.00%	4.00%	0.00%	0.00%	8.00%	0.00%	0.00%	0.00%	
% flakes									
Narrow Flake	1	0	0	0	0	0	0	0	1
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes									
Blade	5	0	0	0	0	0	0	0	5
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades									
Other debitage	20	0	0	0	1	0	0	0	21
Total No.	95.24%	0.00%	0.00%	0.00%	4.76%	0.00%	0.00%	0.00%	
% other debitage									
Total Debitage	48	1	0	0	3	0	0	0	52
% total debitage	92.31%	1.92%	0.00%	0.00%	5.77%	0.00%	0.00%	0.00%	
Total Cores	4	0	0	0	0	0	0	0	4
% cores	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	14	0	1	0	1	0	0	0	16
% tools etc	87.50%	0.00%	6.25%	0.00%	6.25%	0.00%	0.00%	0.00%	
Total Assemblage	66	1	1	0	4	0	0	0	72
% Assemblage	91.67%	1.39%	1.39%	0.00%	5.56%	0.00%	0.00%	0.00%	

A1.17.9. Core Weights and Dimensions. North Side of Foston's Ash, Cranham. Assemblage 194

Core Wts & Dimensions	Av.Wt(g)	Av.Length (mm)	Av.Width	Av.Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	11.00	27.90	23.60	18.80
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	28.00	48.00	36.40	18.70
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	10.00	28.90	27.00	11.90
All cores(excl.frag)	15.00	33.18	27.65	17.05
Core frags	N/A			

A1.17.10. Length:Width Index.
North Side of Foston's Ash,
Cranham. Assemblage 194

	No.	%
<0.6	1	9.09%
0.6-1.0	5	45.45%
1.1-1.5	4	36.36%
1.6-2.0	0	0.00%
2.1-2.5	0	0.00%
>2.5	1	9.09%
Total	11	100.00%

A1.17.11. Thickness (mm).
North Side of Foston's Ash,
Cranham. Assemblage 194

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	0	0.00%
4.1-5	1	9.09%
5.1-6	3	27.27%
6.1-7	1	9.09%
7.1-8	4	36.36%
8.1-9	0	0.00%
9.1-10	1	9.09%
10.1-11	1	9.09%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	0	0.00%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	11	100.00%

 A1.18.1. Balance of Assemblage. North of Foston's Ash. Assemblage 209

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	28	66.67%
Cores	2	4.76%
Unmodified	0	0.00%
Unclassifiable burnt	6	14.29%
Trimmed / Worn	0	0.00%
Misc. Retouched	2	4.76%
Tools (classifiable excl. gunflints)	3	7.14%
Gunflints	1	2.38%
Total	42	100.00%

A1.18.2. Breakdown of Tools (classifiable). North of Foston's Ash. Assemblage 209

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	1	33.33%
Sawing / Cutting / Engraving	0	
Piercing	0	
Arrowheads	0	
Microliths / Microburins	1	33.33%
Knives & Retouched Blades	1	33.33%
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	3	100.00%

A1.18.3. Scar Direction. North of Foston's Ash. Assemblage 209

	0 Visible	1	2	3	Total
Flake					
Total No.	0	2	0	0	2
% flakes	0.00%	100.00%	0.00%	0.00%	
Narrow Flake					
Total No.	1	4	0	0	5
% narrow flakes	20.00%	80.00%	0.00%	0.00%	
Blade					
Total No.	0	1	0	0	1
% blades	0.00%	100.00%	0.00%	0.00%	
Other					
Total No.	4	15	0	1	20
% other	20.00%	75.00%	0.00%	5.00%	
Total Debitage					
Total Debitage	5	22	0	1	28
% total debitage	17.86%	78.57%	0.00%	3.57%	

A1.18.4. Platform Preparation. North of Foston's Ash. Assemblage 209

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	2	0	0	0	0	2
% flakes	100.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake						
Total No.	2	1	2	0	0	5
% narrow flakes	40.00%	20.00%	40.00%	0.00%	0.00%	
Blade						
Total No.	0	0	1	0	0	1
% blades	0.00%	0.00%	100.00%	0.00%	0.00%	
Other						
Total No.	16	0	4	0	0	20
% other	80.00%	0.00%	20.00%	0.00%	0.00%	
Total Debitage						
Total Debitage	20	1	7	0	0	28
% total debitage	71.43%	3.57%	25.00%	0.00%	0.00%	

A1.18.5. Cortex. North of Fostort's Ash. Assemblage 209

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	2	0	0	0	0	0	0	0	2
% flakes	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	2	2	0	1	0	0	0	0	5
% narrow flakes	40.00%	40.00%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	1	0	0	0	0	0	0	0	1
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	13	3	2	2	0	0	0	0	20
% other	65.00%	15.00%	10.00%	10.00%	0.00%	0.00%	0.00%	0.00%	
Total Debitage									
Total No.	18	5	2	3	0	0	0	0	28
% total debitage	64.29%	17.86%	7.14%	10.71%	0.00%	0.00%	0.00%	0.00%	

A1.18.6. Flake Termination. North of Foston's Ash. Assemblage 209

	Feathered	Hinged	Step Fr.	Plunging	NoTermination	Total
Flake						
Total No.	0	0	1	0	1	2
% flakes	0.00%	0.00%	50.00%	0.00%	50.00%	
Narrow Flake						
Total No.	3	1	0	0	1	5
% narrow flakes	60.00%	20.00%	0.00%	0.00%	20.00%	
Blade						
Total No.	0	0	0	0	1	1
% blades	0.00%	0.00%	0.00%	0.00%	100.00%	
Other						
Total No.	5	1	0	0	14	20
% other	25.00%	5.00%	0.00%	0.00%	70.00%	
Total Debitage	8	2	1	0	17	28
% total debitage	28.57%	7.14%	3.57%	0.00%	60.71%	

A1.18.8. Core Scars. North of Foston's Ash. Assemblage 209

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	1	1
%	0.00%	0.00%	100.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	1	0	1
%	0.00%	100.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	1	1	2
%	0.00%	50.00%	50.00%	

A1.18.7. Raw Materials. North of Foston's Ash. Assemblage 209

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	0	0	0	0	2	0	0	0	0	2
Total No.	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	1	1	0	0	3	0	0	0	0	5
Total No.	20.00%	20.00%	0.00%	0.00%	60.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	0	0	0	0	1	0	0	0	0	1
Total No.	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	7	0	0	0	13	0	0	0	0	20
Total No.	35.00%	0.00%	0.00%	0.00%	65.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	8	1	0	0	19	0	0	0	0	28
% total debitage	28.57%	3.57%	0.00%	0.00%	67.86%	0.00%	0.00%	0.00%	0.00%	
Total Cores	1	0	0	0	1	0	0	0	0	2
% cores	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	5	0	0	0	7	0	0	0	0	12
% tools etc	41.67%	0.00%	0.00%	0.00%	58.33%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	14	1	0	0	27	0	0	0	0	42
% Assemblage	33.33%	2.38%	0.00%	0.00%	64.29%	0.00%	0.00%	0.00%	0.00%	

A1.18.9. Core Weights and Dimensions. North of Foston's Ash. Assemblage 209

Core Wts & Dimensions	Av.Wt(g)	Av.Length(mm)	Av.Width	Av.Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	26.00	35.90	26.20	23.50
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	14.00	30.30	28.90	19.40
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores(excl.frag)	20.00	33.10	27.55	21.45
Core frags	N/A			

A1.18.10. Length:Width Index.
North of Foston's Ash.
Assemblage 209

	No.	%
<0.6	0	0.00%
0.6-1.0	0	0.00%
1.1-1.5	1	25.00%
1.6-2.0	3	75.00%
2.1-2.5	0	0.00%
>2.5	0	0.00%
Total	4	100.00%

A1.18.11. Thickness (mm).
North Foston's Ash.
Assemblage 209

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	1	25.00%
4.1-5	0	0.00%
5.1-6	1	25.00%
6.1-7	0	0.00%
7.1-8	1	25.00%
8.1-9	0	0.00%
9.1-10	0	0.00%
10.1-11	1	25.00%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	0	0.00%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	4	100.00%

A1.19.1. Balance of Assemblage. Cranham. Assemblage 324

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	16	84.21%
Cores	0	0.00%
Unmodified	0	0.00%
Unclassifiable burnt	1	5.26%
Trimmed / Worn	0	0.00%
Misc. Retouched	0	0.00%
Tools (classifiable excl. gunflints)	2	10.53%
Gunflints	0	0.00%
Total	19	100.00%

A1.19.2. Breakdown of Tools (classifiable). Cranham. Assemblage 324

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	0	
Sawing / Cutting / Engraving	0	
Piercing	1	50.00%
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	1	50.00%
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	2	100.00%

A1.19.3. Scar Direction. Cranham. Assemblage 324

	0 Visible	1	2	3	Total
Flake					
Total No.	0	2	0	1	3
% flakes	0.00%	66.67%	0.00%	33.33%	
Narrow Flake					
Total No.	0	1	0	1	2
% narrow flakes	0.00%	50.00%	0.00%	50.00%	
Blade					
Total No.	0	1	0	0	1
% blades	0.00%	100.00%	0.00%	0.00%	
Other					
Total No.	5	4	1	0	10
% other	50.00%	40.00%	10.00%	0.00%	
Total Debitage	5	8	1	2	16
% total debitage	31.25%	50.00%	6.25%	12.50%	

A1.19.4. Platform Preparation. Cranham. Assemblage 324

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	2	0	1	0	0	3
% flakes	66.67%	0.00%	33.33%	0.00%	0.00%	
Narrow Flake						
Total No.	1	0	1	0	0	2
% narrow flakes	50.00%	0.00%	50.00%	0.00%	0.00%	
Blade						
Total No.	1	0	0	0	0	1
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	7	1	2	0	0	10
% other	70.00%	10.00%	20.00%	0.00%	0.00%	
Total Debitage	11	1	4	0	0	16
% total debitage	68.75%	6.25%	25.00%	0.00%	0.00%	

A1.19.5. Cortex. Cranham. Assemblage 324

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	2	0	1	0	0	0	0	0	3
% flakes	66.67%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	1	1	0	0	0	0	0	0	2
% narrow flakes	50.00%	50.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	1	0	0	0	0	0	0	0	1
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	8	2	0	0	0	0	0	0	10
% other	80.00%	20.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total Debitage	12	3	1	0	0	0	0	0	16
% total debitage	75.00%	18.75%	6.25%	0.00%	0.00%	0.00%	0.00%	0.00%	

A1.19.6. Flake Termination. Cranham. Assemblage 324

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	1	0	0	0	2	3
% flakes	33.33%	0.00%	0.00%	0.00%	66.67%	
Narrow Flake						
Total No.	0	0	0	0	2	2
% narrow flakes	0.00%	0.00%	0.00%	0.00%	100.00%	
Blade						
Total No.	0	1	0	0	0	1
% blades	0.00%	100.00%	0.00%	0.00%	0.00%	
Other						
Total No.	1	0	0	0	9	10
% other	10.00%	0.00%	0.00%	0.00%	90.00%	
Total Debitage	2	1	0	0	13	16
% total debitage	12.50%	6.25%	0.00%	0.00%	81.25%	

AI.19.7. Raw Materials. Cranham. Assemblage 324

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd Pebble	Bullhead	Langdale	
Flake	3	0	0	0	0	0	0	0	3
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% flakes									
Narrow Flake	1	0	0	0	1	0	0	0	2
Total No.	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	
% narrow flakes									
Blade	0	0	0	0	1	0	0	0	1
Total No.	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	
% blades									
Other debitage	8	0	0	0	2	0	0	0	10
Total No.	80.00%	0.00%	0.00%	0.00%	20.00%	0.00%	0.00%	0.00%	
% other debitage									
Total Debitage	12	0	0	0	4	0	0	0	16
% total debitage	75.00%	0.00%	0.00%	0.00%	25.00%	0.00%	0.00%	0.00%	
Total Cores	0	0	0	0	0	0	0	0	0
% cores	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	1	0	0	0	2	0	0	0	3
% tools etc	33.33%	0.00%	0.00%	0.00%	66.67%	0.00%	0.00%	0.00%	
Total Assemblage	13	0	0	0	6	0	0	0	19
% Assemblage	68.42%	0.00%	0.00%	0.00%	31.58%	0.00%	0.00%	0.00%	

A1.20.1. Balance of Assemblage. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	5	71.43%
Cores	2	28.57%
Unmodified	0	0.00%
Unclassifiable burnt	0	0.00%
Trimmed / Worn	0	0.00%
Misc. Retouched	0	0.00%
Tools (classifiable excl. gunflints)	0	0.00%
Gunflints	0	0.00%
Total	7	100.00%

A1.20.2. Breakdown of Tools. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	0	
Sawing / Cutting / Engraving	0	
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	0	0.00%

A1.20.3. Scar Direction. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

	0 Visible	1	2	3	Total
Flake					
Total No.	1	0	0	0	1
% flakes	100.00%	0.00%	0.00%	0.00%	
Narrow Flake					
Total No.	0	0	0	1	1
% narrow flakes	0.00%	0.00%	0.00%	100.00%	
Blade					
Total No.	1	1	0	0	2
% blades	50.00%	50.00%	0.00%	0.00%	
Other					
Total No.	0	1	0	0	1
% other	0.00%	100.00%	0.00%	0.00%	
Total Debitage	2	2	0	1	5
% total debitage	40.00%	40.00%	0.00%	20.00%	

A1.20.4. Platform Preparation. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	0	1	0	0	0	1
% flakes	0.00%	100.00%	0.00%	0.00%	0.00%	
Narrow Flake						
Total No.	0	1	0	0	0	1
% narrow flakes	0.00%	100.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	1	0	1	0	0	2
% blades	50.00%	0.00%	50.00%	0.00%	0.00%	
Other						
Total No.	0	1	0	0	0	1
% other	0.00%	100.00%	0.00%	0.00%	0.00%	
Total Debitage	1	3	1	0	0	5
% total debitage	20.00%	60.00%	20.00%	0.00%	0.00%	

A1.20.5. Cortex. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%: All Cortex	Platf. Only	Total
Flake								
Total No.	0	0	0	1	0	0	0	1
% flakes	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%
Narrow Flake								
Total No.	0	0	0	1	0	0	0	1
% narrow flakes	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%
Blade								
Total No.	1	1	0	0	0	0	0	2
% blades	50.00%	50.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Other								
Total No.	0	0	0	1	0	0	0	1
% other	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%
Total Debitage								
Total No.	1	1	0	3	0	0	0	5
% total debitage	20.00%	20.00%	0.00%	60.00%	0.00%	0.00%	0.00%	0.00%

A1.20.6. Flake Termination. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	1	0	0	0	0	1
% flakes	100.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake						
Total No.	1	0	0	0	0	1
% narrow flakes	100.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	0	0	0	0	2	2
% blades	0.00%	0.00%	0.00%	0.00%	100.00%	
Other						
Total No.	1	0	0	0	0	1
% other	100.00%	0.00%	0.00%	0.00%	0.00%	
Total Debitage	3	0	0	0	2	5
% total debitage	60.00%	0.00%	0.00%	0.00%	40.00%	

A1.20.8. Core Scars. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	1	0	1
%	0.00%	100.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	1	1
%	0.00%	0.00%	100.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	1	1	2
%	0.00%	50.00%	50.00%	

A1.20.7. Raw Materials. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	0	0	1	0	0	0	0	0	0	1
Total No.	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	1	0	0	0	0	0	0	0	0	1
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	1	0	0	0	1	0	0	0	0	2
Total No.	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	0	0	0	0	1	0	0	0	0	1
Total No.	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	2	0	1	0	2	0	0	0	0	5
% total debitage	40.00%	0.00%	20.00%	0.00%	40.00%	0.00%	0.00%	0.00%	0.00%	
Total Cores	0	0	0	0	2	0	0	0	0	2
% cores	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	0	0	0	0	0	0	0	0	0	0
% tools etc	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	2	0	1	0	4	0	0	0	0	7
% Assemblage	28.57%	0.00%	14.29%	0.00%	57.14%	0.00%	0.00%	0.00%	0.00%	

A1.20.9. Core Weights and Dimensions. Hailes Farm, Nr. Hailes Abbey. Assemblage 144

Core Wts & Dimensions	Av. Wt (g)		Av. Length (mm)	
	Av. Width	Av. Thickness		
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	16.00	30.90	22.60	22.00
Core D	N/A	N/A	N/A	N/A
Core E	16.00	29.60	28.20	9.20
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl.frag)	16.00	30.25	25.40	15.60
Core frags	N/A			

A1.21.1. Balance of Assemblage. Condicote Henge. Assemblage 55

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	89	70.63%
Cores	7	5.56%
Unmodified	0	0.00%
Unclassifiable burnt	10	7.94%
Trimmed / Worn	4	3.17%
Misc. Retouched	8	6.35%
Tools (classifiable excl. gunflints)	8	6.35%
Gunflints	0	0.00%
Total	126	100.00%

A1.21.2. Breakdown of Tools (classifiable). Condicote Henge. Assemblage 55

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	2	25.00%
Sawing / Cutting / Engraving	4	50.00%
Piercing	1	12.50%
Arrowheads	1	12.50%
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	8	100.00%

A1.21.3. Scar Direction. Condicote Henge. Assemblage 55

	0 Visible	1	2	3	Total
Flake					
Total No.	12	0	1	5	18
% flakes	66.67%	0.00%	5.56%	27.78%	
Narrow Flake					
Total No.	1	2	3	0	6
% narrow flakes	16.67%	33.33%	50.00%	0.00%	
Blade					
Total No.	1	1	0	0	2
% blades	50.00%	50.00%	0.00%	0.00%	
Other					
Total No.	39	11	8	5	63
% other	61.90%	17.46%	12.70%	7.94%	
Total Debitage	53	14	12	10	89
% total debitage	59.55%	15.73%	13.48%	11.24%	

A1.21.4. Platform Preparation. Condicote Henge. Assemblage 55

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	10	5	1	2	0	18
% flakes	55.56%	27.78%	5.56%	11.11%	0.00%	
Narrow Flake						
Total No.	1	1	3	0	1	6
% narrow flakes	16.67%	16.67%	50.00%	0.00%	16.67%	
Blade						
Total No.	1	0	1	0	0	2
% blades	50.00%	0.00%	50.00%	0.00%	0.00%	
Other						
Total No.	33	9	13	4	4	63
% other	52.38%	14.29%	20.63%	6.35%	6.35%	
Total Debitage	45	15	18	6	5	89
% total debitage	50.56%	16.85%	20.22%	6.74%	5.62%	

A1.21.5. Cortex. Condicote Henge. Assemblage 55

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	11	3	0	1	1	0	0	2	18
% flakes	61.11%	16.67%	0.00%	5.56%	5.56%	0.00%	0.00%	11.11%	
Narrow Flake									
Total No.	2	2	1	0	0	0	0	1	6
% narrow flakes	33.33%	33.33%	16.67%	0.00%	0.00%	0.00%	0.00%	16.67%	
Blade									
Total No.	2	0	0	0	0	0	0	0	2
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	49	5	3	2	1	1	0	2	63
% other	77.78%	7.94%	4.76%	3.17%	1.59%	1.59%	0.00%	3.17%	
Total Debitage									
Total No.	64	10	4	3	2	1	0	5	89
% total debitage	71.91%	11.24%	4.49%	3.37%	2.25%	1.12%	0.00%	5.62%	

A1.21.6. Flake Termination. Condicote Henge. Assemblage 55

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	10	1	0	0	7	18
% flakes	55.56%	5.56%	0.00%	0.00%	38.89%	
Narrow Flake						
Total No.	4	0	0	0	2	6
% narrow flakes	66.67%	0.00%	0.00%	0.00%	33.33%	
Blade						
Total No.	1	0	0	0	1	2
% blades	50.00%	0.00%	0.00%	0.00%	50.00%	
Other						
Total No.	26	2	1	0	34	63
% other	41.27%	3.17%	1.59%	0.00%	53.97%	
Total Debitage	41	3	1	0	44	89
% total debitage	46.07%	3.37%	1.12%	0.00%	49.44%	

A1.21.8. Core Scars. Condicote Henge. Assemblage 55

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	1	0	0	1
%	100.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	1	0	1	2
%	50.00%	0.00%	50.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	2	0	2
%	0.00%	100.00%	0.00%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	2	2	1	5
%	40.00%	40.00%	20.00%	

A1.21.7. Raw Materials. Condicote Henge. Assemblage 55

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	9	0	3	0	6	0	0	0	0	18
Total No.	50.00%	0.00%	16.67%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	4	0	0	0	2	0	0	0	0	6
Total No.	66.67%	0.00%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	1	0	0	0	0	0	0	0	0	1
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	34	0	2	0	27	0	0	0	0	63
Total No.	53.97%	0.00%	3.17%	0.00%	42.86%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	48	0	5	0	35	0	0	0	0	88
% total debitage	54.55%	0.00%	5.68%	0.00%	39.77%	0.00%	0.00%	0.00%	0.00%	
Total Cores	4	1	1	0	1	0	0	0	0	7
% cores	57.14%	14.29%	14.29%	0.00%	14.29%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	18	0	1	0	12	0	0	0	0	31
% tools etc	58.06%	0.00%	3.23%	0.00%	38.71%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	70	1	7	0	48	0	0	0	0	126
% Assemblage	55.56%	0.79%	5.56%	0.00%	38.10%	0.00%	0.00%	0.00%	0.00%	

A1.21.9. Core Weights and Dimensions. Condicote Henge. Assemblage 55

Core Wts & Dimensions	Av. Wt (g)		Av. Length (mm)	
	Av. Width	Av. Thickness		
Core A1	N/A	N/A	N/A	N/A
Core A2	16.00	27.90	28.50	22.20
Core B1	N/A	N/A	N/A	N/A
Core B2	7.00	25.30	20.95	16.65
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	12.00	49.40	36.40	16.90
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	10.80	35.46	28.64	17.86
Core frags	6.00			

A1.21.10. Length:Width Index.
Condicote Henge. Assemblage 55

	No.	%
<0.6	1	7.14%
0.6-1.0	2	14.29%
1.1-1.5	5	35.71%
1.6-2.0	4	28.57%
2.1-2.5	0	0.00%
>2.5	2	14.29%
Total	14	100.00%

A1.21.11. Thickness (mm).
Condicote Henge. Assemblage 55

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	2	14.29%
4.1-5	2	14.29%
5.1-6	5	35.71%
6.1-7	1	7.14%
7.1-8	2	14.29%
8.1-9	1	7.14%
9.1-10	1	7.14%
10.1-11	0	0.00%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	0	0.00%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	14	100.00%

A1.22.1. Balance of Assemblage. Bevan's Quarry Round Barrow. Assemblage 131

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	70	76.09%
Cores	6	6.52%
Unmodified	0	0.00%
Unclassifiable burnt	2	2.17%
Trimmed / Worn	1	1.09%
Misc. Retouched	0	0.00%
Tools (classifiable excl. gunflints)	13	14.13%
Gunflints	0	0.00%
Total	92	100.00%

A1.22.2. Breakdown of Tools (classifiable). Bevan's Quarry Round Barrow. Assemblage 131

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	8	61.54%
Sawing / Cutting / Engraving	1	7.69%
Piercing	1	7.69%
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	2	15.38%
Daggers	0	
Axe / Adze (standard)	1	7.69%
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	13	100.00%

A1.22.3. Scar Direction. Bevan's Quarry Round Barrow. Assemblage 131

	0 Visible	1	2	3	Total
Flake					
Total No.	2	0	3	8	13
% flakes	15.38%	0.00%	23.08%	61.54%	
Narrow Flake					
Total No.	1	1	4	1	7
% narrow flakes	14.29%	14.29%	57.14%	14.29%	
Blade					
Total No.	2	5	2	0	9
% blades	22.22%	55.56%	22.22%	0.00%	
Other					
Total No.	13	14	7	7	41
% other	31.71%	34.15%	17.07%	17.07%	
Total Debitage	18	20	16	16	70
% total debitage	25.71%	28.57%	22.86%	22.86%	

A1.22.4. Platform Preparation. Bevan's Quarry Round Barrow. Assemblage 131

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	5	6	0	0	2	13
% flakes	38.46%	46.15%	0.00%	0.00%	15.38%	
Narrow Flake						
Total No.	2	2	1	0	2	7
% narrow flakes	28.57%	28.57%	14.29%	0.00%	28.57%	
Blade						
Total No.	2	1	6	0	0	9
% blades	22.22%	11.11%	66.67%	0.00%	0.00%	
Other						
Total No.	19	3	14	4	1	41
% other	46.34%	7.32%	34.15%	9.76%	2.44%	
Total Debitage	28	12	21	4	5	70
% total debitage	40.00%	17.14%	30.00%	5.71%	7.14%	

A1.22.5. Cortex. Bevan's Quarry Round Barrow. Assemblage 131

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	7	2	3	1	0	0	0	0	13
% flakes	53.85%	15.38%	23.08%	7.69%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	7	0	0	0	0	0	0	0	7
% narrow flakes	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	6	2	1	0	0	0	0	0	9
% blades	66.67%	22.22%	11.11%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	31	8	1	0	1	0	0	0	41
% other	75.61%	19.51%	2.44%	0.00%	2.44%	0.00%	0.00%	0.00%	
Total Debitage	51	12	5	1	1	0	0	0	70
% total debitage	72.86%	17.14%	7.14%	1.43%	1.43%	0.00%	0.00%	0.00%	

A1.22.6. Flake Termination. Bevan's Quarry Round Barrow. Assemblage 131

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	6	1	0	0	6	13
% flakes	46.15%	7.69%	0.00%	0.00%	46.15%	
Narrow Flake						
Total No.	5	0	0	0	2	7
% narrow flakes	71.43%	0.00%	0.00%	0.00%	28.57%	
Blade						
Total No.	5	0	0	0	4	9
% blades	55.56%	0.00%	0.00%	0.00%	44.44%	
Other						
Total No.	24	1	0	0	16	41
% other	58.54%	2.44%	0.00%	0.00%	39.02%	
Total Debitage	40	2	0	0	28	70
% total debitage	57.14%	2.86%	0.00%	0.00%	40.00%	

A1.22.8. Core Scars. Bevan's Quarry Round Barrow. Assemblage 131

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	1	1
%	0.00%	0.00%	100.00%	
Core A2	0	0	1	1
%	0.00%	0.00%	100.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	2	0	2
%	0.00%	100.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	2	2	4
%	0.00%	50.00%	50.00%	

A1.22.7. Raw Materials. Bevan's Quarry Round Barrow. Assemblage 131

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	9	0	0	0	4	0	0	0	0	13
Total No.	69.23%	0.00%	0.00%	0.00%	30.77%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	6	0	0	0	1	0	0	0	0	7
Total No.	85.71%	0.00%	0.00%	0.00%	14.29%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	6	0	3	0	0	0	0	0	0	9
Total No.	66.67%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	31	0	0	0	10	0	0	0	0	41
Total No.	75.61%	0.00%	0.00%	0.00%	24.39%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	52	0	3	0	15	0	0	0	0	70
% total debitage	74.29%	0.00%	4.29%	0.00%	21.43%	0.00%	0.00%	0.00%	0.00%	
Total Cores	5	0	0	0	1	0	0	0	0	6
% cores	83.33%	0.00%	0.00%	0.00%	16.67%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	11	2	0	0	2	0	0	0	1	16
% tools etc	68.75%	12.50%	0.00%	0.00%	12.50%	0.00%	0.00%	0.00%	6.25%	
Total Assemblage	68	2	3	0	18	0	0	0	1	92
% Assemblage	73.91%	2.17%	3.26%	0.00%	19.57%	0.00%	0.00%	0.00%	1.09%	

A1.22.9. Bevan's Quarry Round Barrow. Assemblage 131

Core Wts & Dimensions		Av. Wt (g)		Av. Length (mm)	
Av. Width		Av. Thickness			
Core A1		24.00	40.70	20.30	20.60
Core A2		30.00	51.60	28.90	20.70
Core B1		N/A	N/A	N/A	N/A
Core B2		N/A	N/A	N/A	N/A
Core B3		N/A	N/A	N/A	N/A
Core C		25.00	40.45	36.25	18.80
Core D		N/A	N/A	N/A	N/A
Core E		N/A	N/A	N/A	N/A
Core Levallois		N/A	N/A	N/A	N/A
Flaked Lump		N/A	N/A	N/A	N/A
Pieces esquillee		N/A	N/A	N/A	N/A
Core on a flake		N/A	N/A	N/A	N/A
All cores (excl. frags)			26.00	43.30	30.43
19.73					
Core frags		9.50			

A1.22.10. Length:Width Index.
Bevan's Quarry Round Barrow.
Assemblage 55

	No.	%
<0.6	1	6.25%
0.6-1.0	4	25.00%
1.1-1.5	4	25.00%
1.6-2.0	5	31.25%
2.1-2.5	2	12.50%
>2.5	0	0.00%
Total	16	100.00%

A1.22.11. Thickness (mm).
Bevan's Quarry Round Barrow.
Assemblage 55

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	1	6.25%
4.1-5	3	18.75%
5.1-6	4	25.00%
6.1-7	1	6.25%
7.1-8	1	6.25%
8.1-9	0	0.00%
9.1-10	2	12.50%
10.1-11	1	6.25%
11.1-12	1	6.25%
12.1-13	1	6.25%
13.1-14	1	6.25%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	16	100.00%

A1.23.1. Balance of Assemblage. Icomb Hill. Assemblage 54

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	10	90.91%
Cores	0	0.00%
Unmodified	0	0.00%
Unclassifiable burnt	1	9.09%
Trimmed / Worn	0	0.00%
Misc. Retouched	0	0.00%
Tools (classifiable excl. gunflints)	0	0.00%
Gunflints	0	0.00%
Total	11	100.00%

A1.23.2. Breakdown of Tools (classifiable). Icomb Hill. Assemblage 54

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	0	
Sawing / Cutting / Engraving	0	
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	0	0.00%

A1.23.3. Scar Direction. Icomb Hill. Assemblage 54

	0 Visible	1	2	3	Total
Flake					
Total No.	1	1	0	0	2
% flakes	50.00%	50.00%	0.00%	0.00%	
Narrow Flake					
Total No.	0	1	0	1	2
% narrow flakes	0.00%	50.00%	0.00%	50.00%	
Blade					
Total No.	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	
Other					
Total No.	3	3	0	0	6
% other	50.00%	50.00%	0.00%	0.00%	
Total Debitage	4	5	0	1	10
% total debitage	40.00%	50.00%	0.00%	10.00%	

A1.23.4. Platform Preparation. Icomb Hill. Assemblage 54

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	0	2	0	0	0	2
% flakes	0.00%	100.00%	0.00%	0.00%	0.00%	
Narrow Flake						
Total No.	0	1	1	0	0	2
% narrow flakes	0.00%	50.00%	50.00%	0.00%	0.00%	
Blade						
Total No.	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	3	1	2	0	0	6
% other	50.00%	16.67%	33.33%	0.00%	0.00%	
Total Debitage	3	4	3	0	0	10
% total debitage	30.00%	40.00%	30.00%	0.00%	0.00%	

A1.23.5. Cortex. Icomb Hill. Assemblage 54

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	0	2	0	0	0	0	0	0	2
% flakes	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	2	0	0	0	0	0	0	0	2
% narrow flakes	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	0	0	0	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	3	1	1	0	1	0	0	0	6
% other	50.00%	16.67%	16.67%	0.00%	16.67%	0.00%	0.00%	0.00%	
Total Debitage									
Total Debitage	5	3	1	0	1	0	0	0	10
% total debitage	50.00%	30.00%	10.00%	0.00%	10.00%	0.00%	0.00%	0.00%	

A1.23.6. Flake Termination. Icomb Hill. Assemblage 54

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	2	0	0	0	0	2
% flakes	100.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake						
Total No.	0	1	0	0	1	2
% narrow flakes	0.00%	50.00%	0.00%	0.00%	50.00%	
Blade						
Total No.	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	1	0	0	0	5	6
% other	16.67%	0.00%	0.00%	0.00%	83.33%	
Total Debitage	3	1	0	0	6	10
% total debitage	30.00%	10.00%	0.00%	0.00%	60.00%	

A1.23.7. Raw Materials. Icomb Hill. Assemblage 54

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd Pebble	Bullhead (Langdale			
Flake	0	0	0	0	2	0	0	0	0	2
Total No.	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	2	0	0	0	0	0	0	0	0	2
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	0	0	0	0	0	0	0	0	0	0
Total No.	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	3	0	0	0	3	0	0	0	0	6
Total No.	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	5	0	0	0	5	0	0	0	0	10
% total debitage	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
Total Cores	0	0	0	0	0	0	0	0	0	0
% cores	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	1	0	0	0	0	0	0	0	0	1
% tools etc	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	6	0	0	0	5	0	0	0	0	11
% Assemblage	54.55%	0.00%	0.00%	0.00%	45.45%	0.00%	0.00%	0.00%	0.00%	

A1.24.1. Balance of Assemblage. Icomb Hill. Assemblage 229

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	86	69.35%
Cores	11	8.87%
Unmodified	0	0.00%
Unclassifiable burnt	12	9.68%
Trimmed / Worn	1	0.81%
Misc. Retouched	7	5.65%
Tools (classifiable excl. gunflints)	7	5.65%
Gunflints	0	0.00%
Total	124	100.00%

A1.24.2. Breakdown of Tools (classifiable). Icomb Hill. Assemblage 229

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	4	57.14%
Sawing / Cutting / Engraving	0	
Piercing	1	14.29%
Arrowheads	2	28.57%
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	7	100.00%

A1.24.3. Scar Direction. Icomb Hill. Assemblage 229

	0 Visible	1	2	3	Total
Flake					
Total No.	7	5	2	8	22
% flakes	31.82%	22.73%	9.09%	36.36%	
Narrow Flake					
Total No.	1	3	1	2	7
% narrow flakes	14.29%	42.86%	14.29%	28.57%	
Blade					
Total No.	3	1	0	0	4
% blades	75.00%	25.00%	0.00%	0.00%	
Other					
Total No.	36	10	4	3	53
% other	67.92%	18.87%	7.55%	5.66%	
Total Debitage	47	19	7	13	86
% total debitage	54.65%	22.09%	8.14%	15.12%	

A1.24.4. Platform Preparation. Icomb Hill. Assemblage 229

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	15	1	4	2	0	22
% flakes	68.18%	4.55%	18.18%	9.09%	0.00%	
Narrow Flake						
Total No.	2	2	3	0	0	7
% narrow flakes	28.57%	28.57%	42.86%	0.00%	0.00%	
Blade						
Total No.	2	0	2	0	0	4
% blades	50.00%	0.00%	50.00%	0.00%	0.00%	
Other						
Total No.	45	1	5	1	1	53
% other	84.91%	1.89%	9.43%	1.89%	1.89%	
Total Debitage	64	4	14	3	1	86
% total debitage	74.42%	4.65%	16.28%	3.49%	1.16%	

A1.24.5. Cortex. Icomb Hill. Assemblage 229

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	8	10	1	1	1	0	0	1	22
% flakes	36.36%	45.45%	4.55%	4.55%	4.55%	0.00%	0.00%	4.55%	
Narrow Flake									
Total No.	4	1	1	0	1	0	0	0	7
% narrow flakes	57.14%	14.29%	14.29%	0.00%	14.29%	0.00%	0.00%	0.00%	
Blade									
Total No.	4	0	0	0	0	0	0	0	4
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	37	12	1	0	2	1	0	0	53
% other	69.81%	22.64%	1.89%	0.00%	3.77%	1.89%	0.00%	0.00%	
Total Debitage	53	23	3	1	4	1	0	1	86
% total debitage	61.63%	26.74%	3.49%	1.16%	4.65%	1.16%	0.00%	1.16%	

A1.24.6. Flake Termination. Icomb Hill. Assemblage 229

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	18	3	0	0	1	22
% flakes	81.82%	13.64%	0.00%	0.00%	4.55%	
Narrow Flake						
Total No.	6	0	0	0	1	7
% narrow flakes	85.71%	0.00%	0.00%	0.00%	14.29%	
Blade						
Total No.	1	0	0	0	3	4
% blades	25.00%	0.00%	0.00%	0.00%	75.00%	
Other						
Total No.	13	1	0	1	38	53
% other	24.53%	1.89%	0.00%	1.89%	71.70%	
Total Debitage	38	4	0	1	43	86
% total debitage	44.19%	4.65%	0.00%	1.16%	50.00%	

A1.24.8. Core Scars. Icomb Hill. Assemblage 229

Core Scars	Blade	Flake	Blade&Flake	Total
Core A1	0	0	1	1
%	0.00%	0.00%	100.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	6	0	6
%	0.00%	100.00%	0.00%	
Core D	0	1	0	1
%	0.00%	100.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	7	1	8
%	0.00%	87.50%	12.50%	

A1.24.7. Raw Materials. Icomb Hill. Assemblage 229

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	10	1	1	0	10	0	0	0	0	22
Total No.	45.45%	4.55%	4.55%	0.00%	45.45%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	3	0	0	0	4	0	0	0	0	7
Total No.	42.86%	0.00%	0.00%	0.00%	57.14%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	4	0	0	0	0	0	0	0	0	4
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	32	1	2	0	18	0	0	0	0	53
Total No.	60.38%	1.89%	3.77%	0.00%	33.96%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	49	2	3	0	32	0	0	0	0	86
% total debitage	56.98%	2.33%	3.49%	0.00%	37.21%	0.00%	0.00%	0.00%	0.00%	
Total Cores	8	0	0	0	3	0	0	0	0	11
% cores	72.73%	0.00%	0.00%	0.00%	27.27%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	20	0	0	0	7	0	0	0	0	27
% tools etc	74.07%	0.00%	0.00%	0.00%	25.93%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	77	2	3	0	42	0	0	0	0	124
% Assemblage	62.10%	1.61%	2.42%	0.00%	33.87%	0.00%	0.00%	0.00%	0.00%	

A1.24.9. Core Weights and Dimensions. Icomb Hill. Assemblage 229

Core Wts & Dimensions	Av. Wt (g)		Av. Length (mm)		Av.
Width	Av. Thickness				
Core A1	8.00	29.70	19.20	17.50	
Core A2	N/A	N/A	N/A	N/A	
Core B1	N/A	N/A	N/A	N/A	
Core B2	N/A	N/A	N/A	N/A	
Core B3	N/A	N/A	N/A	N/A	
Core C	16.00	33.92	26.65	18.73	
Core D	10.00	31.70	27.10	16.80	
Core E	N/A	N/A	N/A	N/A	
Core Levallois	N/A	N/A	N/A	N/A	
Flaked Lump	N/A	N/A	N/A	N/A	
Pieces esquillee	N/A	N/A	N/A	N/A	
Core on a flake	N/A	N/A	N/A	N/A	
All cores (excl. frags)	14.25	33.11	25.78	18.34	
Core frags	7.33				

A1.24.10. Length:Width Index.
Icomb Hill. Assemblage 229

	No.	%
<0.6	1	6.67%
0.6-1.03		20.00%
1.1-1.56		40.00%
1.6-2.03		20.00%
2.1-2.52		13.33%
>2.5	0	0.00%
Total	15	

A1.24.11. Thickness (mm).
Icomb Hill. Assemblage 229

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	1	6.67%
4.1-5	0	0.00%
5.1-6	3	20.00%
6.1-7	1	6.67%
7.1-8	3	20.00%
8.1-9	1	6.67%
9.1-10	0	0.00%
10.1-11	1	6.67%
11.1-12	0	0.00%
12.1-13	1	6.67%
13.1-14	2	13.33%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	1	6.67%
17.1-18	0	0.00%
>18	1	6.67%
Total	15	100.00%

A1.25.1. Balance of Assemblage. Marshfield Barrows. Assemblage 124

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	223	80.22%
Cores	13	4.68%
Unmodified	0	0.00%
Unclassifiable burnt	17	6.12%
Trimmed / Worn	0	0.00%
Misc. Retouched	6	2.16%
Tools(classifiable excl.gunflints)	19	6.83%
Gunflints	0	0.00%
Total	278	100.00%

A1.25.2. Breakdown of Tools (classifiable). Marshfield Barrows. Assemblage 124

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	11	57.89%
Sawing / Cutting / Engraving	2	10.53%
Piercing	1	5.26%
Arrowheads	3	15.79%
Microliths / Microburins	0	
Knives & Retouched Blades	2	10.53%
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	19	100.00%

A1.25.3. Scar Direction. Marshfield Barrows. Assemblage 124

	0 Visible	1	2	3	Total
Flake					
Total No.	2	2	0	0	4
% flakes	50.00%	50.00%	0.00%	0.00%	
Narrow Flake					
Total No.	9	12	4	2	27
% narrow flakes	33.33%	44.44%	14.81%	7.41%	
Blade					
Total No.	0	14	2	1	17
% blades	0.00%	82.35%	11.76%	5.88%	
Other					
Total No.	68	35	14	8	125
% other	54.40%	28.00%	11.20%	6.40%	
Total Debitage	79	63	20	11	173
% total debitage	45.66%	36.42%	11.56%	6.36%	

A1.25.4. Platform Preparation. Marshfield Barrows. Assemblage 124

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	0	2	2	0	0	4
% flakes	0.00%	50.00%	50.00%	0.00%	0.00%	
Narrow Flake						
Total No.	9	9	7	1	1	27
% narrow flakes	33.33%	33.33%	25.93%	3.70%	3.70%	
Blade						
Total No.	2	3	12	0	0	17
% blades	11.76%	17.65%	70.59%	0.00%	0.00%	
Other						
Total No.	90	16	17	2	0	125
% other	72.00%	12.80%	13.60%	1.60%	0.00%	
Total Debitage	101	30	38	3	1	173
% total debitage	58.38%	17.34%	21.97%	1.73%	0.58%	

A1.25.5. Cortex. Marsfield Barrows. Assemblage 124

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	25	12	3	7	2	2	0	3	54
% flakes	46.30%	22.22%	5.56%	12.96%	3.70%	3.70%	0.00%	5.56%	
Narrow Flake									
Total No.	16	5	3	1	0	1	0	1	27
% narrow flakes	59.26%	18.52%	11.11%	3.70%	0.00%	3.70%	0.00%	3.70%	
Blade									
Total No.	9	7	0	0	1	0	0	0	17
% blades	52.94%	41.18%	0.00%	0.00%	5.88%	0.00%	0.00%	0.00%	
Other									
Total No.	70	33	10	5	4	1	1	1	125
% other	56.00%	26.40%	8.00%	4.00%	3.20%	0.80%	0.80%	0.80%	
Total Debitage	120	57	16	13	7	4	1	5	223
% total debitage	53.81%	25.56%	7.17%	5.83%	3.14%	1.79%	0.45%	2.24%	

A1.25.6. Flake Termination. Marshfield Barrows. Assemblage 124

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	40	8	5	0	1	54
% flakes	74.07%	14.81%	9.26%	0.00%	1.85%	
Narrow Flake						
Total No.	16	3	1	0	7	27
% narrow flakes	59.26%	11.11%	3.70%	0.00%	25.93%	
Blade						
Total No.	11	0	0	0	6	17
% blades	64.71%	0.00%	0.00%	0.00%	35.29%	
Other						
Total No.	42	5	0	0	78	125
% other	33.60%	4.00%	0.00%	0.00%	62.40%	
Total Debitage	109	16	6	0	92	223
% total debitage	48.88%	7.17%	2.69%	0.00%	41.26%	

A1.25.8. Core Scars. Marshfield Barrows. Assemblage 124

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	1	1
%	0.00%	0.00%	100.00%	
Core A2	0	1	0	1
%	0.00%	100.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	1	1	2
%	0.00%	50.00%	50.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	1	0	1
%	0.00%	100.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	3	2	5
%	0.00%	60.00%	40.00%	

A1.25.7. Raw Materials. Marsfield Barrows. Assemblage 124

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	24	4	1	0	25	0	0	0	0	54
Total No.	44.44%	7.41%	1.85%	0.00%	46.30%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	17	0	0	0	10	0	0	0	0	27
Total No.	62.96%	0.00%	0.00%	0.00%	37.04%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	7	1	0	0	9	0	0	0	0	17
Total No.	41.18%	5.88%	0.00%	0.00%	52.94%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	53	5	4	0	63	0	0	0	0	125
Total No.	42.40%	4.00%	3.20%	0.00%	50.40%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	101	10	5	0	107	0	0	0	0	223
% total debitage	45.29%	4.48%	2.24%	0.00%	47.98%	0.00%	0.00%	0.00%	0.00%	
Total Cores	6	3	0	0	4	0	0	0	0	13
% cores	46.15%	23.08%	0.00%	0.00%	30.77%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	27	3	0	0	12	0	0	0	0	42
% tools etc	64.29%	7.14%	0.00%	0.00%	28.57%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	134	16	5	0	123	0	0	0	0	278
% Assemblage	48.20%	5.76%	1.80%	0.00%	44.24%	0.00%	0.00%	0.00%	0.00%	

A1.25.9. Core Weights and Dimensions. Marshfield Barrows. Assemblage 124

Core Wts & Dimensions	Av.Wt(g)	Av.Length(mm)	Av.Width	Av.Thickness
Core A1	24.00	33.60	36.90	30.40
Core A2	23.00	39.50	28.80	24.60
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	26.00	41.25	28.05	21.55
Core D	N/A	N/A	N/A	N/A
Core E	32.00	48.20	27.60	21.70
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores(excl.frag)	26.20	40.76	29.88	23.96
Core frags	11.63			

A1.24.10. Length:Width Index.
Icomb Hill. Assemblage 229

	No.	%
<0.6	2	2.70%
0.6-1.0	15	20.27%
1.1-1.5	28	37.84%
1.6-2.0	16	21.62%
2.1-2.5	9	12.16%
>2.5	4	5.41%
Total	74	

A1.24.11. Thickness (mm).
Icomb Hill. Assemblage 229

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	9	12.16%
3.1-4	12	16.22%
4.1-5	14	18.92%
5.1-6	12	16.22%
6.1-7	6	8.11%
7.1-8	1	1.35%
8.1-9	7	9.46%
9.1-10	1	1.35%
10.1-11	3	4.05%
11.1-12	0	0.00%
12.1-13	2	2.70%
13.1-14	2	2.70%
14.1-15	0	0.00%
15.1-16	1	1.35%
16.1-17	3	4.05%
17.1-18	0	0.00%
>18	1	1.35%
Total	74	100.00%

A1.26.1. Balance of Assemblage, Marshfield Barrows Field, Assemblage 125

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	41	80.39%
Cores	1	1.96%
Unmodified	0	0.00%
Unclassifiable burnt	4	7.84%
Trimmed / Worn	1	1.96%
Misc. Retouched	0	0.00%
Tools(classifiable excl.gunflints)	4	7.84%
Gunflints	0	0.00%
Total	51	100.00%

A1.26.2. Breakdown of Tools (classifiable), Marshfield Barrows Field, Assemblage 125

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	2	50.00%
Sawing / Cutting / Engraving	1	25.00%
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	1	25.00%
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	4	100.00%

A1.26.3. Scar Direction. Marshfield Barrows Field. Assemblage 125

	0 Visible	1	2	3	Total
Flake					
Total No.	3	3	3	5	14
% flakes	21.43%	21.43%	21.43%	35.71%	
Narrow Flake					
Total No.	0	4	0	1	5
% narrow flakes	0.00%	80.00%	0.00%	20.00%	
Blade					
Total No.	0	1	1	0	2
% blades	0.00%	50.00%	50.00%	0.00%	
Other					
Total No.	7	8	2	3	20
% other	35.00%	40.00%	10.00%	15.00%	
Total Debitage	10	16	6	9	41
% total debitage	24.39%	39.02%	14.63%	21.95%	

A1.26.4. Platform Preparation. Marshfield Barrows Field. Assemblage 125

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	5	1	2	3	3	14
% flakes	35.71%	7.14%	14.29%	21.43%	21.43%	
Narrow Flake						
Total No.	1	2	2	0	0	5
% narrow flakes	20.00%	40.00%	40.00%	0.00%	0.00%	
Blade						
Total No.	0	0	2	0	0	2
% blades	0.00%	0.00%	100.00%	0.00%	0.00%	
Other						
Total No.	13	1	5	1	0	20
% other	65.00%	5.00%	25.00%	5.00%	0.00%	
Total Debitage	19	4	11	4	3	41
% total debitage	46.34%	9.76%	26.83%	9.76%	7.32%	

A1.26.5. Cortex. Marshfield Barrows Field. Assemblage 125

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	10	3	0	0	1	0	0	0	14
% flakes	71.43%	21.43%	0.00%	0.00%	7.14%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	2	1	1	1	0	0	0	0	5
% narrow flakes	40.00%	20.00%	20.00%	20.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	2	0	0	0	0	0	0	0	2
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	15	2	0	2	1	0	0	0	20
% other	75.00%	10.00%	0.00%	10.00%	5.00%	0.00%	0.00%	0.00%	
Total Debitage	29	6	1	3	2	0	0	0	41
% total debitage	70.73%	14.63%	2.44%	7.32%	4.88%	0.00%	0.00%	0.00%	

A1.26.6. Flake Termination. Marshfield Barrows Field. Assemblage 125

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	10	3	0	0	1	14
% flakes	71.43%	21.43%	0.00%	0.00%	7.14%	
Narrow Flake						
Total No.	3	0	1	0	1	5
% narrow flakes	60.00%	0.00%	20.00%	0.00%	20.00%	
Blade						
Total No.	2	0	0	0	0	2
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	9	0	1	0	10	20
% other	45.00%	0.00%	5.00%	0.00%	50.00%	
Total Debitage	24	3	2	0	12	41
% total debitage	58.54%	7.32%	4.88%	0.00%	29.27%	

A1.26.8. Core Scars. Marshfield Barrows Field. Assemblage 125

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	0	0	0
%	0.00%	0.00%	0.00%	

AI.26.7. Raw Materials. Marsfield Barrows Field. Assemblage 125

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	7	1	0	0	6	0	0	0	0	14
Total No.	50.00%	7.14%	0.00%	0.00%	42.86%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	3	0	0	0	2	0	0	0	0	5
Total No.	60.00%	0.00%	0.00%	0.00%	40.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	2	0	0	0	0	0	0	0	0	2
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	13	0	0	0	7	0	0	0	0	20
Total No.	65.00%	0.00%	0.00%	0.00%	35.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	25	1	0	0	15	0	0	0	0	41
% total debitage	60.98%	2.44%	0.00%	0.00%	36.59%	0.00%	0.00%	0.00%	0.00%	
Total Cores	1	0	0	0	0	0	0	0	0	1
% cores	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	5	2	0	0	2	0	0	0	0	9
% tools etc	55.56%	22.22%	0.00%	0.00%	22.22%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	31	3	0	0	17	0	0	0	0	51
% Assemblage	60.78%	5.88%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	

A1.25.9. Core Weights and Dimensions. Marshfield Barrows. Assemblage 124

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	N/A	N/A	N/A	N/A
Core frags	8.00			

A1.24.10. Length:Width Index.
Icomb Hill. Assemblage 229

	No.	%
<0.6	0	0.00%
0.6-1.0	5	35.71%
1.1-1.5	4	28.57%
1.6-2.0	2	14.29%
2.1-2.5	3	21.43%
>2.5	0	0.00%
Total	14	

A1.24.11. Thickness (mm).
Icomb Hill. Assemblage 229

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	2	14.29%
3.1-4	0	0.00%
4.1-5	4	28.57%
5.1-6	1	7.14%
6.1-7	2	14.29%
7.1-8	2	14.29%
8.1-9	2	14.29%
9.1-10	0	0.00%
10.1-11	1	7.14%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	0	0.00%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	14	100.00%

A1.27.1. Balance of Assemblage.Tog Hill, Nr. Marshfield, Cold Aston. Assemblage 36

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	551	58.62%
Cores	103	10.96%
Unmodified	0	0.00%
Unclassifiable burnt	2	0.21%
Trimmed / Worn	6	0.64%
Misc. Retouched	53	5.64%
Tools(classifiable excl.gunflints)	225	23.94%
Gunflints	0	0.00%
Total	940	100.00%

A1.27.2. Breakdown of Tools (classifiable).Tog Hill, Nr. Marshfield, Cold Aston. Assemblage 36

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	19	8.44%
Sawing / Cutting / Engraving	33	14.67%
Piercing	78	34.67%
Arrowheads	11	4.89%
Microliths / Microburins	47	20.89%
Knives & Retouched Blades	3	1.33%
Daggers	0	
Axe / Adze (standard)	3	1.33%
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	2	0.89%
Other Core & Heavy Flake Tools	1	0.44%
Tanged Pieces	2	0.89%
Truncated Pieces	25	11.11%
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	1	0.44%
Total	225	100.00%

A1.27.3. Scar Direction. Tog Hill, Nr. Marshfield, Cold Aston. Assemblage 36

	0 Visible	1	2	3	Total
Flake					
Total No.	13	37	13	21	84
% flakes	15.48%	44.05%	15.48%	25.00%	
Narrow Flake					
Total No.	15	65	18	7	105
% narrow flakes	14.29%	61.90%	17.14%	6.67%	
Blade					
Total No.	20	115	14	2	151
% blades	13.25%	76.16%	9.27%	1.32%	
Other					
Total No.	59	100	32	20	211
% other	27.96%	47.39%	15.17%	9.48%	
Total Debitage	107	317	77	50	551
% total debitage	19.42%	57.53%	13.97%	9.07%	

A1.27.4. Platform Preparation. Tog Hill, Nr. Marshfield, Cold Aston. Assemblage 36

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	28	26	15	11	4	84
% flakes	33.33%	30.95%	17.86%	13.10%	4.76%	
Narrow Flake						
Total No.	42	11	47	0	5	105
% narrow flakes	40.00%	10.48%	44.76%	0.00%	4.76%	
Blade						
Total No.	62	5	81	1	2	151
% blades	41.06%	3.31%	53.64%	0.66%	1.32%	
Other						
Total No.	141	11	53	4	2	211
% other	66.82%	5.21%	25.12%	1.90%	0.95%	
Total Debitage	273	53	196	16	13	551
% total debitage	49.55%	9.62%	35.57%	2.90%	2.36%	

AI.27.5. Cortex.Tog Hill, Nr. Marsfield, Cold Aston. Assemblage 36

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platt. Only	Total
Flake									
Total No.	38	35	6	3	0	0	0	2	84
% flakes	45.24%	41.67%	7.14%	3.57%	0.00%	0.00%	0.00%	2.38%	
Narrow Flake									
Total No.	51	35	13	5	0	0	0	1	105
% narrow flakes	48.57%	33.33%	12.38%	4.76%	0.00%	0.00%	0.00%	0.95%	
Blade									
Total No.	113	148	96	9	3	212	0	0	581
% blades	19.45%	25.47%	16.52%	1.55%	0.52%	36.49%	0.00%	0.00%	
Other									
Total No.	136	64	5	2	2	1	0	1	211
% other	64.45%	30.33%	2.37%	0.95%	0.95%	0.47%	0.00%	0.47%	
Total Debitage									
Total Debitage	338	282	120	19	5	213	0	4	981
% total debitage	34.45%	28.75%	12.23%	1.94%	0.51%	21.71%	0.00%	0.41%	

A1.27.6. Flake Termination. Tog Hill, Nr. Marshfield, Cold Aston. Assemblage 36

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	62	7	0	1	14	84
% flakes	73.81%	8.33%	0.00%	1.19%	16.67%	
Narrow Flake						
Total No.	62	10	0	0	33	105
% narrow flakes	59.05%	9.52%	0.00%	0.00%	31.43%	
Blade						
Total No.	62	8	0	1	81	152
% blades	40.79%	5.26%	0.00%	0.66%	53.29%	
Other						
Total No.	60	5	0	5	141	211
% other	28.44%	2.37%	0.00%	2.37%	66.82%	
Total Debitage	246	30	0	7	269	552
% total debitage	44.57%	5.43%	0.00%	1.27%	48.73%	

A1.27.8. Core Scars. Tog Hill, Nr. Marshfield, Cold Aston. Assemblage 36

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	9	0	4	13
%	69.23%	0.00%	30.77%	
Core A2	18	0	1	19
%	94.74%	0.00%	5.26%	
Core B1	9	0	3	12
%	75.00%	0.00%	25.00%	
Core B2	1	0	1	2
%	50.00%	0.00%	50.00%	
Core B3	0	3	8	11
%	0.00%	27.27%	72.73%	
Core C	0	4	2	6
%	0.00%	66.67%	33.33%	
Core D	0	1	0	1
%	0.00%	100.00%	0.00%	
Core E	0	1	1	2
%	0.00%	50.00%	50.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	4	2	0	6
%	66.67%	33.33%	0.00%	
Total (exc. frags)	41	11	20	72
%	56.94%	15.28%	27.78%	

A1.27.7. Raw Materials.Tog Hill, Nr. Marshfield, Cold Aston. Assemblage 36

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	10	4	0	0	70	0	0	0	0	84
Total No.	11.90%	4.76%	0.00%	0.00%	83.33%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	8	11	0	0	86	0	0	0	0	105
Total No.	7.62%	10.48%	0.00%	0.00%	81.90%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	17	0	2	0	132	0	0	0	0	151
Total No.	11.26%	0.00%	1.32%	0.00%	87.42%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	21	4	3	0	183	0	0	0	0	211
Total No.	9.95%	1.90%	1.42%	0.00%	86.73%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	56	19	5	0	471	0	0	0	0	551
% total debitage	10.16%	3.45%	0.91%	0.00%	85.48%	0.00%	0.00%	0.00%	0.00%	
Total Cores	20	15	0	0	68	0	0	0	0	103
% cores	19.42%	14.56%	0.00%	0.00%	66.02%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	29	15	6	0	236	0	0	0	0	286
% tools etc	10.14%	5.24%	2.10%	0.00%	82.52%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	105	49	11	0	775	0	0	0	0	940
% Assemblage	11.17%	5.21%	1.17%	0.00%	82.45%	0.00%	0.00%	0.00%	0.00%	

A1.27.9. Core Weights and Dimensions. Tog Hill, Nr. Marshfield, Cold Aston. Assemblage 36

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	17.38	34.95	26.65	19.80
Core A2	19.16	37.88	27.48	19.48
Core B1	29.25	42.50	26.93	21.44
Core B2	20.00	34.25	32.70	21.90
Core B3	32.09	36.55	29.30	21.74
Core C	24.50	32.98	26.12	23.22
Core D	6.00	23.60	21.00	14.60
Core E	14.50	31.20	27.45	19.70
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	18.00	40.22	31.07	15.93
All cores (excl. frags)	22.56	37.22	27.76	20.23
Core frags	16.74			

*A1.27.10. Length:Width Index.
Tog Hill, Nr. Marshfield, Cold Aston.
Assemblage 36*

	No.	%
<0.6	5	2.79%
0.6-1.0	26	14.53%
1.1-1.5	26	14.53%
1.6-2.0	39	21.79%
2.1-2.5	36	20.11%
>2.5	47	26.26%
Total	179	100.00%

*A1.27.11. Thickness (mm).
Tog Hill, Nr. Marshfield, Cold Aston.
Assemblage 36*

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	6	3.35%
3.1-4	12	6.70%
4.1-5	25	13.97%
5.1-6	24	13.41%
6.1-7	22	12.29%
7.1-8	12	6.70%
8.1-9	24	13.41%
9.1-10	19	10.61%
10.1-11	9	5.03%
11.1-12	7	3.91%
12.1-13	4	2.23%
13.1-14	5	2.79%
14.1-15	4	2.23%
15.1-16	1	0.56%
16.1-17	1	0.56%
17.1-18	3	1.68%
>18	1	0.56%
Total	179	100.00%

A1.28.1. Balance of Assemblage.Trinity Farm. Assemblage 15

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	96	77.42%
Cores	8	6.45%
Unmodified	0	0.00%
Unclassifiable burnt	1	0.81%
Trimmed / Worn	0	0.00%
Misc. Retouched	1	0.81%
Tools (classifiable excl. gunflints)	18	14.52%
Gunflints	0	0.00%
Total	124	100.00%

A1.28.2. Breakdown of Tools (classifiable).Trinity Farm. Assemblage 15

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	1	5.56%
Scrapers	13	72.22%
Sawing / Cutting / Engraving	3	16.67%
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	1	5.56%
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	18	100.00%

A1.28.3. Scar Direction. Trinity Farm. Assemblage 15

	0 Visible	1	2	3	Total	
Flake						
Total No.	9	7	2	0	18	
% flakes	50.00%	38.89%	11.11%	0.00%		0.00%
Narrow Flake						
Total No.	0	3	0	0	3	
% narrow flakes	0.00%	100.00%	0.00%	0.00%		0.00%
Blade						
Total No.	1	0	0	0	1	
% blades	100.00%	0.00%	0.00%	0.00%		0.00%
Other						
Total No.	41	14	17	2	74	
% other	55.41%	18.92%	22.97%			2.70%
Total Debitage	51	24	19	2	96	
% total debitage	53.13%	25.00%	19.79%			2.08%

A1.28.4. Platform Preparation. Trinity Farm. Assemblage 15

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	5	7	6	0	0	18
% flakes	27.78%	38.89%	33.33%	0.00%	0.00%	0.00%
Narrow Flake						
Total No.	0	0	2	1	0	3
% narrow flakes	0.00%	0.00%	66.67%	33.33%		0.00%
Blade						
Total No.	1	0	0	0	0	1
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Other						
Total No.	44	10	16	3	1	74
% other	59.46%	13.51%	21.62%	4.05%		1.35%
Total Debitage	50	17	24	4	1	96
% total debitage	52.08%	17.71%	25.00%	4.17%		1.04%

A1.28.5. Cortex Trinity Farm. Assemblage 15

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100% All Cortex	Platf. Only	Total
Flake								
Total No.	13	0	2	2	0	1	0	18
% flakes	72.22%	0.00%	11.11%	11.11%	0.00%	5.56%	0.00%	0.00%
Narrow Flake								
Total No.	2	1	0	0	0	0	0	3
% narrow flakes	66.67%	33.33%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Blade								
Total No.	1	0	0	0	0	0	0	1
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Other								
Total No.	62	5	2	2	0	0	0	74
% other	83.78%	6.76%	2.70%	2.70%	0.00%	0.00%	0.00%	4.05%
Total Debitage	78	6	4	4	0	1	0	96
% total debitage	81.25%	6.25%	4.17%	4.17%	0.00%	1.04%	0.00%	3.13%

A1.28.6. Flake Termination. Trinity Farm. Assemblage 15

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	11	5	2	0	0	18
% flakes	61.11%	27.78%	11.11%	0.00%	0.00%	
Narrow Flake						
Total No.	2	1	0	0	0	3
% narrow flakes	66.67%	33.33%	0.00%	0.00%	0.00%	
Blade						
Total No.	0	0	0	0	1	1
% blades	0.00%	0.00%	0.00%	0.00%	100.00%	
Other						
Total No.	32	2	2	0	38	74
% other	43.24%	2.70%	2.70%	0.00%	51.35%	
Total Debitage	45	8	4	0	39	96
% total debitage	46.88%	8.33%	4.17%	0.00%	40.63%	

A1.28.8. Core Scars. Trinity Farm. Assemblage 36

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	1	1
%	0.00%	0.00%	100.00%	
Core B1	2	0	0	2
%	100.00%	0.00%	0.00%	
Core B2	1	0	0	1
%	100.00%	0.00%	0.00%	
Core B3	0	1	1	2
%	0.00%	50.00%	50.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	1	0	1
%	0.00%	0.00%	0.00%	
Total (exc. frags)	3	2	2	7
%	42.86%	28.57%	28.57%	

Al.28.7. Raw Materials, Trinity Farm, Assemblage 15

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	17	0	0	1	0	0	0	0	0	18
Total No.	94.44%	0.00%	0.00%	5.56%	0.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	3	0	0	0	0	0	0	0	0	3
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	1	0	0	0	0	0	0	0	0	1
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	69	0	0	0	5	0	0	0	0	74
Total No.	93.24%	0.00%	0.00%	0.00%	6.76%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	90	0	0	1	5	0	0	0	0	96
% total debitage	93.75%	0.00%	0.00%	1.04%	5.21%	0.00%	0.00%	0.00%	0.00%	
Total Cores	8	0	0	0	0	0	0	0	0	8
% cores	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	15	0	0	0	5	0	0	0	0	20
% tools etc	75.00%	0.00%	0.00%	0.00%	25.00%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	113	0	0	1	10	0	0	0	0	124
% Assemblage	91.13%	0.00%	0.00%	0.81%	8.06%	0.00%	0.00%	0.00%	0.00%	

A1.28.9. Core Weights and Dimensions. Trinity Farm. Assemblage 15

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	4.00	29.90	29.30	9.30
Core B1	4.00	30.00	21.40	11.58
Core B2	6.00	35.10	25.60	10.70
Core B3	3.50	31.70	19.85	12.00
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	8.00	38.60	25.20	12.00
All cores (excl. frags)	4.71	32.43	22.53	10.57
Core frags	2.00			

A1.28.10. Length:Width Index.
Trinity Farm. Assemblage 15

	No.	%
<0.6	0	0.00%
0.6-1.0	4	44.44%
1.1-1.5	1	11.11%
1.6-2.0	2	22.22%
2.1-2.5	1	11.11%
>2.5	1	11.11%
Total	9	100.00%

A1.28.11. Thickness (mm).
Trinity Farm. Assemblage 15

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	1	11.11%
4.1-5	1	11.11%
5.1-6	1	11.11%
6.1-7	4	44.44%
7.1-8	1	11.11%
8.1-9	0	0.00%
9.1-10	0	0.00%
10.1-11	0	0.00%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	1	11.11%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	9	100.00%

A1.29.1. Balance of Assemblage.St. Augustine's Farm. Assemblage 16

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	19	95.00%
Cores	1	5.00%
Unmodified	0	0.00%
Unclassifiable burnt	0	0.00%
Trimmed / Worn	0	0.00%
Misc. Retouched	0	0.00%
Tools (classifiable excl. gunflints)	0	0.00%
Gunflints	0	0.00%
Total	20	100.00%

A1.29.2. Breakdown of Tools (classifiable).St. Augustine's Farm. Assemblage 16

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	0	
Sawing / Cutting / Engraving	0	
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	0	0.00%

A1.29.3. Scar Direction. St. Augustine's Farm. Assemblage 16

	0 Visible	1	2	3	Total
Flake					
Total No.	1	2	2	0	5
% flakes	20.00%	40.00%	40.00%	0.00%	
Narrow Flake					
Total No.	0	0	1	0	1
% narrow flakes	0.00%	0.00%	100.00%	0.00%	
Blade					
Total No.	0	1	1	0	2
% blades	0.00%	50.00%	50.00%	0.00%	
Other					
Total No.	4	5	2	0	11
% other	36.36%	45.45%	18.18%	0.00%	
Total Debitage	5	8	6	0	19
% total debitage	26.32%	42.11%	31.58%	0.00%	

A1.29.4. Platform Preparation. St. Augustine's Farm. Assemblage 16

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	0	2	1	2	0	5
% flakes	0.00%	40.00%	20.00%	40.00%	0.00%	
Narrow Flake						
Total No.	0	1	0	0	0	1
% narrow flakes	0.00%	100.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	2	0	0	0	0	2
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	4	1	4	0	2	11
% other	36.36%	9.09%	36.36%	0.00%	18.18%	
Total Debitage	6	4	5	2	2	19
% total debitage	31.58%	21.05%	26.32%	10.53%	10.53%	

A1.29.5. Cortex.St. Augustine's Farm. Assemblage 16

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	3	1	1	0	0	0	0	0	5
% flakes	60.00%	20.00%	20.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	0	0	1	0	0	0	0	0	1
% narrow flakes	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	1	0	0	1	0	0	0	0	2
% blades	50.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	8	1	0	0	1	0	0	1	11
% other	72.73%	9.09%	0.00%	0.00%	9.09%	0.00%	0.00%	9.09%	
Total Debitage	12	2	2	1	1	0	0	1	19
% total debitage	63.16%	10.53%	10.53%	5.26%	5.26%	0.00%	0.00%	5.26%	

A1.29.6. Flake Termination, St. Augustine's Farm, Assemblage 16

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	1	1	1	0	2	5
% flakes	20.00%	20.00%	20.00%	0.00%	40.00%	
Narrow Flake						
Total No.	0	1	0	0	0	1
% narrow flakes	0.00%	100.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	1	0	0	0	1	2
% blades	50.00%	0.00%	0.00%	0.00%	50.00%	
Other						
Total No.	2	2	0	1	6	11
% other	18.18%	18.18%	0.00%	9.09%	54.55%	
Total Debitage	4	4	1	1	9	19
% total debitage	21.05%	21.05%	5.26%	5.26%	47.37%	

A1.29.8. Core Scars, St. Augustine's Farm, Assemblage 16

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	0	0	0
%	0.00%	0.00%	0.00%	

A1.29.7. Raw Materials. St. Augustine's Farm. Assemblage 16

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	5	0	0	0	0	0	0	0	0	5
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	1	0	0	0	0	0	0	0	0	1
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	1	0	0	0	1	0	0	0	0	2
Total No.	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	7	0	0	0	4	0	0	0	0	11
Total No.	63.64%	0.00%	0.00%	0.00%	36.36%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	14	0	0	0	5	0	0	0	0	19
% total debitage	73.68%	0.00%	0.00%	0.00%	26.32%	0.00%	0.00%	0.00%	0.00%	
Total Cores	1	0	0	0	0	0	0	0	0	1
% cores	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	0	0	0	0	0	0	0	0	0	0
% tools etc	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	15	0	0	0	5	0	0	0	0	20
% Assemblage	75.00%	0.00%	0.00%	0.00%	25.00%	0.00%	0.00%	0.00%	0.00%	

A1.29.9. Core Weights and Dimensions. St. Augustine's Farm. Assemblage 16

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	N/A	N/A	N/A	N/A
Core frags	18.00			

A1.29.10. Length:Width Index.
St. Augustine's Farm. Assemblage 16

	No.	%
<0.6	1	20.00%
0.6-1.0	1	20.00%
1.1-1.5	0	0.00%
1.6-2.0	1	20.00%
2.1-2.5	1	20.00%
>2.5	1	20.00%
Total	5	100.00%

A1.29.11. Thickness (mm).
St. Augustine's Farm. Assemblage 16

	No.	%
0-1	1	20.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	0	0.00%
4.1-5	1	20.00%
5.1-6	0	0.00%
6.1-7	0	0.00%
7.1-8	1	20.00%
8.1-9	1	20.00%
9.1-10	0	0.00%
10.1-11	0	0.00%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	1	20.00%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	5	100.00%

A1.30.1. Balance of Assemblage.Norcote Farm. Assemblage 319

BALANCE OF ASSEMBLAGE	No.	% of Total		
Debitage / Prep.	27	71.05%		
Cores	3	7.89%		
Unmodified	0	0.00%		
Unclassifiable burnt	1	2.63%		
Trimmed / Worn	0	0.00%		
Misc. Retouched	2	5.26%		
Tools (classifiable excl. gunflints)			5	13.16%
Gunflints	0	0.00%		
Total	38	100.00%		

A1.30.2. Breakdown of Tools (classifiable).Norcote Farm. Assemblage 319

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	3	60.00%
Sawing / Cutting / Engraving	2	40.00%
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	5	100.00%

A1.30.3. Scar Direction. Norcote Farm. Assemblage 319

	0 Visible	1	2	3	Total
Flake					
Total No.	1	1	2	1	5
% flakes	20.00%	20.00%	40.00%	20.00%	
Narrow Flake					
Total No.	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	
Blade					
Total No.	2	2	0	0	4
% blades	50.00%	50.00%	0.00%	0.00%	
Other					
Total No.	5	10	1	2	18
% other	27.78%	55.56%	5.56%	11.11%	
Total Debitage	8	13	3	3	27
% total debitage	29.63%	48.15%	11.11%	11.11%	

A1.30.4. Platform Preparation. Norcote Farm. Assemblage 319

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	1	1	2	0	1	5
% flakes	20.00%	20.00%	40.00%	0.00%	20.00%	
Narrow Flake						
Total No.	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	1	0	2	0	1	4
% blades	25.00%	0.00%	50.00%	0.00%	25.00%	
Other						
Total No.	15	1	1	0	1	18
% other	83.33%	5.56%	5.56%	0.00%	5.56%	
Total Debitage	17	2	5	0	3	27
% total debitage	62.96%	7.41%	18.52%	0.00%	11.11%	

A1.30.5. Cortex. Norcote Farm. Assemblage 319

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%:All Cortex	Plattf. Only	Total
Flake								
Total No.	2	3	0	0	0	0	0	5
% flakes	40.00%	60.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake								
Total No.	0	0	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade								
Total No.	3	1	0	0	0	0	0	4
% blades	75.00%	25.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other								
Total No.	15	3	0	0	0	0	0	18
% other	83.33%	16.67%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total Debitage								
Total Debitage	20	7	0	0	0	0	0	27
% total debitage	74.07%	25.93%	0.00%	0.00%	0.00%	0.00%	0.00%	

A1.30.6. Flake Termination. Norcote Farm. Assemblage 319

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	4	0	0	0	1	5
% flakes	80.00%	0.00%	0.00%	0.00%	20.00%	
Narrow Flake						
Total No.	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	2	0	0	0	2	4
% blades	50.00%	0.00%	0.00%	0.00%	50.00%	
Other						
Total No.	5	0	0	0	13	18
% other	27.78%	0.00%	0.00%	0.00%	72.22%	
Total Debitage	11	0	0	0	16	27
% total debitage	40.74%	0.00%	0.00%	0.00%	59.26%	

A1.30.8. Core Scars. Norcote Farm. Assemblage 319

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	1	0	0	1
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	1	1
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	1	1
%	0.00%	0.00%	0.00%	
Total (exc. frags)	1	0	2	3
%	0.00%	0.00%	0.00%	

A1.30.7. Raw Materials.Norcote Farm. Assemblage 319

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	2	0	0	0	3	0	0	0	0	5
Total No.	40.00%	0.00%	0.00%	0.00%	60.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	0	0	0	0	0	0	0	0	0	0
Total No.	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	0	0	0	0	4	0	0	0	0	4
Total No.	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	7	0	0	0	11	0	0	0	0	18
Total No.	38.89%	0.00%	0.00%	0.00%	61.11%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	9	0	0	0	18	0	0	0	0	27
% total debitage	33.33%	0.00%	0.00%	0.00%	66.67%	0.00%	0.00%	0.00%	0.00%	
Total Cores	0	0	0	1	2	0	0	0	0	3
% cores	0.00%	0.00%	0.00%	#####	66.67%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	4	0	1	0	3	0	0	0	0	8
% tools etc	50.00%	0.00%	12.50%	0.00%	37.50%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	13	0	1	1	23	0	0	0	0	38
% Assemblage	34.21%	0.00%	2.63%	2.63%	60.53%	0.00%	0.00%	0.00%	0.00%	

A1.30.9. Core Weights and Dimensions. Norcote Farm. Assemblage 319

Core Wts & Dimensions	Av.Wt(g)	Av.Length(mm)	Av.Width	Av.Thickness
Core A1	30.00	43.50	34.90	20.10
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	8.00	30.20	23.20	12.40
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	6.00	33.90	21.00	9.10
All cores (excl.frag)	14.67	35.87	26.37	13.87
Core frags	N/A			

A1.30.10. Length:Width Index.
Norcote Farm. Assemblage 319

	No.	%
<0.6	0	0.00%
0.6-1.0	2	33.33%
1.1-1.5	3	50.00%
1.6-2.0	0	0.00%
2.1-2.5	0	0.00%
>2.5	1	16.67%
Total	6	100.00%

A1.30.11. Thickness (mm).
Norcote Farm. Assemblage 319

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	0	0.00%
4.1-5	0	0.00%
5.1-6	3	50.00%
6.1-7	2	33.33%
7.1-8	1	16.67%
8.1-9	0	0.00%
9.1-10	0	0.00%
10.1-11	0	0.00%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	0	0.00%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	6	100.00%

A1.31.1. Balance of Assemblage.Norcote, Preston. Assemblage 205

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	526	79.10%
Cores	63	9.47%
Unmodified	0	0.00%
Unclassifiable burnt	26	3.91%
Trimmed / Worn	2	0.30%
Misc. Retouched	4	0.60%
Tools(classifiable excl.gunflints)	44	6.62%
Gunflints	0	0.00%
Total	665	100.00%

A1.31.2. Breakdown of Tools (classifiable).Norcote, Preston. Assemblage 205

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	29	65.91%
Sawing / Cutting / Engraving	4	9.09%
Piercing	2	4.55%
Arrowheads	4	9.09%
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	2	4.55%
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	2	4.55%
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	1	2.27%
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	44	100.00%

A1.31.3. Scar Direction. Norcote, Preston. Assemblage 205

	0 Visible	1	2	3	Total
Flake					
Total No.	27	42	31	60	160
% flakes	16.88%	26.25%	19.38%	37.50%	
Narrow Flake					
Total No.	13	29	19	9	70
% narrow flakes	18.57%	41.43%	27.14%	12.86%	
Blade					
Total No.	4	19	5	0	28
% blades	14.29%	67.86%	17.86%	0.00%	
Other					
Total No.	104	85	35	44	268
% other	38.81%	31.72%	13.06%	16.42%	
Total Debitage	148	175	90	113	526
% total debitage	28.14%	33.27%	17.11%	21.48%	

A1.31.4. Platform Preparation. Norcote, Preston. Assemblage 205

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	50	40	38	29	3	160
% flakes	31.25%	25.00%	23.75%	18.13%	1.88%	
Narrow Flake						
Total No.	26	11	27	6	0	70
% narrow flakes	37.14%	15.71%	38.57%	8.57%	0.00%	
Blade						
Total No.	6	0	21	0	1	28
% blades	21.43%	0.00%	75.00%	0.00%	3.57%	
Other						
Total No.	168	22	55	16	7	268
% other	62.69%	8.21%	20.52%	5.97%	2.61%	
Total Debitage	250	73	141	51	11	526
% total debitage	47.53%	13.88%	26.81%	9.70%	2.09%	

A1.31.5. Cortex. Norcole, Preston. Assemblage 205

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100% All Cortex	Platf. Only	Total
Flake								
Total No.	94	35	13	11	5	0	0	2
% flakes	58.75%	21.88%	8.13%	6.88%	3.13%	0.00%	0.00%	1.25%
Narrow Flake								
Total No.	44	13	8	3	1	0	0	1
% narrow flakes	62.86%	18.57%	11.43%	4.29%	1.43%	0.00%	0.00%	1.43%
Blade								
Total No.	23	2	3	0	0	0	0	0
% blades	82.14%	7.14%	10.71%	0.00%	0.00%	0.00%	0.00%	0.00%
Other								
Total No.	193	53	15	3	2	0	0	2
% other	72.01%	19.78%	5.60%	1.12%	0.75%	0.00%	0.00%	0.75%
Total Debitage	354	103	39	17	8	0	0	5
% total debitage	67.30%	19.58%	7.41%	3.23%	1.52%	0.00%	0.00%	0.95%

A1.31.6. Flake Termination. Norcote, Preston. Assemblage 205

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	117	14	3	0	26	160
% flakes	73.13%	8.75%	1.88%	0.00%	16.25%	
Narrow Flake						
Total No.	45	2	1	0	22	70
% narrow flakes	64.29%	2.86%	1.43%	0.00%	31.43%	
Blade						
Total No.	11	2	0	0	15	28
% blades	39.29%	7.14%	0.00%	0.00%	53.57%	
Other						
Total No.	101	7	2	0	158	268
% other	37.69%	2.61%	0.75%	0.00%	58.96%	
Total Debitage	274	25	6	0	221	526
% total debitage	52.09%	4.75%	1.14%	0.00%	42.02%	

A1.31.8. Core Scars. Norcote, Preston. Assemblage 205

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	1	0	1	2
%	50.00%	0.00%	50.00%	
Core A2	1	0	1	2
%	50.00%	0.00%	50.00%	
Core B1	0	0	2	2
%	0.00%	0.00%	100.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	1	5	6
%	0.00%	16.67%	83.33%	
Core C	0	7	0	7
%	0.00%	100.00%	0.00%	
Core D	0	4	0	4
%	0.00%	100.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	1	0	1
%	0.00%	100.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	4	0	4
%	0.00%	0.00%	0.00%	
Total (exc. frags)	2	17	9	28
%	7.14%	60.71%	32.14%	

A1.31.7. Raw Materials, Norcoale, Preston. Assemblage 205

Raw Materials	Patinated Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	123	4	4	0	29	0	0	0	160
Total No.	76.88%	2.50%	2.50%	0.00%	18.13%	0.00%	0.00%	0.00%	
% flakes									
Narrow Flake	52	0	0	0	18	0	0	0	70
Total No.	74.29%	0.00%	0.00%	0.00%	25.71%	0.00%	0.00%	0.00%	
% narrow flakes									
Blade	21	0	2	0	5	0	0	0	28
Total No.	75.00%	0.00%	7.14%	0.00%	17.86%	0.00%	0.00%	0.00%	
% blades									
Other debitage	212	3	6	0	47	0	0	0	268
Total No.	79.10%	1.12%	2.24%	0.00%	17.54%	0.00%	0.00%	0.00%	
% other debitage									
Total Debitage	408	7	12	0	99	0	0	0	526
% total debitage	77.57%	1.33%	2.28%	0.00%	18.82%	0.00%	0.00%	0.00%	
Total Cores	44	2	2	0	15	0	0	0	63
% cores	69.84%	3.17%	3.17%	0.00%	23.81%	0.00%	0.00%	0.00%	
Total tools etc	55	0	2	0	19	0	0	0	76
% tools etc	72.37%	0.00%	2.63%	0.00%	25.00%	0.00%	0.00%	0.00%	
Total Assemblage	507	9	16	0	133	0	0	0	665
% Assemblage	76.24%	1.35%	2.41%	0.00%	20.00%	0.00%	0.00%	0.00%	

A1.31.9. Core Weights and Dimensions. Norcote, Preston. Assemblage 319

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	14.00	35.25	20.10	17.15
Core A2	18.50	35.15	27.60	22.30
Core B1	18.50	35.15	27.60	22.30
Core B2	N/A	N/A	N/A	N/A
Core B3	9.67	28.32	22.10	16.47
Core C	14.14	34.91	23.17	17.57
Core D	16.25	31.98	26.13	18.58
Core E	N/A	N/A	N/A	N/A
Core Levallois	6.00	24.90	20.70	14.20
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	14.82	32.40	24.28	18.03

A1.31.10. Length:Width Index.
Norcote, Preston. Assemblage 319

	No.	%
<0.6	6	4.17%
0.6-1.0	48	33.33%
1.1-1.5	50	34.72%
1.6-2.0	25	17.36%
2.1-2.5	8	5.56%
>2.5	7	4.86%
Total	144	100.00%

A1.31.11. Thickness (mm).
Norcote, Preston. Assemblage 319

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	1	0.69%
3.1-4	7	4.86%
4.1-5	14	9.72%
5.1-6	18	12.50%
6.1-7	14	9.72%
7.1-8	16	11.11%
8.1-9	16	11.11%
9.1-10	12	8.33%
10.1-11	14	9.72%
11.1-12	7	4.86%
12.1-13	6	4.17%
13.1-14	2	1.39%
14.1-15	8	5.56%
15.1-16	1	0.69%
16.1-17	3	2.08%
17.1-18	1	0.69%
>18	4	2.78%
Total	144	100.00%

A1.32.1. Balance of Assemblage. Yellow School Copse, Preston. Assemblage 320

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	100	75.19%
Cores	12	9.02%
Unmodified	0	0.00%
Unclassifiable burnt	3	2.26%
Trimmed / Worn	0	0.00%
Misc. Retouched	3	2.26%
Tools (classifiable excl. gunflints)	15	11.28%
Gunflints	0	0.00%
Total	133	100.00%

A1.32.2. Breakdown of Tools (classifiable). Yellow School Copse, Preston. Assemblage 320

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	11	73.33%
Sawing / Cutting / Engraving	3	20.00%
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	1	6.67%
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	15	100.00%

A1.32.3. Scar Direction. Yellow School Copse, Preston. Assemblage 320

	0 Visible	1	2	3	Total
Flake					
Total No.	6	13	5	8	32
% flakes	18.75%	40.63%	15.63%	25.00%	
Narrow Flake					
Total No.	2	6	2	2	12
% narrow flakes	16.67%	50.00%	16.67%	16.67%	
Blade					
Total No.	3	10	2	1	16
% blades	18.75%	62.50%	12.50%	6.25%	
Other					
Total No.	13	11	4	12	40
% other	32.50%	27.50%	10.00%	30.00%	
Total Debitage	24	40	13	23	100
% total debitage	24.00%	40.00%	13.00%	23.00%	

A1.32.4. Platform Preparation. Yellow School Copse, Preston. Assemblage 320

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	8	12	9	2	1	32
% flakes	25.00%	37.50%	28.13%	6.25%	3.13%	
Narrow Flake						
Total No.	3	2	5	0	2	12
% narrow flakes	25.00%	16.67%	41.67%	0.00%	16.67%	
Blade						
Total No.	4	0	10	1	1	16
% blades	25.00%	0.00%	62.50%	6.25%	6.25%	
Other						
Total No.	22	4	13	0	1	40
% other	55.00%	10.00%	32.50%	0.00%	2.50%	
Total Debitage	37	18	37	3	5	100
% total debitage	37.00%	18.00%	37.00%	3.00%	5.00%	

A1.32.5. Cortex. Yellow School Copse, Preston. Assemblage 320

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Plattf. Only	Total
Flake									
Total No.	17	10	3	2	0	0	0	0	32
% flakes	53.13%	31.25%	9.38%	6.25%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	7	3	0	1	1	0	0	0	12
% narrow flakes	58.33%	25.00%	0.00%	8.33%	8.33%	0.00%	0.00%	0.00%	
Blade									
Total No.	10	3	1	1	0	0	0	1	16
% blades	62.50%	18.75%	6.25%	6.25%	0.00%	0.00%	0.00%	6.25%	
Other									
Total No.	25	10	3	1	0	0	0	1	40
% other	62.50%	25.00%	7.50%	2.50%	0.00%	0.00%	0.00%	2.50%	
Total Debitage	59	26	7	5	1	0	0	2	100
% total debitage	59.00%	26.00%	7.00%	5.00%	1.00%	0.00%	0.00%	2.00%	

A1.32.6. Flake Termination. Yellow School Copse, Preston. Assemblage 320

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	21	5	2	0	4	32
% flakes	65.63%	15.63%	6.25%	0.00%	12.50%	
Narrow Flake						
Total No.	8	1	0	1	2	12
% narrow flakes	66.67%	8.33%	0.00%	8.33%	16.67%	
Blade						
Total No.	4	1	0	0	11	16
% blades	25.00%	6.25%	0.00%	0.00%	68.75%	
Other						
Total No.	13	3	0	0	24	40
% other	32.50%	7.50%	0.00%	0.00%	60.00%	
Total Debitage	46	10	2	1	41	100
% total debitage	46.00%	10.00%	2.00%	1.00%	41.00%	

A1.32.8. Core Scars. Yellow School Copse, Preston. Assemblage 320

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	1	1	2	4
%	25.00%	25.00%	50.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	3	0	3
%	0.00%	100.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	1	0	1
%	0.00%	100.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	1	5	2	8
%	12.50%	62.50%	25.00%	

A1.32.7. Raw Materials. Yellow School Copse, Preston. Assemblage 320

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	24	0	1	0	7	0	0	0	0	32
Total No.	75.00%	0.00%	3.13%	0.00%	21.88%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	5	2	1	0	4	0	0	0	0	12
Total No.	41.67%	16.67%	8.33%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	8	1	1	0	6	0	0	0	0	16
Total No.	50.00%	6.25%	6.25%	0.00%	37.50%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	19	0	1	0	20	0	0	0	0	40
Total No.	47.50%	0.00%	2.50%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	56	3	4	0	37	0	0	0	0	100
% total debitage	56.00%	3.00%	4.00%	0.00%	37.00%	0.00%	0.00%	0.00%	0.00%	
Total Cores	5	0	1	0	6	0	0	0	0	12
% cores	41.67%	0.00%	8.33%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	10	0	2	0	9	0	0	0	0	21
% tools etc	47.62%	0.00%	9.52%	0.00%	42.86%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	71	3	7	0	52	0	0	0	0	133
% Assemblage	53.38%	2.26%	5.26%	0.00%	39.10%	0.00%	0.00%	0.00%	0.00%	

A1.32.9. Core Weights and Dimensions. Yellow School Copse, Preston. Assemblage 320

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	24.25	33.00	27.93	21.70
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	29.00	26.73	20.03	15.40
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	96.00	71.50	51.90	37.80
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	35.00	35.46	27.96	21.35
Core frags	11.75			

A1.32.10. Length:Width Index.
Yellow School Copse, Preston.
Assemblage 320

	No.	%
<0.6	1	3.70%
0.6-1.0	12	44.44%
1.1-1.5	6	22.22%
1.6-2.0	7	25.93%
2.1-2.5	1	3.70%
>2.5	0	0.00%
Total	27	100.00%

A1.32.11. Thickness (mm).
Yellow School Copse, Preston.
Assemblage 320

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	2	7.41%
3.1-4	0	0.00%
4.1-5	2	7.41%
5.1-6	3	11.11%
6.1-7	5	18.52%
7.1-8	1	3.70%
8.1-9	3	11.11%
9.1-10	3	11.11%
10.1-11	4	14.81%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	2	7.41%
14.1-15	1	3.70%
15.1-16	0	0.00%
16.1-17	1	3.70%
17.1-18	0	0.00%
>18	0	0.00%

A1.33.1. Balance of Assemblage. Hare Bushes North. Assemblage 317

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	10	55.56%
Cores	2	11.11%
Unmodified	0	0.00%
Unclassifiable burnt	0	0.00%
Trimmed / Worn	3	16.67%
Misc. Retouched	1	5.56%
Tools(classifiable excl.gunflints)	2	11.11%
Gunflints	0	0.00%
Total	18	100.00%

A1.33.2. Breakdown of Tools (classifiable). Hare Bushes North. Assemblage 317

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	0	
Sawing / Cutting / Engraving	1	50.00%
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	1	50.00%
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	2	100.00%

A1.33.3. Scar Direction. Hare Bushes North. Assemblage 317

	0 Visible	1	2	3	Total
Flake					
Total No.	0	0	0	0	0
% flakes	0.00%	0.00%	0.00%	0.00%	
Narrow Flake					
Total No.	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	
Blade					
Total No.	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	
Other					
Total No.	7	1	1	1	10
% other	70.00%	10.00%	10.00%	10.00%	
Total Debitage	7	1	1	1	10
% total debitage	70.00%	10.00%	10.00%	10.00%	

A1.33.4. Platform Preparation. Hare Bushes North. Assemblage 317

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	0	0	0	0	0	0
% flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake						
Total No.	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	5	2	3	0	0	10
% other	50.00%	20.00%	30.00%	0.00%	0.00%	
Total Debitage	5	2	3	0	0	10
% total debitage	50.00%	20.00%	30.00%	0.00%	0.00%	

A1.33.5. Cortex. Hare Bushes North. Assemblage 317

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	0	0	0	0	0	0	0	0	0
% flakes	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	0	0	0	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	0	0	0	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	6	2	0	1	0	0	0	1	10
% other	60.00%	20.00%	0.00%	10.00%	0.00%	0.00%	0.00%	10.00%	
Total Debitage	6	2	0	1	0	0	0	1	10
% total debitage	60.00%	20.00%	0.00%	10.00%	0.00%	0.00%	0.00%	10.00%	

A1.33.6. Flake Termination. Hare Bushes North. Assemblage 317

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	0	0	0	0	0	0
% flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake						
Total No.	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	2	0	0	0	8	10
% other	20.00%	0.00%	0.00%	0.00%	80.00%	
Total Debitage	2	0	0	0	8	10
% total debitage	20.00%	0.00%	0.00%	0.00%	80.00%	

A1.33.8. Core Scars. Hare Bushes North. Assemblage 317

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	1	0	1
%	0.00%	100.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	1	0	1
%	0.00%	100.00%	0.00%	

A1.33.7. Raw Materials. Hare Bushes North. Assemblage 317

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale
Flake	0	0	0	0	0	0	0	0	0
Total No.	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
% flakes									
Narrow Flake	0	0	0	0	0	0	0	0	0
Total No.	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
% narrow flakes									
Blade	0	0	0	0	0	0	0	0	0
Total No.	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
% blades									
Other debitage	7	0	0	0	3	0	0	0	0
Total No.	70.00%	0.00%	0.00%	0.00%	30.00%	0.00%	0.00%	0.00%	0.00%
% other debitage									
Total Debitage	7	0	0	0	3	0	0	0	0
% total debitage	70.00%	0.00%	0.00%	0.00%	30.00%	0.00%	0.00%	0.00%	0.00%
Total Cores	1	0	0	0	1	0	0	0	0
% cores	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%
Total tools etc	3	0	0	0	2	0	1	0	0
% tools etc	50.00%	0.00%	0.00%	0.00%	33.33%	0.00%	16.67%	0.00%	0.00%
Total Assemblage	11	0	0	0	6	0	1	0	0
% Assemblage	61.11%	0.00%	0.00%	0.00%	33.33%	0.00%	5.56%	0.00%	0.00%

A1.33.9. Core Weights and Dimensions. Hare Bushes North. Assemblage 317

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	18.00	29.20	28.50	20.10
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores(excl.frag)s	N/A	N/A	N/A	N/A
Core frags	6.00			

A1.33.10. Length:Width Index.
Hare Bushes North.
Assemblage 317

	No.	%
<0.6	0	0.00%
0.6-1.0	0	0.00%
1.1-1.5	0	0.00%
1.6-2.0	1	100.00%
2.1-2.5	0	0.00%
>2.5	0	0.00%
Total	1	100.00%

A1.33.11. Thickness (mm).
Hare Bushes North.
Assemblage 317

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	0	0.00%
4.1-5	1	100.00%
5.1-6	0	0.00%
6.1-7	0	0.00%
7.1-8	0	0.00%
8.1-9	0	0.00%
9.1-10	0	0.00%
10.1-11	0	0.00%
11.1-12	0	0.00%
12.1-13	0	0.00%
13.1-14	0	0.00%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	1	100.00%

A1.34.1. Balance of Assemblage. Hare Bushes Area, Baunton. Assemblage 322

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	21	63.64%
Cores	3	9.09%
Unmodified	0	0.00%
Unclassifiable burnt	3	9.09%
Trimmed / Worn	0	0.00%
Misc. Retouched	2	6.06%
Tools(classifiable excl.gunflints)	4	12.12%
Gunflints	0	0.00%
Total	33	100.00%

A1.34.2. Breakdown of Tools (classifiable). Hare Bushes Area, Baunton. Assemblage 322

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	..
Scrapers	3	75.00%
Sawing / Cutting / Engraving	0	
Piercing	0	
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	1	25.00%
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	4	100.00%

A1.34.3. Scar Direction. Hare Bushes Area, Baunton. Assemblage 322

	0 Visible	1	2	3	Total
Flake					
Total No.	2	2	2	0	6
% flakes	33.33%	33.33%	33.33%	0.00%	
Narrow Flake					
Total No.	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	
Blade					
Total No.	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	
Other					
Total No.	9	4	1	1	15
% other	60.00%	26.67%	6.67%	6.67%	
Total Debitage	11	6	3	1	21
% total debitage	52.38%	28.57%	14.29%	4.76%	

A1.34.4. Platform Preparation. Hare Bushes Area, Baunton. Assemblage 322

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	1	2	2	0	1	6
% flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake						
Total No.	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	11	2	2	0	0	15
% other	73.33%	13.33%	13.33%	0.00%	0.00%	
Total Debitage	12	4	4	0	1	21
% total debitage	57.14%	19.05%	19.05%	0.00%	4.76%	

A1.34.5. Cortex. Hare Bushes North. Assemblage 322

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platt. Only	Total
Flake									
Total No.	4	1	0	0	1	0	0	0	6
% flakes	66.67%	16.67%	0.00%	0.00%	16.67%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	0	0	0	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	0	0	0	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	11	1	0	2	0	1	0	0	15
% other	73.33%	6.67%	0.00%	13.33%	0.00%	6.67%	0.00%	0.00%	
Total Debitage	15	2	0	2	1	1	0	0	21
% total debitage	71.43%	9.52%	0.00%	9.52%	4.76%	4.76%	0.00%	0.00%	

A1.34.6. Flake Termination. Hare Bushes Area, Baunton. Assemblage 322

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	2	0	0	0	4	6
% flakes	33.33%	0.00%	0.00%	0.00%	66.67%	
Narrow Flake						
Total No.	0	0	0	0	0	0
% narrow flakes	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	0	0	0	0	0	0
% blades	0.00%	0.00%	0.00%	0.00%	0.00%	
Other						
Total No.	4	0	0	0	11	15
% other	26.67%	0.00%	0.00%	0.00%	73.33%	
Total Debitage						
Total No.	6	0	0	0	15	21
% total debitage	28.57%	0.00%	0.00%	0.00%	71.43%	

A1.34.8. Core Weights and Dimensions. Hare Bushes Area, Baunton. Assemblage 322

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	N/A	N/A	N/A	N/A
Core frags	6.33			

A1.34.7. Raw Materials. Hare Bushes Area, Baunton. Assemblage 322

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead Flint	Langdale	
Flake	1	0	2	0	3	0	0	0	0	6
Total No.	16.67%	0.00%	33.33%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	0	0	0	0	0	0	0	0	0	0
Total No.	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	0	0	0	0	0	0	0	0	0	0
Total No.	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	8	1	0	0	6	0	0	0	0	15
Total No.	53.33%	6.67%	0.00%	0.00%	40.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	9	1	2	0	9	0	0	0	0	21
% total debitage	42.86%	4.76%	9.52%	0.00%	42.86%	0.00%	0.00%	0.00%	0.00%	
Total Cores	0	1	0	0	2	0	0	0	0	3
% cores	0.00%	33.33%	0.00%	0.00%	66.67%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	5	0	0	0	4	0	0	0	0	9
% tools etc	55.56%	0.00%	0.00%	0.00%	44.44%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	14	2	2	0	15	0	0	0	0	33
% Assemblage	42.42%	6.06%	6.06%	0.00%	45.45%	0.00%	0.00%	0.00%	0.00%	

A1.35.1. Balance of Assemblage. Field Barn, South of Baunton. Assemblage 323

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	349	71.08%
Cores	56	11.41%
Unmodified	0	0.00%
Unclassifiable burnt	18	3.67%
Trimmed / Worn	2	0.41%
Misc. Retouched	12	2.44%
Tools(classifiable excl.gunflints)	54	11.00%
Gunflints	0	0.00%
Total	491	100.00%

A1.35.2. Breakdown of Tools (classifiable). Field Barn, South of Baunton. Assemblage 323

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	0.00%
Scrapers	42	77.78%
Sawing / Cutting / Engraving	2	3.70%
Piercing	2	3.70%
Arrowheads	3	5.56%
Microliths / Microburins	0	0.00%
Knives & Retouched Blades	2	3.70%
Daggers	0	0.00%
Axe / Adze (standard)	2	3.70%
Axe / Adze (non-standard)	0	0.00%
Elongated (non-axe / adze)	0	0.00%
Other Core & Heavy Flake Tools	1	1.85%
Tanged Pieces	0	0.00%
Truncated Pieces	0	0.00%
Single Piece Sickles	0	0.00%
Laurel Leaf	0	0.00%
Hammerstones	0	0.00%
Total	54	100.00%

A1.35.3. Scar Direction. Field Barn, South of Baunton. Assemblage 323

	0 Visible	1	2	3	Total
Flake					
Total No.	30	27	21	23	101
% flakes	29.70%	26.73%	20.79%	22.77%	
Narrow Flake					
Total No.	11	21	15	8	55
% narrow flakes	20.00%	38.18%	27.27%	14.55%	
Blade					
Total No.	2	13	0	0	15
% blades	13.33%	86.67%	0.00%	0.00%	
Other					
Total No.	95	45	17	21	178
% other	53.37%	25.28%	9.55%	11.80%	
Total Debitage	138	106	53	52	349
% total debitage	39.54%	30.37%	15.19%	14.90%	

A1.35.4. Platform Preparation. Field Barn, South of Baunton. Assemblage 323

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	25	27	21	17	11	101
% flakes	24.75%	26.73%	20.79%	16.83%	10.89%	
Narrow Flake						
Total No.	21	6	19	7	2	55
% narrow flakes	38.18%	10.91%	34.55%	12.73%	3.64%	
Blade						
Total No.	5	0	9	0	1	15
% blades	33.33%	0.00%	60.00%	0.00%	6.67%	
Other						
Total No.	99	15	40	13	11	178
% other	55.62%	8.43%	22.47%	7.30%	6.18%	
Total Debitage	150	48	89	37	25	349
% total debitage	42.98%	13.75%	25.50%	10.60%	7.16%	

A1.35.5. Cortex. Field Barn, South of Baunton. Assemblage 323

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100% All Cortex	Platf. Only	Total
Flake								
Total No.	60	23	6	5	1	2	0	4
% flakes	59.41%	22.77%	5.94%	4.95%	0.99%	1.98%	0.00%	3.96%
Narrow Flake								
Total No.	32	14	6	2	0	0	0	1
% narrow flakes	58.18%	25.45%	10.91%	3.64%	0.00%	0.00%	0.00%	1.82%
Blade								
Total No.	9	4	1	0	0	0	0	1
% blades	60.00%	26.67%	6.67%	0.00%	0.00%	0.00%	0.00%	6.67%
Other								
Total No.	133	35	5	3	1	0	0	1
% other	74.72%	19.66%	2.81%	1.69%	0.56%	0.00%	0.00%	0.56%
Total Debitage	234	76	18	10	2	2	0	7
% total debitage	67.05%	21.78%	5.16%	2.87%	0.57%	0.57%	0.00%	2.01%

A1.35.6. Flake Termination. Field Barn, South of Baunton. Assemblage 323

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	59	10	7	0	25	101
% flakes	58.42%	9.90%	6.93%	0.00%	24.75%	
Narrow Flake						
Total No.	27	7	1	0	20	55
% narrow flakes	49.09%	12.73%	1.82%	0.00%	36.36%	
Blade						
Total No.	5	2	1	0	7	15
% blades	33.33%	13.33%	6.67%	0.00%	46.67%	
Other						
Total No.	48	4	2	0	124	178
% other	26.97%	2.25%	1.12%	0.00%	69.66%	
Total Debitage	139	23	11	0	176	349
% total debitage	39.83%	6.59%	3.15%	0.00%	50.43%	

A1.35.8. Core Scars. Field Barn, South of Baunton. Assemblage 323

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	2	2	4
%	0.00%	50.00%	50.00%	
Core A2	0	0	2	2
%	0.00%	0.00%	100.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	3	1	4
%	0.00%	75.00%	25.00%	
Core C	0	2	6	8
%	0.00%	25.00%	75.00%	
Core D	0	2	1	3
%	0.00%	66.67%	33.33%	
Core E	0	1	1	2
%	0.00%	50.00%	50.00%	
Core Levallois	0	1	0	1
%	0.00%	100.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	1	1	2
%	0.00%	50.00%	50.00%	
Total (exc. frags)	0	12	14	26
%	0.00%	46.15%	53.85%	

A1.35.7. Raw Materials. Field Barn, South of Bannton. Assemblage 323

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	86	1	0	0	14	0	0	0	0	101
Total No.	85.15%	0.99%	0.00%	0.00%	13.86%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	42	0	1	0	12	0	0	0	0	55
Total No.	76.36%	0.00%	1.82%	0.00%	21.82%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	12	0	0	0	3	0	0	0	0	15
Total No.	80.00%	0.00%	0.00%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	148	0	1	0	29	0	0	0	0	178
Total No.	83.15%	0.00%	0.56%	0.00%	16.29%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	288	1	2	0	58	0	0	0	0	349
% total debitage	82.52%	0.29%	0.57%	0.00%	16.62%	0.00%	0.00%	0.00%	0.00%	
Total Cores	45	2	1	0	8	0	0	0	0	56
% cores	80.36%	3.57%	1.79%	0.00%	14.29%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	63	0	1	0	22	0	0	0	0	86
% tools etc	73.26%	0.00%	1.16%	0.00%	25.58%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	396	3	4	0	88	0	0	0	0	491
% Assemblage	80.65%	0.61%	0.81%	0.00%	17.92%	0.00%	0.00%	0.00%	0.00%	

A1.35.9. Core Weights and Dimensions. Field Barn, South of Baunton. Assemblage 323

Core Wts & Dimensions	Av.Wt(g)	Av.Length(mm)	Av.Width	Av.Thickness
Core A1	12.00	31.08	24.03	18.48
Core A2	9.00	32.40	20.85	15.75
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	21.00	38.55	26.10	22.78
Core C	18.78	30.30	21.11	20.35
Core D	18.00	33.73	27.57	20.43
Core E	11.00	28.00	26.30	16.60
Core Levallois	8.00	27.20	23.50	14.10
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	6.00	29.10	21.95	12.35
All cores(excl.frag)	14.50	31.86	23.61	18.95
Core frags	8.97			

A1.35.10. Length:Width Index.
Field Barn, South of Baunton.
Assemblage 323

	No.	%
<0.6	3	3.75%
0.6-1.0	28	35.00%
1.1-1.5	30	37.50%
1.6-2.0	11	13.75%
2.1-2.5	5	6.25%
>2.5	3	3.75%
Total	80	100.00%

A1.35.11. Thickness (mm).
Field Barn, South of Baunton.
Assemblage 323

	No.	%
0-1	0	0.00%
1.1-2	1	1.25%
2.1-3	0	0.00%
3.1-4	2	2.50%
4.1-5	10	12.50%
5.1-6	10	12.50%
6.1-7	7	8.75%
7.1-8	9	11.25%
8.1-9	11	13.75%
9.1-10	7	8.75%
10.1-11	5	6.25%
11.1-12	5	6.25%
12.1-13	4	5.00%
13.1-14	4	5.00%
14.1-15	3	3.75%
15.1-16	0	0.00%
16.1-17	1	1.25%
17.1-18	1	1.25%
>18	0	0.00%
Total	80	100.00%

A1.36.1. Balance of Assemblage. North Cerney, Baunton. Assemblage 140

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	16	64.00%
Cores	2	8.00%
Unmodified	0	0.00%
Unclassifiable burnt	4	16.00%
Trimmed / Worn	0	0.00%
Misc. Retouched	1	4.00%
Tools(classifiable excl.gunflints)	2	8.00%
Gunflints	0	0.00%
Total	25	100.00%

A1.36.2. Breakdown of Tools (classifiable). North Cerney, Baunton. Assemblage 140

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	0	
Sawing / Cutting / Engraving	0	
Piercing	1	50.00%
Arrowheads	0	
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	1	50.00%
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	2	100.00%

A1.36.3. Scar Direction. North Cerney, Baunton. Assemblage 140

	0 Visible	1	2	3	Total
Flake					
Total No.	1	1	2	2	6
% flakes	16.67%	16.67%	33.33%	33.33%	
Narrow Flake					
Total No.	0	0	0	1	1
% narrow flakes	0.00%	0.00%	0.00%	100.00%	
Blade					
Total No.	2	1	0	0	3
% blades	66.67%	33.33%	0.00%	0.00%	
Other					
Total No.	4	2	0	0	6
% other	66.67%	33.33%	0.00%	0.00%	
Total Debitage	7	4	2	3	16
% total debitage	43.75%	25.00%	12.50%	18.75%	

A1.36.4. Platform Preparation. North Cerney, Baunton. Assemblage 140

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	2	2	2	0	0	6
% flakes	33.33%	33.33%	33.33%	0.00%	0.00%	
Narrow Flake						
Total No.	1	0	0	0	0	1
% narrow flakes	100.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	1	0	2	0	0	3
% blades	33.33%	0.00%	66.67%	0.00%	0.00%	
Other						
Total No.	5	0	0	0	1	6
% other	83.33%	0.00%	0.00%	0.00%	16.67%	
Total Debitage	9	2	4	0	1	16
% total debitage	56.25%	12.50%	25.00%	0.00%	6.25%	

A1.36.5. Cortex. North Cerney, Baunton. Assemblage 140

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	2	2	1	1	0	0	0	0	6
% flakes	33.33%	33.33%	16.67%	16.67%	0.00%	0.00%	0.00%	0.00%	
Narrow Flake									
Total No.	1	0	0	0	0	0	0	0	1
% narrow flakes	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	3	0	0	0	0	0	0	0	3
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	6	0	0	0	0	0	0	0	6
% other	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Total Debitage	12	2	1	1	0	0	0	0	16
% total debitage	75.00%	12.50%	6.25%	6.25%	0.00%	0.00%	0.00%	0.00%	

A1.36.6. Flake Termination. North Cerney, Baunton. Assemblage 140

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	5	0	1	0	0	6
% flakes	83.33%	0.00%	16.67%	0.00%	0.00%	
Narrow Flake						
Total No.	1	0	0	0	0	1
% narrow flakes	100.00%	0.00%	0.00%	0.00%	0.00%	
Blade						
Total No.	2	0	0	0	1	3
% blades	66.67%	0.00%	0.00%	0.00%	33.33%	
Other						
Total No.	0	0	0	0	6	6
% other	0.00%	0.00%	0.00%	0.00%	100.00%	
Total Debitage	8	0	1	0	7	16
% total debitage	50.00%	0.00%	6.25%	0.00%	43.75%	

A1.36.8. Core Scars. North Cerney, Baunton. Assemblage 140

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	1	0	1
%	0.00%	100.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	0	0
%	0.00%	0.00%	0.00%	
Core C	0	0	0	0
%	0.00%	0.00%	0.00%	
Core D	0	0	0	0
%	0.00%	0.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total(exc. frags)	0	1	0	1
%	0.00%	100.00%	0.00%	

A1.36.7. Raw Materials. North Cerney, Baunton. Assemblage 140

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead (Langdale)		
Flake	4	0	0	0	2	0	0	0	0	6
Total No.	66.67%	0.00%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	1	0	0	0	0	0	0	0	0	1
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	2	0	0	0	1	0	0	0	0	3
Total No.	66.67%	0.00%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	6	0	0	0	0	0	0	0	0	6
Total No.	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	13	0	0	0	3	0	0	0	0	16
% total debitage	81.25%	0.00%	0.00%	0.00%	18.75%	0.00%	0.00%	0.00%	0.00%	
Total Cores	1	0	0	0	1	0	0	0	0	2
% cores	50.00%	0.00%	0.00%	0.00%	50.00%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	5	0	0	0	2	0	0	0	0	7
% tools etc	71.43%	0.00%	0.00%	0.00%	28.57%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	19	0	0	0	6	0	0	0	0	25
% Assemblage	76.00%	0.00%	0.00%	0.00%	24.00%	0.00%	0.00%	0.00%	0.00%	

A1.36.9. Core Weights and Dimensions. North Cerney, Baunton. Assemblage 140

Core Wts & Dimensions	Av.Wt (g)	Av.Length (mm)	Av.Width	Av.Thickness
Core A1	N/A	N/A	N/A	N/A
Core A2	N/A	N/A	N/A	N/A
Core B1	12.00	31.60	23.90	15.00
Core B2	N/A	N/A	N/A	N/A
Core B3	N/A	N/A	N/A	N/A
Core C	N/A	N/A	N/A	N/A
Core D	N/A	N/A	N/A	N/A
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	12.00	31.60	23.90	15.00
Core frags	4.00			

A1.36.10. Length:Width Index.
North Cerney, Baunton.
Assemblage 140

	No.	%
<0.6	0	0.00%
0.6-1.0	3	37.50%
1.1-1.5	2	25.00%
1.6-2.0	0	0.00%
2.1-2.5	1	12.50%
>2.5	2	25.00%
Total	8	100.00%

A1.36.11. Thickness (mm).
North Cerney, Baunton.
Assemblage 140

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	0	0.00%
4.1-5	0	0.00%
5.1-6	0	0.00%
6.1-7	0	0.00%
7.1-8	3	37.50%
8.1-9	0	0.00%
9.1-10	2	25.00%
10.1-11	0	0.00%
11.1-12	0	0.00%
12.1-13	1	12.50%
13.1-14	0	0.00%
14.1-15	0	0.00%
15.1-16	0	0.00%
16.1-17	1	12.50%
17.1-18	1	12.50%
>18	0	0.00%
Total	8	100.00%

A1.37.1. Balance of Assemblage. Whiteway Nr Shooters Hill, Baunton. Assemblage 204

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	170	71.13%
Cores	22	9.21%
Unmodified	0	0.00%
Unclassifiable burnt	26	10.88%
Trimmed / Worn	1	0.42%
Misc. Retouched	7	2.93%
Tools(classifiable excl.gunflints)13		5.44%
Gunflints	0	0.00%
Total	239	100.00%

A1.37.2. Breakdown of Tools (classifiable). Whiteway Nr Shooters Hill, Baunton. Assemblage 204

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	8	61.54%
Sawing / Cutting / Engraving	1	7.69%
Piercing	1	7.69%
Arrowheads	1	7.69%
Microliths / Microburins	0	
Knives & Retouched Blades	1	7.69%
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	1	7.69%
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	13	100.00%

A1.37.3. Scar Direction. Whiteway Nr Shooters Hill, Baunton. Assemblage 204

	0 Visible	1	2	3	Total
Flake					
Total No.	21	17	20	24	82
% flakes	25.61%	20.73%	24.39%	29.27%	
Narrow Flake					
Total No.	4	3	2	2	11
% narrow flakes	36.36%	27.27%	18.18%	18.18%	
Blade					
Total No.	1	2	0	0	3
% blades	33.33%	66.67%	0.00%	0.00%	
Other					
Total No.	44	15	9	6	74
% other	59.46%	20.27%	12.16%	8.11%	
Total Debitage					
Total No.	70	37	31	32	170
% total debitage	41.18%	21.76%	18.24%	18.82%	

A1.33.A. Platform Preparation. Hare Bushes North. Assemblage 317

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	42	10	14	11	5	82
% flakes	51.22%	12.20%	17.07%	13.41%	6.10%	
Narrow Flake						
Total No.	6	2	3	0	0	11
% narrow flakes	54.55%	18.18%	27.27%	0.00%	0.00%	
Blade						
Total No.	2	0	1	0	0	3
% blades	66.67%	0.00%	33.33%	0.00%	0.00%	
Other						
Total No.	49	8	11	5	1	74
% other	66.22%	10.81%	14.86%	6.76%	1.35%	
Total Debitage						
Total No.	99	20	29	16	6	170
% total debitage	58.24%	11.76%	17.06%	9.41%	3.53%	

A1.37.5. Cortex. Whiteway Nr Shooters Hill, Baunton. Assemblage 204

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	51	21	6	2	0	0	0	2	82
% flakes	62.20%	25.61%	7.32%	2.44%	0.00%	0.00%	0.00%	2.44%	
Narrow Flake									
Total No.	7	2	1	1	0	0	0	0	11
% narrow flakes	63.64%	18.18%	9.09%	9.09%	0.00%	0.00%	0.00%	0.00%	
Blade									
Total No.	3	0	0	0	0	0	0	0	3
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Other									
Total No.	57	12	3	0	0	0	0	2	74
% other	77.03%	16.22%	4.05%	0.00%	0.00%	0.00%	0.00%	2.70%	
Total Debitage	118	35	10	3	0	0	0	4	170
% total debitage	69.41%	20.59%	5.88%	1.76%	0.00%	0.00%	0.00%	2.35%	

A1.37.6. Flake Termination. Whiteway Nr Shooters Hill, Baunton. Assemblage 204

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	50	6	1	0	25	82
% flakes	60.98%	7.32%	1.22%	0.00%	30.49%	
Narrow Flake						
Total No.	7	1	0	0	3	11
% narrow flakes	63.64%	9.09%	0.00%	0.00%	27.27%	
Blade						
Total No.	0	0	0	0	3	3
% blades	0.00%	0.00%	0.00%	0.00%	100.00%	
Other						
Total No.	22	0	0	0	52	74
% other	29.73%	0.00%	0.00%	0.00%	70.27%	
Total Debitage	79	7	1	0	83	170
% total debitage	46.47%	4.12%	0.59%	0.00%	48.82%	

A1.37.8. Core Scars. Whiteway Nr Shooters Hill, Baunton. Assemblage 204

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	2	2
%	0.00%	0.00%	100.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	1	1
%	0.00%	0.00%	100.00%	
Core C	0	4	2	6
%	0.00%	66.67%	33.33%	
Core D	0	0	1	1
%	0.00%	0.00%	100.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	1	0	1
%	0.00%	100.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillees	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	0	0	0
%	0.00%	0.00%	0.00%	
Total (exc. frags)	0	5	6	11
%	0.00%	45.45%	54.55%	

A1.37.7. Raw Materials. Whiteway Nr Shooters Hill, Baunton. Assemblage 204

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd Pebble	Bullhead	Langdale	
Flake	64	0	5	0	13	0	0	0	82
Total No.	78.05%	0.00%	6.10%	0.00%	15.85%	0.00%	0.00%	0.00%	
% flakes									
Narrow Flake	9	0	0	0	2	0	0	0	11
Total No.	81.82%	0.00%	0.00%	0.00%	18.18%	0.00%	0.00%	0.00%	
% narrow flakes									
Blade	2	0	0	0	1	0	0	0	3
Total No.	66.67%	0.00%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	
% blades									
Other debitage	57	0	1	0	16	0	0	0	74
Total No.	77.03%	0.00%	1.35%	0.00%	21.62%	0.00%	0.00%	0.00%	
% other debitage									
Total Debitage	132	0	6	0	32	0	0	0	170
% total debitage	77.65%	0.00%	3.53%	0.00%	18.82%	0.00%	0.00%	0.00%	
Total Cores	14	0	0	0	8	0	0	0	22
% cores	63.64%	0.00%	0.00%	0.00%	36.36%	0.00%	0.00%	0.00%	
Total tools etc	32	0	2	0	13	0	0	0	47
% tools etc	68.09%	0.00%	4.26%	0.00%	27.66%	0.00%	0.00%	0.00%	
Total Assemblage	178	0	8	0	53	0	0	0	239
% Assemblage	74.48%	0.00%	3.35%	0.00%	22.18%	0.00%	0.00%	0.00%	

A1.37.9. Core Weights and Dimensions. Whiteway Nr Shooters Hill, Baunton. Assemblage 204

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	16.50	34.55	22.75	20.00
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	8.00	33.80	20.50	17.40
Core C	6.50	24.60	20.75	14.85
Core D	8.00	29.10	22.10	13.00
Core E	N/A	N/A	N/A	N/A
Core Levallois	9.00	33.60	24.60	10.70
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	N/A	N/A	N/A	N/A
All cores (excl. frags)	8.82	28.47	21.56	15.47
Core frags	12.82			

A1.37.10. Length:Width Index.
Whiteway Nr Shooters Hill, Baunton.
Assemblage 204

	No.	%
<0.6	1	3.45%
0.6-1.0	13	44.83%
1.1-1.5	13	44.83%
1.6-2.0	2	6.90%
2.1-2.5	0	0.00%
>2.5	0	0.00%
Total	29	100.00%

A1.37.11. Thickness (mm).
Whiteway Nr Shooters Hill, Baunton.
Assemblage 204

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	0	0.00%
3.1-4	2	6.90%
4.1-5	2	6.90%
5.1-6	2	6.90%
6.1-7	2	6.90%
7.1-8	5	17.24%
8.1-9	2	6.90%
9.1-10	4	13.79%
10.1-11	1	3.45%
11.1-12	4	13.79%
12.1-13	1	3.45%
13.1-14	3	10.34%
14.1-15	0	0.00%
15.1-16	1	3.45%
16.1-17	0	0.00%
17.1-18	0	0.00%
>18	0	0.00%
Total	29	100.00%

A1.38.1. Balance of Assemblage. Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	129	78.66%
Cores	14	8.54%
Unmodified	0	0.00%
Unclassifiable burnt	6	3.66%
Trimmed / Worn	0	0.00%
Misc. Retouched	3	1.83%
Tools(classifiable excl.gunflints)	12	7.32%
Gunflints	0	0.00%
Total	164	100.00%

A1.38.2. Breakdown of Tools (classifiable). Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	10	83.33%
Sawing / Cutting / Engraving	0	
Piercing	1	8.33%
Arrowheads	1	8.33%
Microliths / Microburins	0	
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	0	
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	12	100.00%

A1.38.3. Scar Direction. Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

	0 Visible	1	2	3	Total
Flake					
Total No.	4	7	3	9	23
% flakes	17.39%	30.43%	13.04%	39.13%	
Narrow Flake					
Total No.	5	5	2	3	15
% narrow flakes	33.33%	33.33%	13.33%	20.00%	
Blade					
Total No.	0	14	0	0	14
% blades	0.00%	100.00%	0.00%	0.00%	
Other					
Total No.	36	16	11	14	77
% other	46.75%	20.78%	14.29%	18.18%	
Total Debitage	45	42	16	26	129
% total debitage	34.88%	32.56%	12.40%	20.16%	

A1.38.4. Platform Preparation. Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	8	5	4	3	3	23
% flakes	34.78%	21.74%	17.39%	13.04%	13.04%	
Narrow Flake						
Total No.	6	3	5	1	0	15
% narrow flakes	40.00%	20.00%	33.33%	6.67%	0.00%	
Blade						
Total No.	4	0	10	0	0	14
% blades	28.57%	0.00%	71.43%	0.00%	0.00%	
Other						
Total No.	49	7	15	4	2	77
% other	63.64%	9.09%	19.48%	5.19%	2.60%	
Total Debitage	67	15	34	8	5	129
% total debitage	51.94%	11.63%	26.36%	6.20%	3.88%	

A1.38.5. Cortex. Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%:All Cortex	Platf. Only	Total
Flake								
Total No.	19	1	2	1	0	0	0	23
% flakes	82.61%	4.35%	8.70%	4.35%	0.00%	0.00%	0.00%	0.00%
Narrow Flake								
Total No.	8	4	1	1	1	0	0	15
% narrow flakes	53.33%	26.67%	6.67%	6.67%	6.67%	0.00%	0.00%	0.00%
Blade								
Total No.	14	0	0	0	0	0	0	14
% blades	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Other								
Total No.	63	9	1	2	1	0	0	77
% other	81.82%	11.69%	1.30%	2.60%	1.30%	0.00%	0.00%	1.30%
Total Debitage								
Total Debitage	104	14	4	4	2	0	0	129
% total debitage	80.62%	10.85%	3.10%	3.10%	1.55%	0.00%	0.00%	0.78%

A1.38.6. Flake Termination. Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	6	4	0	0	13	23
% flakes	26.09%	17.39%	0.00%	0.00%	56.52%	
Narrow Flake						
Total No.	7	3	1	0	4	15
% narrow flakes	46.67%	20.00%	6.67%	0.00%	26.67%	
Blade						
Total No.	3	1	0	0	10	14
% blades	21.43%	7.14%	0.00%	0.00%	71.43%	
Other						
Total No.	12	1	0	0	64	77
% other	15.58%	1.30%	0.00%	0.00%	83.12%	
Total Debitage	28	9	1	0	91	129
% total debitage	21.71%	6.98%	0.78%	0.00%	70.54%	

A1.38.8. Core Scars. Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	0	0	2	2
%	0.00%	0.00%	100.00%	
Core A2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B1	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B2	0	0	0	0
%	0.00%	0.00%	0.00%	
Core B3	0	0	1	1
%	0.00%	0.00%	100.00%	
Core C	0	3	0	3
%	0.00%	100.00%	0.00%	
Core D	0	3	0	3
%	0.00%	100.00%	0.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	0	0	0
%	0.00%	0.00%	0.00%	
Flaked Lump	0	0	0	0
%	0.00%	0.00%	0.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	0	1	0	1
%	0.00%	100.00%	0.00%	
Total (exc. frags)	0	7	3	10
%	0.00%	70.00%	30.00%	

A1.38.7. Raw Materials. Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	17	0	1	0	5	0	0	0	0	23
Total No.	73.91%	0.00%	4.35%	0.00%	21.74%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	12	1	0	0	2	0	0	0	0	15
Total No.	80.00%	6.67%	0.00%	0.00%	13.33%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	12	0	0	0	2	0	0	0	0	14
Total No.	85.71%	0.00%	0.00%	0.00%	14.29%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	66	1	0	0	10	0	0	0	0	77
Total No.	85.71%	1.30%	0.00%	0.00%	12.99%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	107	2	1	0	19	0	0	0	0	129
% total debitage	82.95%	1.55%	0.78%	0.00%	14.73%	0.00%	0.00%	0.00%	0.00%	
Total Cores	11	0	0	0	3	0	0	0	0	14
% cores	78.57%	0.00%	0.00%	0.00%	21.43%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	11	2	1	0	7	0	0	0	0	21
% tools etc	52.38%	9.52%	4.76%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	129	4	2	0	29	0	0	0	0	164
% Assemblage	78.66%	2.44%	1.22%	0.00%	17.68%	0.00%	0.00%	0.00%	0.00%	

A1.38.9. Core Weights and Dimensions. Whiteway Nr Eldon Wood & Sisters Copse, Baunton. Assemblage 203

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	3.00	23.10	13.20	12.45
Core A2	N/A	N/A	N/A	N/A
Core B1	N/A	N/A	N/A	N/A
Core B2	N/A	N/A	N/A	N/A
Core B3	26.00	37.80	35.00	29.60
Core C	19.33	32.57	26.33	18.57
Core D	26.00	35.27	33.03	22.77
Core E	N/A	N/A	N/A	N/A
Core Levallois	N/A	N/A	N/A	N/A
Flaked Lump	N/A	N/A	N/A	N/A
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	7.00	41.50	20.00	10.50
All cores(excl.frag)	17.50	32.90	25.95	18.90
Core frags	10.25			

A1.38.10. Length:Width Index.
Whiteway Nr Eldon Wood
& Sisters Copse, Baunton.
Assemblage 203

	No.	%
<0.6	0	0.00%
0.6-1.0	6	33.33%
1.1-1.5	4	22.22%
1.6-2.0	6	33.33%
2.1-2.5	1	5.56%
>2.5	1	5.56%
Total	18	100.00%

A1.38.11. Thickness (mm).
Whiteway Nr Eldon Wood
& Sisters Copse, Baunton.
Assemblage 203

	No.	%
0-1	0	0.00%
1.1-2	0	0.00%
2.1-3	1	5.56%
3.1-4	3	16.67%
4.1-5	1	5.56%
5.1-6	0	0.00%
6.1-7	1	5.56%
7.1-8	0	0.00%
8.1-9	1	5.56%
9.1-10	5	27.78%
10.1-11	2	11.11%
11.1-12	1	5.56%
12.1-13	0	0.00%
13.1-14	0	0.00%
14.1-15	1	5.56%
15.1-16	1	5.56%
16.1-17	1	5.56%
17.1-18	0	0.00%
>18	0	0.00%
Total	18	100.00%

A1.39.1. Balance of Assemblage, Southmore Grove, Rendcombe. Assemblage 53

BALANCE OF ASSEMBLAGE	No.	% of Total
Debitage / Prep.	743	70.96%
Cores	91	8.69%
Unmodified	0	0.00%
Unclassifiable burnt	146	13.94%
Trimmed / Worn	2	0.19%
Misc. Retouched	25	2.39%
Tools(classifiable excl.gunflints)	40	3.82%
Gunflints	0	0.00%
Total	1047	100.00%

A1.39.2. Breakdown of Tools (classifiable). Southmore Grove, Rendcombe. Assemblage 53

BREAKDOWN OF TOOLS (classifiable)	No.	% of Total
Combination Tools	0	
Scrapers	25	62.50%
Sawing / Cutting / Engraving	1	2.50%
Piercing	0	
Arrowheads	4	10.00%
Microliths / Microburins	9	22.50%
Knives & Retouched Blades	0	
Daggers	0	
Axe / Adze (standard)	0	
Axe / Adze (non-standard)	0	
Elongated (non-axe / adze)	1	2.50%
Other Core & Heavy Flake Tools	0	
Tanged Pieces	0	
Truncated Pieces	0	
Single Piece Sickles	0	
Laurel Leaf	0	
Hammerstones	0	
Total	40	100.00%

A1.39.3. Scar Direction. Southmore Grove, Rendcombe. Assemblage 53

	0 Visible	1	2	3	Total
Flake					
Total No.	28	45	34	52	159
% flakes	17.61%	28.30%	21.38%	32.70%	
Narrow Flake					
Total No.	7	41	15	13	76
% narrow flakes	9.21%	53.95%	19.74%	17.11%	
Blade					
Total No.	16	70	12	1	99
% blades	16.16%	70.71%	12.12%	1.01%	
Other					
Total No.	164	149	52	44	409
% other	40.10%	36.43%	12.71%	10.76%	
Total Debitage	215	305	113	110	743
% total debitage	28.94%	41.05%	15.21%	14.80%	

A1.39.4. Platform Preparation. Southmore Grove, Rendcombe. Assemblage 53

	0 platform	No prep	Trimmed	Facetted	T & F	Total
Flake						
Total No.	62	22	44	16	15	159
% flakes	38.99%	13.84%	27.67%	10.06%	9.43%	
Narrow Flake						
Total No.	20	13	34	5	4	76
% narrow flakes	26.32%	17.11%	44.74%	6.58%	5.26%	
Blade						
Total No.	43	5	47	1	3	99
% blades	43.43%	5.05%	47.47%	1.01%	3.03%	
Other						
Total No.	258	32	91	14	14	409
% other	63.08%	7.82%	22.25%	3.42%	3.42%	
Total Debitage	383	72	216	36	36	743
% total debitage	51.55%	9.69%	29.07%	4.85%	4.85%	

AI.39.5. Cortex. Soutlimore Grove, Rendcombe. Assenblage 53

	0 Cortex	0+-25%	25+-50%	50+-75%	75+-99%	100%	All Cortex	Platf. Only	Total
Flake									
Total No.	74	40	12	8	17	6	0	2	153
% flakes	46.54%	25.16%	7.55%	5.03%	10.69%	3.77%	0.00%	1.26%	
Narrow Flake									
Total No.	35	21	3	7	5	1	0	4	76
% narrow flakes	46.05%	27.63%	3.95%	9.21%	6.58%	1.32%	0.00%	5.26%	
Blade									
Total No.	79	9	5	1	3	0	0	2	99
% blades	79.80%	9.09%	5.05%	1.01%	3.03%	0.00%	0.00%	2.02%	
Other									
Total No.	288	70	22	10	9	4	0	6	409
% other	70.42%	17.11%	5.38%	2.44%	2.20%	0.98%	0.00%	1.47%	
Total Debitage	476	140	42	26	34	11	0	14	743
% total debitage	64.06%	18.84%	5.65%	3.50%	4.58%	1.48%	0.00%	1.88%	

A1.39.6. Flake Termination. Southmore Grove, Rendcombe. Assemblage 53

	Feathered	Hinged	Step Fr.	Plunging	No Termination	Total
Flake						
Total No.	95	12	5	0	47	159
% flakes	59.75%	7.55%	3.14%	0.00%	29.56%	
Narrow Flake						
Total No.	38	7	0	0	31	76
% narrow flakes	50.00%	9.21%	0.00%	0.00%	40.79%	
Blade						
Total No.	25	0	0	0	1	26
% blades	96.15%	0.00%	0.00%	0.00%	3.85%	
Other						
Total No.	21	3	0	0	50	74
% other	28.38%	4.05%	0.00%	0.00%	67.57%	
Total Debitage	179	22	5	0	129	335
% total debitage	53.43%	6.57%	1.49%	0.00%	38.51%	

A1.39.8. Core Scars. Southmore Grove, Rendcombe. Assemblage 53

Core Scars	Blade	Flake	Blade & Flake	Total
Core A1	2	1	0	3
%	66.67%	33.33%	0.00%	
Core A2	4	2	1	7
%	57.14%	28.57%	14.29%	
Core B1	0	1	4	5
%	0.00%	20.00%	80.00%	
Core B2	1	2	3	6
%	16.67%	33.33%	50.00%	
Core B3	1	3	8	12
%	8.33%	25.00%	66.67%	
Core C	0	6	7	13
%	0.00%	46.15%	53.85%	
Core D	0	0	1	1
%	0.00%	0.00%	100.00%	
Core E	0	0	0	0
%	0.00%	0.00%	0.00%	
Core Levallois	0	1	0	1
%	0.00%	100.00%	0.00%	
Flaked Lump	2	2	4	8
%	25.00%	25.00%	50.00%	
Pieces esquillee	0	0	0	0
%	0.00%	0.00%	0.00%	
Core on a flake	1	2	1	4
%	25.00%	50.00%	25.00%	
Total (exc. frags)	11	20	29	60
%	18.33%	33.33%	48.33%	

A1.39.7. Raw Materials. Southmore Grove, Rendcombe. Assemblage 53

Raw Materials	Patinated	Ch. Flint	Der. Flint	Chert	Flint (unknown)	Graig Llwyd	Pebble	Bullhead	Langdale	
Flake	134	3	1	0	21	0	0	0	0	159
Total No.	84.28%	1.89%	0.63%	0.00%	13.21%	0.00%	0.00%	0.00%	0.00%	
% flakes										
Narrow Flake	64	1	0	0	11	0	0	0	0	76
Total No.	84.21%	1.32%	0.00%	0.00%	14.47%	0.00%	0.00%	0.00%	0.00%	
% narrow flakes										
Blade	78	1	0	0	20	0	0	0	0	99
Total No.	78.79%	1.01%	0.00%	0.00%	20.20%	0.00%	0.00%	0.00%	0.00%	
% blades										
Other debitage	325	2	3	0	79	0	0	0	0	409
Total No.	79.46%	0.49%	0.73%	0.00%	19.32%	0.00%	0.00%	0.00%	0.00%	
% other debitage										
Total Debitage	601	7	4	0	131	0	0	0	0	743
% total debitage	80.89%	0.94%	0.54%	0.00%	17.63%	0.00%	0.00%	0.00%	0.00%	
Total Cores	66	3	2	0	20	0	0	0	0	91
% cores	72.53%	3.30%	2.20%	0.00%	21.98%	0.00%	0.00%	0.00%	0.00%	
Total tools etc	157	4	1	0	51	0	0	0	0	213
% tools etc	73.71%	1.88%	0.47%	0.00%	23.94%	0.00%	0.00%	0.00%	0.00%	
Total Assemblage	824	14	7	0	202	0	0	0	0	1047
% Assemblage	78.70%	1.34%	0.67%	0.00%	19.29%	0.00%	0.00%	0.00%	0.00%	

A1.39.9. Core Weights and Dimensions. Southmore Grove, Rendcombe. Assemblage 53

Core Wts & Dimensions	Av. Wt (g)	Av. Length (mm)	Av. Width	Av. Thickness
Core A1	20.00	41.30	25.73	17.57
Core A2	14.00	36.43	23.04	19.29
Core B1	19.80	36.66	26.80	20.16
Core B2	26.50	37.28	30.77	19.22
Core B3	20.25	36.14	28.11	19.98
Core C	20.54	35.81	27.92	20.50
Core D	33.00	45.50	26.20	34.90
Core E	N/A	N/A	N/A	N/A
Core Levallois	8.00	29.00	25.50	13.20
Flaked Lump	26.13	40.70	31.24	22.19
Pieces esquillee	N/A	N/A	N/A	N/A
Core on a flake	11.00	34.00	25.83	15.75
All cores (excl. frags)	20.33	37.02	27.70	19.98
Core frags	15.16			

A1.39.10. Length:Width Index.
Southmore Grove, Rendcombe.
Assemblage 53

	No.	%
<0.6	2	2.00%
0.6-1.0	26	26.00%
1.1-1.5	32	32.00%
1.6-2.0	23	23.00%
2.1-2.5	11	11.00%
>2.5	6	6.00%
Total	100	100.00%

A1.39.11. Thickness (mm).
Southmore Grove, Rendcombe.
Assemblage 53

	No.	%
0-1	1	1.00%
1.1-2	0	0.00%
2.1-3	3	3.00%
3.1-4	15	15.00%
4.1-5	10	10.00%
5.1-6	8	8.00%
6.1-7	9	9.00%
7.1-8	12	12.00%
8.1-9	6	6.00%
9.1-10	7	7.00%
10.1-11	6	6.00%
11.1-12	2	2.00%
12.1-13	7	7.00%
13.1-14	2	2.00%
14.1-15	3	3.00%
15.1-16	1	1.00%
16.1-17	4	4.00%
17.1-18	0	0.00%
>18	4	4.00%
Total	100	100.00%

Appendix 2. Databases & Spreadsheets: Creation & Coding

The complete archive of databases and spreadsheets created during the course of this study is contained within the accompanying CD-Rom (Appendix 3). Appendix 2 sets out details of these together with details of the coding used within them.

Databases

All databases were created using Microsoft Access 2000. *Cotswold Lithics Databases* contains both:

Assemblages: the original table (also available as forms) giving details of all lithic assemblages known from within the study area and

PhD Data Collection: the table (also available as forms) used to record the primary data from the assemblages selected for analysis. This also contains the complete series of original database queries upon which the tables and calculations in the assemblage worksheets are based.

Spreadsheets

All spreadsheets were created using Microsoft Excel 2000. The Excel workbooks present are as follows:

Assemblages 1 to 325 of those assemblages chosen for analysis are workbooks containing the original data, calculations and tables that form the basis of the analysis of unpublished data in this study. With the exception of *Assemblage 61* all are in the same format. The first (*Site-...*) and last (*Chrono-Waste-...*) worksheets in each of these files contains the tables upon which the analysis is based. The remainder contain data (imported from the queries within the *PhD Data Collection* database) to which the calculations within the tables are linked.

Assemblage 61 comprises the summary information for the unpublished data (originally supplied in a more extended format by John Gale) pertaining to the Crickley Hill lithic assemblage.

Scrapers Analysis contains the data, calculations and tables pertaining to those assemblages where a chronometric analysis of scrapers was viable.

Tools Analysis contains an assemblage-by-assemblage and square-by-square breakdown of all arrowheads, axes/adzes and microliths/microburins within the analysed assemblages from the study area.

Coding

For ease of manipulation many of the fields within the databases contain numerically or alphabetically coded data. Within the *Assemblages* database details of coding within any field are obtained by clicking on that field. The codings and the criteria used within the *PhD Data Collection* database are set out below, field-by-field.

PhD Data Collection Coding:

Site No.: From Assemblages database

Item No.: Individual no for each item (Site No. + Item No. = primary key)

Type: The complete list of typological/technological codings used in this field can be found in each of the Assemblage Excel workbooks e.g. Appendix 3: Assemblage 1:Site 1.

Broken:

0=no

1=yes

Cortex:

0=no cortex on dorsal surface

1=0+-25% cortex on dorsal surface

2=25+-50% cortex on dorsal surface

3=50+-75% cortex on dorsal surface

4=75+-99% cortex on dorsal surface

5=100% cortex on dorsal surface

6=entirely cortical flake/fragment (ventral & dorsal surfaces)

7=Cortex on platform only

Scars:

0=No scars visible

1=1 direction scarring on dorsal surface

2=2 direction scarring on dorsal surface

3=3 or more direction scarring on dorsal surface

Platforms:

0=no platform

1=no evidence of platform preparation

2=trimmed (i.e. going down dorsal face; includes abrasion)

3=faceted

4=faceted & trimmed

Raw Materials:

1=entirely patinated; material unknown

2=chalk flint

3=derived flint

4=chert

5=flint of unknown origin

6=Graig Llwyd

7=Pebble

8=Bullhead flint

9=Langdale

Flake Termination:

1=Feathered

2=Hinged

3=Step fracture

4=Plunging

5=No visible termination (i.e. implement, broken, lump or core etc.)

Burnt:

0=no.

1=yes.

Length: In mm to nearest 0.1 mm rounding down. Nothing broken measured except tools where the remaining dimensions are known. No waste measured with max dimension under 20mm.

Width: In mm to nearest 0.1 mm rounding down. Nothing broken measured except tools where remaining dimensions known.

Thickness: In mm to nearest 0.1 mm rounding down. Nothing broken measured except tools where remaining dimensions known.

Weight: In gms down to 1 g. 1= 1g or less.

Core Scars:

1=blade

2=flake

3=blade & flake

Original Ref. No: Original find or flint/lithic no. given on site by excavator/analyst etc.

Original Context: Number/ name of feature/context/layer/collection unit etc. from which item came

Comments: Any additional comments.